

# Visualization Analysis & Design Half-Day Tutorial



**Tamara Munzner**  
Department of Computer Science  
University of British Columbia

IEEE VIS 2022 Tutorial  
October 2022, Oklahoma City OK (hybrid)

<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>

## Visualization Analysis & Design, Half-Day Tutorial

- Session 1**
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2**
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>

## Defining visualization (vis)

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

## Defining visualization (vis)

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

Why?...

### Why have a human in the loop?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

### Why have a human in the loop?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

Visualization is suitable when there is a need to augment human capabilities rather than replace people with computational decision-making methods.

### Why have a human in the loop?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

Visualization is suitable when there is a need to augment human capabilities rather than replace people with computational decision-making methods.

- don't need vis when fully automatic solution exists and is trusted
- many analysis problems ill-specified
  - don't know exactly what questions to ask in advance
- possibilities
  - long-term use for end users (ex: exploratory analysis of scientific data)
  - presentation of known results (ex: New York Times Upshot)
  - stepping stone to assess requirements before developing models
  - help automatic solution developers refine & determine parameters
  - help end users of automatic solutions verify, build trust

### Why use an external representation?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.


- external representation: replace cognition with perception

[Cerebral Visualizing Multiple Experimental Conditions on a Graph with Biological Context. Barsky, Munzner, Gandy, and Kincaid. IEEE TVCG (Proc. InfoVis) 14(6):1253-1260, 2008.]

### Why use an external representation?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

- external representation: replace cognition with perception




[Cerebral Visualizing Multiple Experimental Conditions on a Graph with Biological Context. Barsky, Munzner, Gandy, and Kincaid. IEEE TVCG (Proc. InfoVis) 14(6):1253-1260, 2008.]

### Why represent all the data?

Computer-based visualization systems provide visual representations of datasets designed to help people carry out tasks more effectively.

- summaries lose information, details matter
  - confirm expected and find unexpected patterns
  - assess validity of statistical model



[A Multi-Level Typology of Abstract Visualization Tasks. Brehmer and Munzner. IEEE TVCG 19(12):2376-2385, 2013 (Proc. InfoVis 2013).]

### Why analyze?

- imposes structure on huge design space
  - scaffold to help you think systematically about choices
  - analyzing existing as stepping stone to designing new
  - most possibilities ineffective for particular task/data combination


### Analysis framework: Four levels, three questions

- domain situation
  - who are the target users?

### Analysis framework: Four levels, three questions

- domain situation
  - who are the target users?
- abstraction
  - translate from specifics of domain to vocabulary of vis
    - what is shown? data abstraction
    - why is the user looking at it? task abstraction

[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]




[A Multi-Level Typology of Abstract Visualization Tasks. Brehmer and Munzner. IEEE TVCG 19(12):2376-2385, 2013 (Proc. InfoVis 2013).]

### Analysis framework: Four levels, three questions

- domain situation
  - who are the target users?
- abstraction
  - translate from specifics of domain to vocabulary of vis
    - what is shown? data abstraction
    - why is the user looking at it? task abstraction
- idiom
  - how is it shown?
    - visual encoding idiom: how to draw
    - interaction idiom: how to manipulate

[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]




[A Multi-Level Typology of Abstract Visualization Tasks. Brehmer and Munzner. IEEE TVCG 19(12):2376-2385, 2013 (Proc. InfoVis 2013).]

### Analysis framework: Four levels, three questions

- domain situation
  - who are the target users?
- abstraction
  - translate from specifics of domain to vocabulary of vis
    - what is shown? data abstraction
    - why is the user looking at it? task abstraction
- idiom
  - how is it shown?
    - visual encoding idiom: how to draw
    - interaction idiom: how to manipulate
- algorithm
  - efficient computation

[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]



[A Multi-Level Typology of Abstract Visualization Tasks. Brehmer and Munzner. IEEE TVCG 19(12):2376-2385, 2013 (Proc. InfoVis 2013).]


### Why is validation difficult?

- different ways to get it wrong at each level



# Why is validation difficult?


- solution: use methods from different fields at each level



[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]

# Why is validation difficult?


- solution: use methods from different fields at each level



[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]

# Why is validation difficult?


- solution: use methods from different fields at each level



[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]

# Why is validation difficult?

- solution: use methods from different fields at each level




[A Nested Model of Visualization Design and Validation. Munzner. IEEE TVCG 15(6):921-928, 2009 (Proc. InfoVis 2009).]


## Design Study Methodology: Reflections from the Trenches and the Stacks

Cerebral genomics, MizBee genomics, Pathline genomics, MulteeSum genomics, Vismon fisheries management, QuestVis sustainability, WiKeVis in-car networks, MostVis in-car networks, Car-X-Ray in-car networks, ProgSpy2010 in-car networks, ReIEx in-car networks, Cardigram in-car networks, AutobahnVis in-car networks, VisTra in-car networks, Constellation linguistics, LibVis cultural heritage, Caidants multicas, SessionViewer web log analysis, LiveRAC server hosting, PowerSetViewer data mining, Last-History music listening.

[Sedlmair, Meyer, Munzner. IEEE Trans. Visualization and Computer Graphics 18(12): 2431-2440, 2012 (Proc. InfoVis 2012).]




## Three major datatypes




## Three major datatypes




## Three major datatypes






## Three major datatypes




## Three major datatypes




## Attribute types



## Actions: Analyze, Query



## Actions: Analyze, Query




# Derive

- don't necessarily just draw what you're given!
  - decide what the right thing to show is
  - create it with a series of transformations from the original dataset
  - draw that
- one of the four major strategies for handling complexity




# Analysis example: Derive one attribute


- Strahler number
    - centrality metric for trees/networks
    - derived quantitative attribute
    - draw top 5K of 500K for good skeleton
- [Using Strahler numbers for real time visual exploration of huge graphs. Auber. Proc. Intl. Conf. Computer Vision and Graphics, pp. 56-69, 2002.]



# Why: Targets



# How?



# Further reading


- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, Nov 2014.
  - Chap 1: What's Vis, and Why Do It?
  - Chap 2: What: Data Abstraction
  - Chap 3: Why: Task Abstraction
- A Multi-Level Typology of Abstract Visualization Tasks. Brehmer and Munzner. IEEE Trans. Visualization and Computer Graphics (Proc. InfoVis) 19:12 (2013), 2376–2385.
- Low-Level Components of Analytic Activity in Information Visualization. Amar, Eagan, and Stasko. Proc. IEEE InfoVis 2005, p 111–117.
- A taxonomy of tools that support the fluent and flexible use of visualizations. Heer and Shneiderman. Communications of the ACM 55:4 (2012), 45–54.
- Rethinking Visualization: A High-Level Taxonomy. Tory and Möller. Proc. IEEE InfoVis 2004, p 151–158.
- Visualization of Time-Oriented Data. Aigner, Miksch, Schumann, and Tominski. Springer, 2011.

# Visualization Analysis & Design, Half-Day Tutorial


- Session 1
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>

# How?



# How?



# Visual encoding

- analyze idiom structure



# Definitions: Marks and channels


# Definitions: Marks and channels

- marks
  - geometric primitives




# Definitions: Marks and channels

- marks
  - geometric primitives
- channels
  - control appearance of marks



# Definitions: Marks and channels

- marks
  - geometric primitives
- channels
  - control appearance of marks
- channel properties differ
  - type & amount of information that can be conveyed to human perceptual system



# Visual encoding

- analyze idiom structure as combination of marks and channels




1: vertical position

mark: line

# Visual encoding

- analyze idiom structure as combination of marks and channels



1: vertical position

mark: line

2: vertical position horizontal position

mark: point

# Visual encoding

- analyze idiom structure as combination of marks and channels



1: vertical position

mark: line

2: vertical position horizontal position

mark: point

3: vertical position horizontal position color hue

mark: point

## Visual encoding

- analyze idiom structure as combination of marks and channels

1: vertical position  
mark: line

2: vertical position horizontal position  
mark: point

3: vertical position horizontal position color hue  
mark: point

4: vertical position horizontal position color hue size (area)  
mark: point

## Channels: Rankings

**Magnitude Channels: Ordered Attributes**

- Position on common scale
- Position on unaligned scale
- Length (1D size)
- Tilt/angle
- Area (2D size)
- Depth (3D position)
- Color luminance
- Color saturation
- Curvature
- Volume (3D size)

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

## Channels: Rankings

**Magnitude Channels: Ordered Attributes**

- Position on common scale
- Position on unaligned scale
- Length (1D size)
- Tilt/angle
- Area (2D size)
- Depth (3D position)
- Color luminance
- Color saturation
- Curvature
- Volume (3D size)

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

- expressiveness
  - match channel and data characteristics

## Channels: Rankings

**Magnitude Channels: Ordered Attributes**

- Position on common scale
- Position on unaligned scale
- Length (1D size)
- Tilt/angle
- Area (2D size)
- Depth (3D position)
- Color luminance
- Color saturation
- Curvature
- Volume (3D size)

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

- expressiveness
  - match channel and data characteristics
  - magnitude for ordered
    - how much? which rank?
  - identity for categorical
    - what?

## Channels: Rankings

**Magnitude Channels: Ordered Attributes**

- Position on common scale
- Position on unaligned scale
- Length (1D size)
- Tilt/angle
- Area (2D size)
- Depth (3D position)
- Color luminance
- Color saturation
- Curvature
- Volume (3D size)

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

- expressiveness
  - match channel and data characteristics
- effectiveness
  - channels differ in accuracy of perception

## Channels: Rankings


**Magnitude Channels: Ordered Attributes**

- Position on common scale
- Position on unaligned scale
- Length (1D size)
- Tilt/angle
- Area (2D size)
- Depth (3D position)
- Color luminance
- Color saturation
- Curvature
- Volume (3D size)

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

- expressiveness
  - match channel and data characteristics
- effectiveness
  - channels differ in accuracy of perception
  - spatial position ranks high for both



## Separability vs. Integrality

- Position + Hue (Color): Fully separable, 2 groups each
- Size + Hue (Color): Some interference, 2 groups each
- Width + Height: Some/significant interference, 3 groups total: integral area
- Red + Green: Major interference, 4 groups total: integral hue

## Grouping

**Marks as Links**

- Containment
- Connection

- containment
- connection
- proximity
  - same spatial region
- similarity
  - same values as other categorical channels

**Identity Channels: Categorical Attributes**

- Spatial region
- Color hue
- Motion
- Shape

## Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, Nov 2014. - Chap 5: Marks and Channels
- On the Theory of Scales of Measurement. Stevens. Science 103:2684 (1946), 677-680.
- Psychophysics: Introduction to its Perceptual, Neural, and Social Prospects. Stevens. Wiley, 1975.
- Graphical Perception: Theory, Experimentation, and Application to the Development of Graphical Methods. Cleveland and McGill. Journ. American Statistical Association 79:387 (1984), 531-554.
- Perception in Vision. Healey. <http://www.csc.ncsu.edu/faculty/healey/PP>
- Visual Thinking for Design. Ware. Morgan Kaufmann, 2008.
- Information Visualization: Perception for Design, 3rd edition. Ware. Morgan Kaufmann /Academic Press, 2004.

## Visualization Analysis & Design, Half-Day Tutorial

- Session 1**
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2**
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse20>

## How?

**Encode**

- Arrange
  - Express
  - Order
  - Use
- Separate
- Align

**Map from categorical and ordered attributes**

- Color
  - Hue
  - Saturation
  - Luminance
- Size, Angle, Curvature, ...
- Shape
  - Direction, Rate, Frequency, ...

**Manipulate**

- Change
- Select
- Navigate

**Facet**

- Juxtapose
- Partition
- Superimpose

**Reduce**

- Filter
- Aggregate
- Embed

What? Why? How?

## Keys and values

- key
  - independent attribute
  - used as unique index to look up items
  - simple tables: 1 key
  - multidimensional tables: multiple keys
- value
  - dependent attribute, value of cell
- classify arrangements by key count
  - 0, 1, 2, many...

**Express Values**

- 1 Key List
- 2 Keys Matrix

## Idiom: scatterplot

**Express Values**

- express values
  - quantitative attributes
- no keys, only values
  - data
  - 2 quant attribs
  - mark: points
  - channels
    - horiz + vert position
  - tasks
    - find trends, outliers, distribution, correlation, clusters
  - scalability
    - hundreds of items

## Some keys: Categorical regions

- regions: contiguous bounded areas distinct from each other
  - using space to separate (proximity)
  - following expressiveness principle for categorical attributes
- use ordered attribute to order and align regions


→ Separate → Order → Align

## Idiom: bar chart

- one key, one value
  - data
  - 1 categ attrib, 1 quant attrib
- mark: lines
- channels
  - length to express quant value
  - spatial regions: one per mark
    - separated horizontally, aligned vertically
    - ordered by quant attrib
      - by label (alphabetical), by length attrib (data-driven)
- task
  - compare, lookup values
- scalability
  - dozens to hundreds of levels for key attrib

## Idiom: stacked bar chart


- one more key
  - data
    - 2 categ attrib, 1 quant attrib
  - mark: vertical stack of line marks
    - glyph**: composite object, internal structure from multiple marks
  - channels
    - length and color hue
    - spatial regions: one per glyph
      - aligned: full glyph, lowest bar component
      - unaligned: other bar components
  - task
    - part-to-whole relationship
  - scalability
    - several to one dozen levels for stacked attrib



[Using Visualization to Understand the Behavior of Computer Systems. Bosch, Ph.D. thesis, Stanford Computer Science, 2001.]

## Idioms: normalized stacked bar chart


- task
  - part-to-whole judgements
- normalized stacked bar chart
  - stacked bar chart, normalized to full vert height
  - single stacked bar equivalent to full pie
    - high information density: requires narrow rectangle
- pie chart
  - information density: requires large circle



<http://bl.ocks.org/mbostock/3887235>  
<http://bl.ocks.org/mbostock/3886208>  
<http://bl.ocks.org/mbostock/3886394>

## Idioms: pie chart, coxcomb chart


- pie chart
  - area marks with angle channel
  - accuracy: angle/area/arlength less accurate than line length
- data
  - 1 categ key attrib, 1 quant value attrib
- task
  - part-to-whole judgements
- coxcomb chart
  - more direct analog to bar charts
  - line marks, radial layout



[A layered grammar of graphics. Wickham. Journ. Computational and Graphical Statistics 19:1 (2010), 3-28.]


## Coxcomb: perception

- encode: **ID length**
- decode/perceive: **2D area**
- nonuniform line/sector width as length increases
  - so area variation is nonlinear wrt line mark length!
- bar chart safer: uniform width, so area is linear with line mark length
  - both radial & rectilinear cases



## Idiom: glyphmaps


- rectilinear good for linear vs nonlinear trends
- radial good for cyclic patterns



[Glyph-maps for Visually Exploring Temporal Patterns in Climate Data and Models. Wickham, Hofmann, Wickham, and Cook. Environmetrics 23:5 (2012), 382-393.]

## Idiom: heatmap

- two keys, one value
  - data
    - 2 categ attribs (gene, experimental condition)
    - 1 quant attrib (expression levels)
  - marks: area
    - separate and align in 2D matrix
      - indexed by 2 categorical attributes
  - channels
    - color by quant attrib
      - (ordered diverging colormap)
  - task
    - find clusters, outliers
  - scalability
    - 1K categorical levels, 1M items; ~10 quantitative attribute levels




## Arrange tables

- Express Values
  - Axis Orientation
    - Rectilinear
    - Radial
- Separate, Order, Align Regions
  - Separate
  - Order
  - Align
    - 1 Key List
    - 2 Keys Matrix



## Idiom: choropleth map


- use given spatial data
  - when central task is understanding spatial relationships
- data
  - geographic geometry
  - table with 1 quant attribute per region
- encoding
  - use given geometry for area mark boundaries
  - sequential segmented colormap [more later]



<http://bl.ocks.org/mbostock/4060606>

## Beware: Population maps trickiness!


- spurious correlations: most attributes just show where people live
- consider when to normalize by population density
  - encode raw data values
    - tied to underlying population
  - but should use normalized values
    - eg unemployed people per 100 citizens
- general issue
  - absolute counts vs relative/normalized data
  - failure to normalize is common error



[https://xkcd.com/1138]


## Idiom: topographic map

- data
  - geographic geometry
  - scalar spatial field
    - 1 quant attribute per grid cell
- derived data
  - isoline geometry
    - isocontours computed for specific levels of scalar values



## Idioms: isosurfaces, direct volume rendering


- data
  - scalar spatial field
    - 1 quant attribute per grid cell
- task
  - shape understanding, spatial relationships
- isosurface
  - derived data: isocontours computed for specific levels of scalar values
- direct volume rendering
  - transfer function maps scalar values to color, opacity
    - no derived geometry



[Interactive Volume Rendering Techniques. Kniss. Master's thesis, University of Utah Computer Science, 2002.]  
 [Multidimensional Transfer Functions for Volume Rendering. Kniss, Kindlmann, and Hansen. In The Visualization Handbook, edited by Charles Hansen and Christopher Johnson, pp. 189-210. Elsevier, 2005.]

## Vector and tensor fields


- data
  - many attribs per cell
- idiom families
  - flow glyphs
    - purely local
  - geometric flow
    - derived data from tracing particle trajectories
    - sparse set of seed points
  - texture flow
    - derived data, dense seeds
  - feature flow
    - global computation to detect features
      - encoded with one of methods above



[Comparing 2D vector field visualization methods: A user study. Laidlaw et al. IEEE Trans. Visualization and Computer Graphics (TVCG) 11:1 (2005), 59-70.]  
 [Topology tracking for the visualization of time-dependent two-dimensional flows. Tricoche, Wischgoll, Scheuermann, and Hagen. Computers & Graphics 26:2 (2002), 249-257.]

## Idiom: similarity-clustered streamlines

- data
  - 3D vector field
- derived data (from field)
  - streamlines: trajectory particle will follow
- derived data (per streamline)
  - curvature, torsion, tortuosity
  - signature: complex weighted combination
  - compute cluster hierarchy across all signatures
  - encode: color and opacity by cluster
- tasks
  - find features, query shape
- scalability
  - millions of samples, hundreds of streamlines



[Similarity Measures for Enhancing Interactive Streamline Seeding. McLaughlin, Jones, Laramee, Malki, Masters, and Hansen. IEEE Trans. Visualization and Computer Graphics 19:8 (2013), 1342-1353.]

## Arrange spatial data

- Use Given
  - Geometry
    - Geographic
    - Other Derived
  - Spatial Fields
    - Scalar Fields (one value per cell)
      - Isocontours
      - Direct Volume Rendering
    - Vector and Tensor Fields (many values per cell)
      - Flow Glyphs (local)
      - Geometric (sparse seeds)
      - Textures (dense seeds)
      - Features (globally derived)



## Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, Nov 2014.
  - Chap 7: Arrange Tables, Chap 8: Arrange Spatial Data
- Visualizing Data. Cleveland. Hobart Press, 1993.
- A Brief History of Data Visualization. Friendly. 2008. <http://www.dataavis.ca/milestones>
- How Maps Work: Representation, Visualization, and Design. MacEachren. Guilford Press, 1995.
- Overview of visualization. Schroeder and. Martin. In The Visualization Handbook, edited by Charles Hansen and Christopher Johnson, pp. 3-39. Elsevier, 2005.
- Real-Time Volume Graphics. Engel, Hadwiger, Kniss, Reza-Salama, and Wweiskopf. AK Peters, 2006.
- Overview of flow visualization. Weiskopf and Erlebacher. In The Visualization Handbook, edited by Charles Hansen and Christopher Johnson, pp. 261-278. Elsevier, 2005.

## Visualization Analysis & Design, Half-Day Tutorial

- Session 1
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

Break

# Arrange networks and trees

- Node-Link Diagrams
  - Connection Marks
  - ✓ NETWORKS ✓ TREES
- Adjacency Matrix
  - Derived Table
  - ✓ NETWORKS ✓ TREES
- Enclosure
  - Containment Marks
  - ✗ NETWORKS ✓ TREES

# Idiom: force-directed placement

- visual encoding: node-link diagram
  - link connection marks, node point marks
- algorithm: energy minimization
  - analogy: nodes repel, links draw together like springs
  - optimization problem: minimize crossings
- spatial position: no meaning directly encoded
  - sometimes proximity meaningful
  - sometimes proximity arbitrary, artifact of layout algorithm
- tasks
  - explore topology; locate paths, clusters
- scalability
  - node/edge density  $E < 4N$

<http://mbostock.github.com/d3/ex/force.html>

# Idiom: adjacency matrix view

- data: network
  - transform into same data/encoding as heatmap
- derived data: table from network
  - 1 quant attrib
  - weighted edge between nodes
  - 2 categ attribs: node list x 2
- visual encoding
  - cell shows presence/absence of edge
- scalability
  - 1K nodes, 1M edges

*[NodeTrix: a Hybrid Visualization of Social Networks. Henry, Fekete, and McGuffin. IEEE TVCG (Proc. InfoVis) 13(6):1302-1309, 2007.]*

*[Points of view: Networks. Gehlenborg and Wang. Nature Methods 9:115.]*

# Connection vs. adjacency comparison

- adjacency matrix strengths
  - predictability, scalability, supports reordering
  - some topology tasks trainable
- node-link diagram strengths
  - topology understanding, path tracing
  - intuitive, no training needed
- empirical study
  - node-link best for small networks
  - matrix best for large networks
    - if tasks don't involve topological structure!

*[On the readability of graphs using node-link and matrix-based representations: a controlled experiment and statistical analysis. Ghoniem, Fekete, and Castagliola. Information Visualization 4.2 (2005), 114-135.]*

<http://www.michaelmcguffin.com/courses/vis/patterns/AdjacencyMatrix.png>

# Idiom: radial node-link tree

- data
  - tree
- encoding
  - link connection marks
  - point node marks
  - radial axis orientation
    - angular proximity: siblings
    - distance from center: depth in tree
- tasks
  - understanding topology, following paths
- scalability
  - 1K - 10K nodes

<http://mbostock.github.com/d3/ex/tree.html>

# Idiom: treemap

- data
  - tree
  - 1 quant attrib at leaf nodes
- encoding
  - area containment marks for hierarchical structure
  - rectilinear orientation
  - size encodes quant attrib
- tasks
  - query attribute at leaf nodes
- scalability
  - 1M leaf nodes

[http://ulp.lsbri.fr/Documentation/3\\_7/userHandbook.html#ch06.html](http://ulp.lsbri.fr/Documentation/3_7/userHandbook.html#ch06.html)

# Link marks: Connection and containment

- marks as links (vs. nodes)
  - common case in network drawing
  - 1D case: connection
    - ex: all node-link diagrams
    - emphasizes topology, path tracing
    - networks and trees
  - 2D case: containment
    - ex: all treemap variants
    - emphasizes attribute values at leaves (size coding)
    - only trees

*[Elastic Hierarchies: Combining Treemaps and Node-Link Diagrams. Dong, McGuffin, and Chignell. Proc. InfoVis 2005, p. 57-64.]*

# Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, Nov 2014.
  - Chap 9: Arrange Networks and Trees
- Visual Analysis of Large Graphs: State-of-the-Art and Future Research Challenges. von Landesberger et al. Computer Graphics Forum 30:6 (2011), 1719-1749.
- Simple Algorithms for Network Visualization: A Tutorial. McGuffin. Tsinghua Science and Technology (Special Issue on Visualization and Computer Graphics) 17:4 (2012), 383-398.
- Drawing on Physical Analogies. Brandes. In Drawing Graphs: Methods and Models, LNCS Tutorial, 2025, edited by M. Kaufmann and D. Wagner, LNCS Tutorial, 2025, pp. 71-86. Springer-Verlag, 2001.
- <http://www.treevis.net> Treevis.net: A Tree Visualization Reference. Schulz. IEEE Computer Graphics and Applications 31:6 (2011), 11-15.
- Perceptual Guidelines for Creating Rectangular Treemaps. Kong, Heer, and Agrawala. IEEE Trans. Visualization and Computer Graphics (Proc. InfoVis) 16:6 (2010), 990-998.

# Visualization Analysis & Design, Half-Day Tutorial

- Session 1
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>

# Idiom design choices: First half

Encode

- Arrange
  - Express → Separate
  - Order → Align
  - Use
- Map from categorical and ordered attributes
  - Color
    - Hue
    - Saturation
    - Luminance
  - Size, Angle, Curvature, ...
  - Shape
    - + ● ■ ▲
  - Motion
    - Direction, Rate, Frequency, ...

# Decomposing color

- first rule of color: do not talk about color!
  - color is confusing if treated as monolithic

# Decomposing color

- first rule of color: do not talk about color!
  - color is confusing if treated as monolithic
- decompose into three channels
  - Luminance
  - Saturation
  - Hue

# Decomposing color

- first rule of color: do not talk about color!
  - color is confusing if treated as monolithic
- decompose into three channels
  - ordered can show magnitude
    - luminance
    - saturation
  - categorical can show identity
    - hue

Luminance: [Color swatches showing grayscale gradient]

Saturation: [Color swatches showing saturation gradient]

Hue: [Color swatches showing hue gradient]

# Decomposing color

- first rule of color: do not talk about color!
  - color is confusing if treated as monolithic
- decompose into three channels
  - ordered can show magnitude
    - luminance
    - saturation
  - categorical can show identity
    - hue
- perceptual colorspace, in contrast to three channels of RGB

# Decomposing color

- first rule of color: do not talk about color!
  - color is confusing if treated as monolithic
- decompose into three channels
  - ordered can show magnitude
    - luminance
    - saturation
  - categorical can show identity
    - hue
- perceptual colorspace, in contrast to three channels of RGB


# Luminance

- need luminance for edge detection
  - fine-grained detail only visible through luminance contrast
  - legible text requires luminance contrast!

*[Seriously Colorful: Advanced Color Principles & Practices. Stone. Tableau Customer Conference 2014.]*

## Luminance

- need luminance for edge detection
  - fine-grained detail only visible through luminance contrast
  - legible text requires luminance contrast!




- HLS better than RGB for encoding but beware

– L lightness  $\neq$   $L^*$  luminance



## Categorical color: Discriminability constraints

- noncontiguous small regions of color: only 6-12 bins



[Cinteny: flexible analysis and visualization of synteny and genome rearrangements in multiple organisms. Sinha and Meller. BMC Bioinformatics, 8:82, 2007.]

## Ordered color: Rainbow is poor default

- problems
  - perceptually unordered
  - perceptually nonlinear




## Ordered color: Rainbow is poor default

- problems
  - perceptually unordered
  - perceptually nonlinear




## Ordered color: Rainbow is poor default

- problems
  - perceptually unordered
  - perceptually nonlinear
- benefits
  - fine-grained structure visible and nameable




## Ordered color: Rainbow is poor default

- problems
  - perceptually unordered
  - perceptually nonlinear
- benefits
  - fine-grained structure visible and nameable
- alternatives
  - large-scale structure: fewer hues




## Ordered color: Rainbow is poor default

- problems
  - perceptually unordered
  - perceptually nonlinear
- benefits
  - fine-grained structure visible and nameable
- alternatives
  - large-scale structure: fewer hues
  - fine structure: multiple hues with monotonically increasing luminance [eg viridis]



## Viridis / Magma


- monotonically increasing luminance, perceptually uniform
- colorful, colourblind-safe
  - R, python, D3




<https://cran.r-project.org/web/packages/viridis/vignettes/intro-to-viridis.html>

## Ordered color: Rainbow is poor default


- problems
  - perceptually unordered
  - perceptually nonlinear
- benefits
  - fine-grained structure visible and nameable
- alternatives
  - large-scale structure: fewer hues
  - fine structure: multiple hues with monotonically increasing luminance [eg viridis]
  - categorical: segmented saturated rainbow is good!




## Colormaps



## Colormaps



## Colormaps





## Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, Nov 2014.
  - Chap 10: Map Color and Other Channels
- ColorBrewer, Brewer.
  - <http://www.colorbrewer2.org>
- Color In Information Display. Stone. IEEE Vis Course Notes, 2006.
  - <http://www.stonesc.com/Vis06>
- A Field Guide to Digital Color. Stone. AK Peters, 2003.
- Rainbow Color Map (Still) Considered Harmful. Borland and Taylor. IEEE Computer Graphics and Applications 27:2 (2007), 14-17.
- Visual Thinking for Design. Ware. Morgan Kaufmann, 2008.
- Information Visualization: Perception for Design, 3rd edition. Ware. Morgan Kaufmann / Academic Press, 2004.
- <http://www.r-bloggers.com/using-the-new-viridis-colormap-in-r-thanks-to-simon-garnier/>

## Visualization Analysis & Design, Half-Day Tutorial

- Session 1
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>




## How to handle complexity: 1 previous strategy + 3 more

→ Derive




- derive new data to show within view
- change view over time
- facet across multiple views
- reduce items/attributes within single view



113

## Idiom: Change order/arrangement

- what: simple table
- how: data-driven reordering
- why: find extreme values, trends




[Sortable Bar Chart](https://bllocks.org/mbostock/3885705)

114

## Idiom: Change order

### System: DataStripes

- what: table with many attributes
- how: data-driven reordering by selecting column
- why: find correlations between attributes




[http://carlmanaster.github.io/datastripes/]

115

## Navigate: Changing item visibility


- change viewpoint
  - changes which items are visible within view
  - camera metaphor
    - zoom
      - geometric zoom: familiar semantics
      - semantic zoom: adapt object representation based on available pixels
        - » dramatic change, or more subtle one
    - pan/translate
    - rotate
      - especially in 3D
  - constrained navigation
    - often with animated transitions
    - often based on selection set



116

## Navigate: Reducing attributes


- continuation of camera metaphor
  - slice
    - show only items matching specific value for given attribute: slicing plane
    - axis aligned, or arbitrary alignment
  - cut
    - show only items on far side of plane from camera
  - project
    - change mathematics of image creation
      - orthographic
      - perspective
      - many others: Mercator, cabinet, ...



[Interactive Visualization of Multimodal Volume Data for Neurosurgical Tumor Treatment. Rieder, Ritter, Raspe, and Peitgen. Computer Graphics Forum (Proc. EuroVis 2008) 27:3 (2008), 1055–1062.]


117

## Manipulate




118

## Facet



119

## Juxtapose and coordinate views




120

## Idiom: Linked highlighting

### System: EDV

- see how regions contiguous in one view are distributed within another
  - powerful and pervasive interaction idiom
- encoding: different
  - *multiform*
- data: all shared
  - all **items** shared
  - different **attributes** across the views
- aka: brushing and linking



[Visual Exploration of Large Structured Datasets. Wills. Proc. New Techniques and Trends in Statistics (NTTS), pp. 237–246. IOS Press, 1995.]

121

## Idiom: Overview-detail views

### System: Google Maps

- encoding: same or different
  - ex: same (birds-eye map)
- data: subset shared
  - viewpoint differences: subset of data items
- navigation: shared
  - bidirectional linking
- other differences
  - (window size)




[A Review of Overview+Detail, Zooming, and Focus+Context Interfaces. Cockburn, Karlson, and Bederson. ACM Computing Surveys 41:1 (2008), 1–31.]

122

## Idiom: Small multiples

- encoding: same
  - ex: line charts
- data: none shared
  - different slices of dataset
    - items or attributes
    - ex: stock prices for different companies




[https://bllocks.org/mbostock/1157787]

123

## Juxtapose views: tradeoffs


- juxtapose costs
  - display area
    - 2 views side by side: each has only half the area of one view
- juxtapose benefits
  - cognitive load: eyes vs memory
    - lower cognitive load: move eyes between 2 views
    - higher cognitive load: compare single changing view to memory of previous state



124

## Juxtapose vs animate

- animate: hard to follow if many scattered changes or many frames
  - vs easy special case: animated transitions




[Cerebral Visualizing Multiple Experimental Conditions on a Graph with Biological Context. Barsky, Munzner, Gordy, and Kincaid. IEEE Trans Visualization and Computer Graphics (Proc. InfoVis 2008) 14:6 (2008), 1253–1260.]

125

## Juxtapose vs animate

- animate: hard to follow if many scattered changes or many frames
  - vs easy special case: animated transitions
- juxtapose: easier to compare across small multiples
  - different conditions (color), same gene (layout)



[Cerebral Visualizing Multiple Experimental Conditions on a Graph with Biological Context. Barsky, Munzner, Gordy, and Kincaid. IEEE Trans Visualization and Computer Graphics (Proc. InfoVis 2008) 14:6 (2008), 1253–1260.]


126

## Coordinate views: Design choice interaction

		Data		
		All	Subset	None
Encoding	Same	Redundant	Overview/Detail	Small Multiples
	Different	Multiform	Multiform, Overview/Detail	No Linkage

## Partition into views

- how to divide data between views
  - split into regions by attributes
  - encodes association between items using spatial proximity
  - order of splits has major implications for what patterns are visible




127

128




## Partitioning: List alignment

- single bar chart with grouped bars
  - split by state into regions
  - complex glyph within each region showing all ages
  - compare: easy within state, hard across ages




- small-multiple bar charts
  - split by age into regions
  - one chart per region
  - compare: easy within age, harder across states



## Superimpose layers

- layer:** set of objects spread out over region
  - each set is visually distinguishable group
  - extent: whole view
- design choices
  - how many layers, how to distinguish?
    - encode with different, nonoverlapping channels
    - two layers achievable, three with careful design
  - small static set, or dynamic from many possible?



## Static visual layering


- foreground layer: roads
  - hue, size distinguishing main from minor
  - high luminance contrast from background
- background layer: regions
  - desaturated colors for water, parks, land areas
- user can selectively focus attention



[Get it right in black and white. Stone. 2010. <http://www.stonesc.com/wordpress/2010/03/get-it-right-in-black-and-white/>]

## Static visual layering

- foreground layer: roads
  - hue, size distinguishing main from minor
  - high luminance contrast from background
- background layer: regions
  - desaturated colors for water, parks, land areas
- user can selectively focus attention
- “get it right in black and white”
  - check luminance contrast with greyscale view



[Get it right in black and white. Stone. 2010. <http://www.stonesc.com/wordpress/2010/03/get-it-right-in-black-and-white/>]


## Idiom: Trellis plots

- superimpose within same frame
  - color code by year
- partitioning
  - split by site, rows are wheat varieties
- main-effects ordering
  - derive value of median for group, use to order
  - order rows within view by variety median
  - order views themselves by site median



## Dynamic visual layering

- interactive based on selection
- one-hop neighbour highlighting demos: click vs hover (lightweight)



<http://mariandoerk.de/edgemaps/demo/> <http://mbostock.github.io/d3/talk/20111116/airports.html>

## Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, 2014.
  - Chap 11: Manipulate View & Chap 12: Facet Into Multiple Views
- Animated Transitions in Statistical Data Graphics. Heer and Robertson. IEEE Trans. on Visualization and Computer Graphics (Proc. InfoVis 07) 13:6 (2007), 1240–1247.
- Smooth and efficient zooming and panning. van Wijk and Nuij. Proc. IEEE Symp. Information Visualization (InfoVis), pp. 15–22, 2003.
- Starting Simple - adding value to static visualisation through simple interaction. Dix and Ellis. Proc. Advanced Visual Interfaces (AVI), pp. 124–134, 1998.
- A Review of Overview+Detail, Zooming, and Focus+Context Interfaces. Cockburn, Karlson, and Bederson. ACM Computing Surveys 41:1 (2008), 1–31.
- Zooming versus multiple window interfaces: Cognitive costs of visual comparisons. Plumlee and Ware. ACM Trans. on Computer-Human Interaction (TOCHI) 13:2 (2006), 179–209.
- Exploring the Design Space of Composite Visualization. Javed and Elmqvist. Proc. Pacific Visualization Symp. (PacificVis), pp. 1–9, 2012.
- Visual Comparison for Information Visualization. Gleicher, Albers, Walker, Jusufi, Hansen, and Roberts. Information Visualization 10:4 (2011), 289–309.
- Cross-Filtered Views for Multidimensional Visual Analysis. Weaver. IEEE Trans. Visualization and Computer Graphics 16:2 (Proc. InfoVis 2010), 192–204, 2010.
- Linked Data Views. Wills. In Handbook of Data Visualization, Computational Statistics, edited by Unwin, Chen, and Härdle, pp. 216–241. Springer-Verlag, 2008.
- Glyph-based Visualization: Foundations, Design Guidelines, Techniques and Applications. Borgo, Kehrer, Chung, Maguire, Laramee, Hauser, Ward, and Chen. In Eurographics State of the Art Reports, pp. 39–63, 2013.


## Visualization Analysis & Design, Half-Day Tutorial

- Session 1
  - Analysis: What, Why, How
  - Marks and Channels
  - Arrange Tabular & Spatial Data
- Session 2
  - Arrange Networks and Trees
  - Map Color and Other Channels
  - Manipulate & Facet
  - Reduce: Filter, Aggregate

@tamaramunzner <http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>


## Reduce items and attributes

- reduce/increase: inverses
- filter
  - pro: straightforward and intuitive
  - to understand and compute
  - con: out of sight, out of mind
- aggregation
  - pro: inform about whole set
  - con: difficult to avoid losing signal
- not mutually exclusive
  - combine filter, aggregate
  - combine reduce, change, facet



## Idiom: cross filtering

- item filtering
- coordinated views/controls combined
  - all scented histogram sliders update when any ranges change




<http://square.github.io/crossfilter/>

## System: Crossfilter


## Idiom: histogram

- static item aggregation
- task: find distribution
- data: table
  - new table: keys are bins, values are counts
- bin size crucial
  - pattern can change dramatically depending on discretization
  - opportunity for interaction: control bin size on the fly




## Idiom: scented widgets

- augmented widgets show information scent
  - better cues for information foraging: show whether value in drilling down further vs looking elsewhere
- concise use of space: histogram on slider




[Scented Widgets: Improving Navigation Cues with Embedded Visualizations. Willett, Heer, and Agrawala. IEEE TVCG (Proc. InfoVis 2007) 13:6 (2007), 1129–1136.]



[Multivariate Network Exploration and Presentation: From Detail to Overview via Selections and Aggregations. van den Elzen, van Wijk. IEEE TVCG 20(12): 2014 (Proc. InfoVis 2014).]

## Idiom: Continuous scatterplot


- static item aggregation
- data: table
- derived data: table
  - key attribs x,y for pixels
  - quant attrib: overplot density
- dense space-filling 2D matrix
- color: sequential categorical hue + ordered luminance colormap
- scalability
  - no limits on overplotting: millions of items




[Continuous Scatterplots. Bachthaler and Weiskopf. IEEE TVCG (Proc. Vis 08) 14:6 (2008), 1428–1435, 2008.]

## Spatial aggregation

- MAUP: Modifiable Areal Unit Problem
  - changing boundaries of cartographic regions can yield dramatically different results
  - zone effects
- scale effects




[http://www.e-education.psu.edu/geog486/14\\_p7.html](http://www.e-education.psu.edu/geog486/14_p7.html), Fig 4, c.g. 6]



<https://blog.cartographica.com/blog/2011/11/9/the-modifiable-areal-unit-problem-in-gis.html>

## Idiom: Hierarchical parallel coordinates


- dynamic item aggregation
- derived data: hierarchical clustering
- encoding:
  - cluster band with variable transparency, line at mean, width by min/max values
  - color by proximity in hierarchy




[Hierarchical Parallel Coordinates for Exploration of Large Datasets. Fua, Ward, and Rundensteiner. Proc. IEEE Visualization Conference (Vis '99), pp. 43–50, 1999.]

## Dimensionality reduction

- attribute aggregation
    - derive low-dimensional target space from high-dimensional measured space
    - use when you can't directly measure what you care about
      - true dimensionality of dataset conjectured to be smaller than dimensionality of measurements
      - latent factors, hidden variables
- Tumor Measurement Data → DR → derived data: 2D target space
- Malignant (blue) vs Benign (orange)



## Idiom: Dimensionality reduction for documents




145

## Further reading

- Visualization Analysis and Design. Munzner. AK Peters Visualization Series, CRC Press, 2014.  
– Chap 13: Reduce Items and Attributes
- Hierarchical Aggregation for Information Visualization: Overview, Techniques and Design Guidelines. Elmqvist and Fekete. IEEE Transactions on Visualization and Computer Graphics 16:3 (2010), 439–454.
- A Review of Overview+Detail, Zooming, and Focus+Context Interfaces. Cockburn, Karlson, and Bederson. ACM Computing Surveys 41:1 (2008), 1–31.
- A Guide to Visual Multi-Level Interface Design From Synthesis of Empirical Study Evidence. Lam and Munzner. Synthesis Lectures on Visualization Series, Morgan Claypool, 2010.

146




147

## More information

- this tutorial  
<http://www.cs.ubc.ca/~tmm/talks.html#halfdaycourse22>
- book  
<http://www.cs.ubc.ca/~tmm/vadbook>  
– 20% promo code for book+ebook combo: HVN17  
– <http://www.crcpress.com/product/isbn/9781466508910>  
– illustration acknowledgement: Eamonn Maguire
- full courses, papers, videos, software, talks  
<http://www.cs.ubc.ca/group/infovis>  
<http://www.cs.ubc.ca/~tmm>

@tamaramunzner



Visualization Analysis and Design. Munzner. CRC Press, AK Peters Visualization Series, 2014.

148