

# Semantics: General Idea

A **semantics** specifies the meaning of sentences in the language.

An **interpretation** specifies:

- what objects (individuals) are in the world
- the correspondence between symbols in the computer and objects & relations in world
  - ▶ constants denote individuals
  - ▶ predicate symbols denote relations

An **interpretation** is a triple  $I = \langle D, \phi, \pi \rangle$ , where

- $D$ , the **domain**, is a nonempty set. Elements of  $D$  are **individuals**.
- $\phi$  is a mapping that assigns to each constant an element of  $D$ . Constant  $c$  **denotes** individual  $\phi(c)$ .
- $\pi$  is a mapping that assigns to each  $n$ -ary predicate symbol a relation: a function from  $D^n$  into  $\{TRUE, FALSE\}$ .

# Example Interpretation

**Constants:** *phone, pencil, telephone.*

**Predicate Symbol:** *noisy* (unary), *left\_of* (binary).

- $D = \{ \langle \text{✂} \rangle, \langle \text{☎} \rangle, \langle \text{✎} \rangle \}.$

- $\phi(\text{phone}) = \langle \text{☎} \rangle, \phi(\text{pencil}) = \langle \text{✎} \rangle, \phi(\text{telephone}) = \langle \text{☎} \rangle.$

- $\pi(\text{noisy}):$ 

$\langle \text{✂} \rangle$	FALSE	$\langle \text{☎} \rangle$	TRUE	$\langle \text{✎} \rangle$	FALSE
----------------------------	-------	----------------------------	------	----------------------------	-------

$\pi(\text{left\_of}):$

$\langle \text{✂}, \text{✂} \rangle$	FALSE	$\langle \text{✂}, \text{☎} \rangle$	TRUE	$\langle \text{✂}, \text{✎} \rangle$	TRUE
$\langle \text{☎}, \text{✂} \rangle$	FALSE	$\langle \text{☎}, \text{☎} \rangle$	FALSE	$\langle \text{☎}, \text{✎} \rangle$	TRUE
$\langle \text{✎}, \text{✂} \rangle$	FALSE	$\langle \text{✎}, \text{☎} \rangle$	FALSE	$\langle \text{✎}, \text{✎} \rangle$	FALSE

# Important points to note

- The domain  $D$  can contain real objects. (e.g., a person, a room, a course).  $D$  can't necessarily be stored in a computer.
- $\pi(p)$  specifies whether the relation denoted by the  $n$ -ary predicate symbol  $p$  is true or false for each  $n$ -tuple of individuals.
- If predicate symbol  $p$  has no arguments, then  $\pi(p)$  is either *TRUE* or *FALSE*.

# Truth in an interpretation

A constant  $c$  **denotes in  $I$**  the individual  $\phi(c)$ .

Ground (variable-free) atom  $p(t_1, \dots, t_n)$  is

- **true in interpretation  $I$**  if  $\pi(p)(t'_1, \dots, t'_n) = \text{TRUE}$ , where  $t_i$  denotes  $t'_i$  in interpretation  $I$  and
- **false in interpretation  $I$**  if  $\pi(p)(t'_1, \dots, t'_n) = \text{FALSE}$ .

Ground clause  $h \leftarrow b_1 \wedge \dots \wedge b_m$  is **false in interpretation  $I$**  if  $h$  is false in  $I$  and each  $b_i$  is true in  $I$ , and is **true in interpretation  $I$**  otherwise.

# Example Truths

In the interpretation given before:

<i>noisy(phone)</i>	true
<i>noisy(telephone)</i>	true
<i>noisy(pencil)</i>	false
<i>left_of(phone, pencil)</i>	true
<i>left_of(phone, telephone)</i>	false
<i>noisy(pencil) ← left_of(phone, telephone)</i>	true
<i>noisy(pencil) ← left_of(phone, pencil)</i>	false
<i>noisy(phone) ← noisy(telephone) ∧ noisy(pencil)</i>	true

## Models and logical consequences (recall)

- A knowledge base,  $KB$ , is true in interpretation  $I$  if and only if every clause in  $KB$  is true in  $I$ .
- A **model** of a set of clauses is an interpretation in which all the clauses are true.
- If  $KB$  is a set of clauses and  $g$  is a conjunction of atoms,  $g$  is a **logical consequence** of  $KB$ , written  $KB \models g$ , if  $g$  is true in every model of  $KB$ .
- That is,  $KB \models g$  if there is no interpretation in which  $KB$  is true and  $g$  is false.

# User's view of Semantics

1. Choose a task domain: **intended interpretation.**
2. Associate constants with individuals you want to name.
3. For each relation you want to represent, associate a predicate symbol in the language.
4. Tell the system clauses that are true in the intended interpretation: **axiomatizing the domain.**
5. Ask questions about the intended interpretation.
6. If  $KB \models g$ , then  $g$  must be true in the intended interpretation.





# Computer's view of semantics

- The computer doesn't have access to the intended interpretation.
- All it knows is the knowledge base.
- The computer can determine if a formula is a logical consequence of KB.
- If  $KB \models g$  then  $g$  must be true in the intended interpretation.
- If  $KB \not\models g$  then there is a model of  $KB$  in which  $g$  is false. This could be the intended interpretation.

# Role of Semantics in an RRS

$in(kim, r123).$   
 $part\_of(r123, cs\_building).$   
 $in(X, Y) \leftarrow$   
 $part\_of(Z, Y) \wedge$   
 $in(X, Z).$



$in(kim, cs\_building)$