

Searching: Intro

CPSC 322 Lecture 4

September 12, 2007
Textbook §2.0 – 2.3

Lecture Overview

- 1 Recap
- 2 Agent Design
- 3 Example Problems
- 4 State Spaces
- 5 Search

Recap

Discuss in groups of 3–4:

- 1 What is an agent?
- 2 What is the difference between single and sequential decision making?
- 3 What is a deterministic environment?
- 4 Why is “single” vs. “sequential” an unhelpful distinction in deterministic settings?
- 5 What is a stochastic (i.e., uncertain) environment?
- 6 Why was the second Aibo robot dog video an example of a stochastic environment?

Lecture Overview

- 1 Recap
- 2 Agent Design**
- 3 Example Problems
- 4 State Spaces
- 5 Search

Agents and Representations

- Recall that an agent is something that **acts** in an environment
- The agent also receives **observations** about the environment
 - this could be observations from sensors such as cameras, laser rangefinders, etc.
 - can also include “observations” of the agent’s own past actions
- In a deterministic environment, the agent can perfectly predict the outcome of an action
 - doesn’t need sensors: just needs to remember its own past actions

The Table-Lookup Agent

- An agent can be thought of as a **mapping** from observations to the new action that the agent will take
- How should agents be constructed? One choice:
 - agent takes in the sequence of observations
 - agent looks up the correct action for this sequence of observations based on an internal representation (e.g., a table)
- Such an agent could indeed behave rationally. What's the problem?

The Table-Lookup Agent

- An agent can be thought of as a **mapping** from observations to the new action that the agent will take
- How should agents be constructed? One choice:
 - agent takes in the sequence of observations
 - agent looks up the correct action for this sequence of observations based on an internal representation (e.g., a table)
- Such an agent could indeed behave rationally. What's the problem?
 - too many sequences of observations are possible!
 - e.g., 10 possible observations, 10 timesteps $\rightarrow 10^{10}$ different entries in the table
 - compare this to e.g., the number of different move sequences that are possible in chess

Lecture Overview

- 1 Recap
- 2 Agent Design
- 3 Example Problems**
- 4 State Spaces
- 5 Search

Example Problems

- To make things more concrete, let's think about some example problems:
 - solving a Sudoku
 - solving an 8-puzzle
 - the delivery robot planning the route it will take

What's an 8-Puzzle?

5	4	
6	1	8
7	3	2

Start State

1	2	3
8		4
7	6	5

Goal State

Example Problems

- To make things more concrete, let's think about some example problems:
 - solving a Sudoku
 - solving an 8-puzzle
 - the delivery robot planning the route it will take
- All of these problems are deterministic; thus, there's no need for any observations from sensors.
- Are these single or sequential decision problems?

Example Problems

- To make things more concrete, let's think about some example problems:
 - solving a Sudoku
 - solving an 8-puzzle
 - the delivery robot planning the route it will take
- All of these problems are deterministic; thus, there's no need for any observations from sensors.
- Are these single or sequential decision problems?
 - in fact, the distinction isn't really useful here; problems can be seen both ways
 - **CSPs**: settings where there's nothing meaningfully sequential about the decision
 - **Planning**: decisions are always sequential
 - **Now**: we're going to define the underlying tools that allow us to solve both

Lecture Overview

- 1 Recap
- 2 Agent Design
- 3 Example Problems
- 4 State Spaces**
- 5 Search

State Spaces

- Idea: sometimes it doesn't matter what sequence of observations brought the world to a particular configuration; it just matters how the world is arranged now.
 - called the **Markov** assumption
- Represent the different configurations in which the world can be arranged as different **states**
 - which numbers are written in cells of the Sudoku and which are blank?
 - which numbers appear in which slots of the 8-puzzle?
 - where is the delivery robot?
- From each state, one or more **actions** may be available, which would move the world into a new state
 - write a new number in a blank cell of the Sudoku
 - slide a tile in the 8-puzzle
 - move the delivery robot to an adjacent location

Agent Design: trying again

- Let's update our table-based agent design around the idea of states
 - Now our agent maps from the given **state** to the chosen action
 - Our internal representation of this mapping is smaller:
 - sets of observations that lead to the same state are now represented only once in the table rather than many times
 - this can lead to exponential savings!
 - However, there's still a problem...

Agent Design: trying again

- Let's update our table-based agent design around the idea of states
 - Now our agent maps from the given **state** to the chosen action
 - Our internal representation of this mapping is smaller:
 - sets of observations that lead to the same state are now represented only once in the table rather than many times
 - this can lead to exponential savings!
 - However, there's still a problem... often, we don't understand the domain well enough to build the table
 - we'd need to be able to tell the agent how it should behave in every state
 - that's why we want **intelligent** agents: they should decide how to act for themselves
 - in order for them to do so, we need to give them **goals**

State Spaces

- Represent the different configurations in which the world can be arranged as different **states**
 - which numbers are written in cells of the Sudoku and which are blank?
 - which numbers appear in which slots of the 8-puzzle?
 - where is the delivery robot?
- From each state, one or more **actions** may be available, which would move the world into a new state
 - write a new number in a blank cell of the Sudoku
 - slide a tile in the 8-puzzle
 - move the delivery robot to an adjacent location
- Some states are **goal states**
 - A Sudoku state in which all numbers are different in each box, row and column
 - The single 8-puzzle state pictured earlier
 - The state in which the delivery robot is located in room 123

Lecture Overview

- 1 Recap
- 2 Agent Design
- 3 Example Problems
- 4 State Spaces
- 5 Search**

Search

- What we want to be able to do:
 - find a solution when we are not given an algorithm to solve a problem, but only a specification of what a solution looks like
 - idea: **search** for a solution
- What we need:
 - A set of **states**
 - A **start state**
 - A **goal state** or set of goal states
 - or, equivalently, a **goal test**: a boolean function which tells us whether a given state is a goal state
 - A set of **actions**
 - An **action function**: a mapping from a state and an action to a new state

Abstract Definition

How to search

- Start at the start state
- Consider the effect of taking different actions starting from states that have been encountered in the search so far
- Stop when a goal state is encountered

To make this more formal, we'll need to talk about graphs...