

# Reasoning Under Uncertainty: Belief Networks

CPSC 322 – Uncertainty 4

Textbook §10.3

# Lecture Overview

- 1 Recap
- 2 Belief Networks
- 3 Belief Network Examples

# Marginal independence

## Definition (marginal independence)

Random variable  $X$  is **marginally independent** of random variable  $Y$  if, for all  $x_i \in \text{dom}(X)$ ,  $y_j \in \text{dom}(Y)$  and  $y_k \in \text{dom}(Y)$ ,

$$\begin{aligned} P(X = x_i | Y = y_j) \\ &= P(X = x_i | Y = y_k) \\ &= P(X = x_i). \end{aligned}$$

That is, knowledge of  $Y$ 's value doesn't affect your belief in the value of  $X$ .

# Conditional Independence

- Sometimes, two random variables might not be marginally independent. However, they can *become* independent after we observe some third variable.

## Definition

Random variable  $X$  is **conditionally independent** of random variable  $Y$  **given** random variable  $Z$  if, for all  $x_i \in \text{dom}(X)$ ,  $y_j \in \text{dom}(Y)$ ,  $y_k \in \text{dom}(Y)$  and  $z_m \in \text{dom}(Z)$ ,

$$\begin{aligned} P(X = x_i | Y = y_j \wedge Z = z_m) \\ &= P(X = x_i | Y = y_k \wedge Z = z_m) \\ &= P(X = x_i | Z = z_m). \end{aligned}$$


- That is, knowledge of  $Y$ 's value doesn't affect your belief in the value of  $X$ , given a value of  $Z$ .

# Lecture Overview

- 1 Recap
- 2 Belief Networks**
- 3 Belief Network Examples

# Idea of belief networks


Whether  $l_1$  is lit ( $L1\_lit$ ) depends only on the status of the light ( $L1\_st$ ) and whether there is power in wire  $w_0$ . Thus,  $L1\_lit$  is independent of the other variables given  $L1\_st$  and  $W_0$ . In a belief network,  $W_0$  and  $L1\_st$  are **parents** of  $L1\_lit$ .



Similarly,  $W_0$  depends only on whether there is power in  $w_1$ , whether there is power in  $w_2$ , the position of switch  $s_2$  ( $S2\_pos$ ), and the status of switch  $s_2$  ( $S2\_st$ ).

## Idea of belief networks

Whether  $l1$  is lit ( $L1\_lit$ ) depends only on the status of the light ( $L1\_st$ ) and whether there is power in wire  $w0$ . Thus,  $L1\_lit$  is independent of the other variables given  $L1\_st$  and  $W0$ . In a belief network,  $W0$  and  $L1\_st$  are **parents** of  $L1\_lit$ .



Similarly,  $W0$  depends only on whether there is power in  $w1$ , whether there is power in  $w2$ , the position of switch  $s2$  ( $S2\_pos$ ), and the status of switch  $s2$  ( $S2\_st$ ).

# Components of a belief network

A belief network consists of:

- a directed acyclic graph with nodes labeled with random variables
- a domain for each random variable
- a set of conditional probability tables for each variable given its parents (which includes prior probabilities for nodes with no parents).



# Constructing a belief network

Given a set of random variables, a belief network can be constructed as follows:

- Totally order the variables of interest:  $X_1, \dots, X_n$
- Theorem of probability theory (chain rule):  
$$P(X_1, \dots, X_n) = \prod_{i=1}^n P(X_i | X_1, \dots, X_{i-1})$$
- The **parents**  $pX_i$  of  $X_i$  are those predecessors of  $X_i$  that render  $X_i$  independent of the other predecessors. That is,  $pX_i \subseteq X_1, \dots, X_{i-1}$  and  $P(X_i | pX_i) = P(X_i | X_1, \dots, X_{i-1})$
- So  $P(X_1, \dots, X_n) = \prod_{i=1}^n P(X_i | pX_i)$

# Lecture Overview

- 1 Recap
- 2 Belief Networks
- 3 Belief Network Examples**

## Example: Fire Diagnosis

Suppose you want to diagnose whether there is a fire in a building

- you receive a noisy report about whether everyone is leaving the building.
- if everyone *is* leaving, this may have been caused by a fire alarm.
- if there is a fire alarm, it may have been caused by a fire or by tampering
- if there is a fire, there may be smoke

# Example: Fire Diagnosis

First you choose the variables. In this case, all are boolean:


- **Tampering** is true when the alarm has been tampered with
- **Fire** is true when there is a fire
- **Alarm** is true when there is an alarm
- **Smoke** is true when there is smoke
- **Leaving** is true if there are lots of people leaving the building
- **Report** is true if the sensor reports that people are leaving the building

## Example: Fire Diagnosis

- Next, you order the variables: *Fire*; *Tampering*; *Alarm*; *Smoke*; *Leaving*; *Report*.
- Now evaluate which variables are conditionally independent given their parents:
  - *Fire* is independent of *Tampering* (learning that one is true would not change your beliefs about the probability of the other)
  - *Alarm* depends on both *Fire* and *Tampering*: it could be caused by either or both.
  - *Smoke* is caused by *Fire*, and so is independent of *Tampering* and *Alarm* given whether there is a *Fire*
  - *Leaving* is caused by *Alarm*, and thus is independent of the other variables given *Alarm*.
  - *Report* is caused by *Leaving*, and thus is independent of the other variables given *Leaving*.

## Example: Fire Diagnosis

This corresponds to the following belief network:





Of course, we're not done until we also come up with conditional probability tables for each node in the graph.

# Example: Circuit Diagnosis

The belief network also specifies:

- The domain of the variables:  
 $W_0, \dots, W_6 \in \{live, dead\}$   
 $S_{1\_pos}, S_{2\_pos},$  and  $S_{3\_pos}$  have domain  $\{up, down\}$   
 $S_{1\_st}$  has  $\{ok, upside\_down, short, intermittent, broken\}$ .
- Conditional probabilities, including:  
 $P(W_1 = live | s_{1\_pos} = up \wedge S_{1\_st} = ok \wedge W_3 = live)$   
 $P(W_1 = live | s_{1\_pos} = up \wedge S_{1\_st} = ok \wedge W_3 = dead)$   
 $P(S_{1\_pos} = up)$   
 $P(S_{1\_st} = upside\_down)$



## Example: Circuit Diagnosis


The power network can be used in a number of ways:

- Conditioning on the status of the switches and circuit breakers, whether there is outside power and the position of the switches, you can simulate the lighting.
- Given values for the switches, the outside power, and whether the lights are lit, you can determine the posterior probability that each switch or circuit breaker is *ok* or not.
- Given some switch positions and some outputs and some intermediate values, you can determine the probability of any other variable in the network.



# Example: Liver Diagnosis

Source: Onisko et al., 1999



# Belief network summary

- A belief network is a directed acyclic graph (DAG) where nodes are random variables.
  - A belief network is automatically acyclic by construction.
- The **parents** of a node  $n$  are those variables on which  $n$  directly depends.
- A belief network is a graphical representation of dependence and independence:
  - A variable is conditionally independent of its non-descendants given its parents.