

CPSC 540: Machine Learning

340 Overview

Mark Schmidt

University of British Columbia

Winter 2017

Motivating Problem: Depth Estimation from Images

- We want to build system that predicts “distance to car” for each pixel in an image:



<https://www.gadzooki.com/gadgets/5-ways-technology-is-going-to-make-driving-safer>

- For example, pixel (59, 108) has distance 30.4 meters.
- One way to build such a system:
 - 1 Collect a large number of images and label their pixels with the true depth.
 - 2 Use supervised learning to build a model that can predict depth of any pixel.

Supervised Learning Notation

- Supervised learning input is a set of n training examples.
- Each training example i consists of:
 - A set of features x^i .
 - A label y^i
- For depth estimation:
 - Features could be a bunch of convolutions centered around the pixel.
 - Label would be the actual distance to the object in the pixel.
 - Supervised learning is a crucial tool used in self-driving cars.
- Supervised learning output is a model:
 - Usually summarized by a d -dimensional parameter vector w .
 - Given a new input \tilde{x}^i , model makes a prediction \hat{y}^i .
 - Goal is to maximize accuracy on new examples (test error).

Supervised Learning Notation

- We'll assume that **all vectors are column-vectors**,

$$w = \begin{bmatrix} w_1 \\ w_2 \\ \vdots \\ w_d \end{bmatrix}, \quad y = \begin{bmatrix} y^1 \\ y^2 \\ \vdots \\ y^n \end{bmatrix}, \quad x^i = \begin{bmatrix} x_1^i \\ x_2^i \\ \vdots \\ x_d^i \end{bmatrix}.$$

- I'm using w_j as the scalar parameter j .
- I'm using y^i as the label of example i (currently a scalar).
- I'm using x^i as the list of features for example i .
- I'm using x_j^i to denote feature j in training example i .
- I'll use x_j to denote feature j in a generic training example.

Supervised Learning Notation

- We'll use X to denote the **data matrix** containing the x^i in the rows:

$$X = \begin{bmatrix} \text{---} (x^1)^T \text{---} \\ \text{---} (x^2)^T \text{---} \\ \vdots \\ \text{---} (x^n)^T \text{---} \end{bmatrix}, \quad y = \begin{bmatrix} y^1 \\ y^2 \\ \vdots \\ y^n \end{bmatrix},$$

- We'll use \tilde{X} and \tilde{y} to denote test data:

$$\tilde{X} = \begin{bmatrix} \text{---} (\tilde{x}^1)^T \text{---} \\ \text{---} (\tilde{x}^2)^T \text{---} \\ \vdots \\ \text{---} (\tilde{x}^n)^T \text{---} \end{bmatrix}, \quad \tilde{y} = \begin{bmatrix} \tilde{y}^1 \\ \tilde{y}^2 \\ \vdots \\ \tilde{y}^n \end{bmatrix},$$

and \hat{y} to denote a vector of predictions.

- Our **prediction in linear models** is $\hat{y}^i = w^T x^i$ (train) or $\hat{y}^i = w^T \tilde{x}^i$ (test).
 - Notoation alert: I use \hat{y}^i whether it's a prediction on training or test data.

MAP Estimation

- We typically fit parameters w by **MAP estimation**,

$$\hat{w} \in \operatorname{argmax}_{w \in \mathbb{R}^d} \underbrace{p(w|X, y)}_{\text{posterior}}.$$

- By **Bayes rule** this is equivalent to

$$\hat{w} \in \operatorname{argmax}_{w \in \mathbb{R}^d} \underbrace{p(y|X, w)}_{\text{likelihood}} \underbrace{p(w)}_{\text{prior}},$$

and also equivalent to

$$\hat{w} \in \operatorname{argmin}_{w \in \mathbb{R}^d} \underbrace{-\log p(y|X, w)}_{\text{NLL}} - \underbrace{\log p(w)}_{\text{log-prior}},$$

see probability notes as well as notes on max and argmax on the webpage.

MAP Estimation

- If training examples i are IID then first term becomes sum over examples

$$\hat{w} \in \underset{w \in \mathbb{R}^d}{\operatorname{argmin}} - \sum_{i=1}^n \log p(y^i | x^i, w) - \log p(w).$$

- Gaussian likelihoods and priors are the most common choice,

$$p(y^i | x^i, w) \propto \exp\left(-\frac{1}{2}(w^T x^i - y^i)^2\right), \quad p(w_j) \propto \exp\left(-\frac{\lambda}{2}w_j^2\right),$$

making MAP estimation equivalent to minimizing L2-regularized squared error,

$$f(w) = \frac{1}{2} \sum_{i=1}^n (w^T x^i - y^i)^2 + \frac{\lambda}{2} \sum_{j=1}^d w_j^2.$$

Loss Plus Regularizer Framework

- This is a special case of “**loss plus regularizer**” framework,

$$f(w) = \underbrace{\sum_{i=1}^n f_i(w)}_{\text{data-fitting term}} + \underbrace{\lambda g(w)}_{\text{regularizer}} .$$

- **Loss function** f_i measures how well we fit example i with parameters w .
 - In our example $f_i(w) = \frac{1}{2}(w^T x^i - y^i)^2$.
- **Regularizer** g measures how complicated the model is with parameters w .
 - In our example $r(w) = \|w\|^2$.
- **Regularization parameter** $\lambda > 0$ controls **strength of regularization**:
 - Controls complexity of model, with large λ leading to less overfitting.
 - Usually set by optimizing error on a **validation set** or with **cross-validation**.

Other Loss Functions and Regularizers

- “Loss plus regularizer” framework:

$$f(w) = \underbrace{\sum_{i=1}^n f_i(w)}_{\text{data-fitting term}} + \underbrace{\lambda g(w)}_{\text{regularizer}} .$$

- Alternative **loss functions** to squared error:
 - **Absolute error** $|w^T x^i - y^i|$ is more robust to outliers.
 - **Hinge loss** $\max\{0, 1 - y^i w^T x^i\}$ is better for binary y^i .
 - **Logistic loss** $\log(1 + \exp(-y^i w^T x^i))$ is better for binary y^i and is smooth.
 - **Softmax loss** $-w_{y^i}^T x^i + \log(\sum_{c=1}^k \exp(w_c^T x^i))$ for discrete y^i .
- Another common regularizer is **L1-regularization**,

$$g(w) = \sum_{j=1}^d |w_j|,$$

which encourages **sparsity** in w (many w_j are set to zero for large λ).

Solution of L2-Regularized Least Squares

- Our L2-regularized least squares objective function was

$$f(w) = \frac{1}{2} \sum_{i=1}^n (w^T x^i - y^i)^2 + \frac{\lambda}{2} \sum_{j=1}^d w_j^2,$$

which we can write in matrix and norm notation as

$$f(w) = \frac{1}{2} \|Xw - y\|^2 + \frac{\lambda}{2} \|w\|^2.$$

- The gradient of this quadratic objective is given by

$$\nabla f(w) = X^T(Xw - y) + \lambda w,$$

and setting the gradient to zero and solving for w gives

$$w = (X^T X + \lambda I)^{-1} (X^T y),$$

where we've used that $(X^T X + \lambda I)$ is invertible (we'll show this later).

Stationary Points and Convexity

- Is a stationary point (satisfying $\nabla f(w) = 0$) necessarily a **global optimum**?
 - Yes, if the objective is **convex**.

- In our example,

$$f(w) = \frac{1}{2} \|Xw - y\|^2 + \frac{\lambda}{2} \|w\|^2.$$

- The second term is convex because squared norms are convex and $\frac{\lambda}{2} \geq 0$.
- The first term is convex because it's a squared norm composed with the linear function $Xw - y$.
- The sum of convex functions is convex, so **f is convex**.

Training Cost and Huge Datasets

- It costs $O(nd^2 + d^3)$ to compute the solution,

$$w = (X^T X + \lambda I)^{-1}(X^T y).$$

- If d is huge, it might be better to use **gradient descent**.
 - It costs $O(ndt)$ to do t iterations.
 - As t grows it converges to a stationary point.
- If n is huge, it might be better to use **stochastic gradient**.
 - It costs $O(dt)$ to do t iterations.
 - As t grows it converges to a stationary with decreasing step sizes.
- Next week we'll talk about **how many iterations are needed**.

Non-Linear Models

- Our running L2-regularized least squares example:

$$f(w) = \frac{1}{2} \sum_{i=1}^n (w^T x^i - y^i)^2 + \frac{\lambda}{2} \sum_{j=1}^d w_j^2,$$

- To model **non-linear** effects we can use:
 - **Non-linear features transformations** (“change of basis”):
 - Replace each vector x_i with a set of non-linear transformations z_i .
 - **Kernel trick**:
 - Allows some exponential- or infinite-sized z_i .
 - **Sparse matrix factorization**.
 - Unsupervised learning of the z_i .
 - **Deep learning** methods like **neural networks**.
 - Simultaneous learning of the z_i and w .

Summary

- **Machine learning**: automatically detecting patterns in data to help make predictions and/or decisions.
- **CPSC 540**: advanced/difficult graduate-level 2nd or 3rd course on this topic.
- **Overview of CPSC 340 topics**: you are expected to know all this already.

- Next time: filling in some theory gaps from 340.

“Proportional to” Probability Notation

- When we write

$$p(y) \propto f(y),$$

for a probability distribution p we mean that

$$p(y) = \kappa f(y),$$

where κ is the number needed to make p a probability.

- If y is discrete taking values in \mathcal{Y} ,

$$\kappa = \frac{1}{\sum_{y \in \mathcal{Y}} f(y)}.$$

- If y is continuous taking values in \mathcal{Y} ,

$$\kappa = \frac{1}{\int_{y \in \mathcal{Y}} f(y)}.$$