



University of British Columbia
CPSC 111, Intro to Computation
2009W2: Jan-Apr 2010

Tamara Munzner

Class Design

Lecture 9, Mon Jan 24 2010

borrowing from slides by Paul Carter and
Wolfgang Heidrich

<http://www.cs.ubc.ca/~tmm/courses/111-10>

News

- If you have a midterm conflict with first midterm, let me know by end of day **today** at the latest
 - Mon 2/8 6:30-8pm

Reading Assignments


- Chapter 3

Recap: References vs Values

- You copy a CD for your friend. Her dog chews it up. Does that affect your CD?
 - no: different values
 - like primitive types
- You and your friend start eating a slice of cake on one shared plate. You get up to make a cup of tea. Her dog jumps on the table and eats the cake. Does that affect your half of the dessert?
 - yes: both forks reference the same plate
 - like objects

Recap: Abstraction

- **Abstraction**: process whereby we
 - hide non-essential details
 - provide a view that is relevant
- Often want different layers of abstraction depending on what is relevant



Recap: Encapsulation

- **Encapsulation**: process whereby
 - inner workings made inaccessible to protect them and maintain their integrity
 - operations can be performed by user only through well-defined interface.
 - aka **information hiding**
- Cell phone example
 - inner workings encapsulated in hand set
 - cell phone users can't get at them
 - intuitive interface makes using them easy
 - without understanding how they actually work

Recap: Designing **Die** Class

- Blueprint for constructing objects of type **Die**
- Think of manufacturing airplanes or dresses or whatever
 - design one blueprint or pattern
 - manufacture many instances from it
- Consider two viewpoints
 - client programmer: wants to use **Die** object in a program
 - designer: creator of **Die** class

Recap: Designer

- Decide on inner workings
 - implementation of class
- Objects need state
 - attributes that distinguish one instance from another
 - many names for these
 - state variables
 - fields
 - attributes
 - data members
 - what fields should we create for **Die**?

Implementing Die

```
/**
    Provides a simple model of a die
    (as in pair of dice).
 */
public class Die
{

}
```

Random Numbers

- Random class in `java.util` package
 - `public Random()`
 - Constructor
 - `public float nextFloat()`
 - Returns random number between 0.0 (inclusive) and 1.0 (exclusive)
 - `public int nextInt()`
 - Returns random integer ranging over all possible int values
 - `public int nextInt(int num)`
 - Returns random integer in range 0 to (num-1)

Implementing Die

```
/**
```

```
    Provides a simple model of a die  
    (as in pair of dice).
```

```
*/
```

```
public class Die
```

```
{
```

```
}
```

return Statement

- Use the `return` statement to specify the return value when implementing a method:

```
int addTwoInts (int a, int b) {  
    return a+b;  
}
```

- Syntax: `return expression ;`
- The method stops executing at that point and “returns” to caller.

Implementing Die

```
/**
    Provides a simple model of a die
    (as in pair of dice).
 */
public class Die
{

}
```

Information Hiding

- Hide fields from client programmer
 - maintain their integrity
 - allow us flexibility to change them without affecting code written by client programmer
- Parnas' Law:
 - "Only what is hidden can be changed without risk."

Public vs Private

- **public** keyword indicates that something **can** be referenced from outside object
 - can be seen/used by client programmer
- **private** keyword indicates that something **cannot** be referenced from outside object
 - cannot be seen/used by client programmer
- Let's fill in public/private for **Die** class

Public vs. Private Example

```
public class Die {  
    ...  
    public int roll()  
    ...  
    private void cheat(int nextRoll)  
    ...  
}
```


Public vs. Private Example

```
Die myDie = new Die();
```

```
int result = myDie.roll(); // OK
```

```
myDie.cheat(6); //not allowed!
```

Implementing Die

```
/**  
    Provides a simple model of a die  
    (as in pair of dice).  
*/  
public class Die  
{  
  
  

```

Trying It Out!

- `Die` class has no main method.
- Best is to write another class that instantiates some objects of your new class and tries them out.
 - Sometimes called a “tester” or “testbench”

Implementing RollDice

```
public class RollDice
{
    public static void main ( String [] args)
    {

}
}
```