

Ch 4: Validation

Paper: D3

Tamara Munzner

Department of Computer Science
University of British Columbia

CPSC 547, Information Visualization


Day 6: 29 September 2015

<http://www.cs.ubc.ca/~tmm/courses/547-15>

News


- LAVA Hackathon Oct 24-25
 - <http://blogs.ubc.ca/lava/>
 - Learning Analytics, Visual Analytics
 - there are no lectures in this class that week
 - if you want to avoid withdrawal :-)

VAD Ch 4: Analysis: Four Levels for Validation




Four Levels of Design and Validation

- four levels of design problems
 - different threats to validity at each level


 **Domain situation**
You misunderstood their needs

 **Data/task abstraction**
You're showing them the wrong thing

 **Visual encoding/interaction idiom**
The way you show it doesn't work


 **Algorithm**
Your code is too slow

Nested Levels of Design and Validation



- mismatch: cannot show idiom good with system timings
- mismatch: cannot show abstraction good with lab study

Directionality



Paper: D3

- paper types
 - design studies
 - technique/algorithm
 - evaluation
 - model/taxonomy
 - **system**
 - today's emphasis


[D3: Data-Driven Documents. Bostock, Ogievetsky, Heer. IEEE Trans. Visualization & Comp. Graphics (Proc. InfoVis), 2011.]

Toolkits

- imperative: how
 - low-level rendering: Processing, OpenGL
 - parametrized visual objects: prefuse
 - also flare: prefuse for Flash
- declarative: what
 - Protoviz, D3, ggplot2
 - separation of specification from execution
- considerations
 - expressiveness
 - can I build it?
 - efficiency
 - how long will it take?
 - accessibility
 - do I know how?

OpenGL


- graphics library
 - pros
 - power and flexibility, complete control for graphics
 - hardware acceleration
 - many language bindings: C, C++, Java (w/ JOGL)
 - cons
 - big learning curve if you don't know already
 - no vis support, must roll your own everything
 - example app: TreeJuxtaposer



[Fig 5. Munzner et al. TreeJuxtaposer: Scalable Tree Comparison using Focus+Context with Guaranteed Visibility. Proc SIGGRAPH 2003, pp 453-462.]

Processing


- layer on top of Java/OpenGL
- visualization esp. for artists/designers
- pros
 - great sandbox for rapid prototyping
 - huge user community, great documentation
- cons
 - poor widget library support
- example app: MizBee



[Fig 1. Meyer et al. MizBee: A Multiscale Synteny Browser. Proc. InfoVis 2009.]

prefuse


- infovis toolkit, in Java
- fine-grained building blocks for tailored visualizations
- pros
 - heavily used (previously)
 - very powerful abstractions
 - quickly implement most techniques covered so far
- cons
 - hasn't been under active development for
 - nontrivial learning curve
- example app: DOI Trees Revisited



[DOI Trees Revisited: Scalable, Space-Constrained Visualization of Hierarchical Data. Heer and Card. Proc. Advanced Visual Interfaces (AVI), pp. 421–424, 2004.]

prefuse


- separation: abstract data, visual form, view
 - data: tables, networks
 - visual form: layout, color, size, ...
 - view: multiple renderers



[Fig 2. Heer, Card, and Landay. Prefuse: A Toolkit for Interactive Information Visualization. Proc. CHI 2005, 421-430]

InfoVis Reference Model

- conceptual model underneath design of prefuse and many other toolkits
- heavily influenced much of infovis (including nested model)
 - aka infovis pipeline, data state model




[Redrawn Fig 1.23. Card, Mackinlay, and Shneiderman. *Readings in Information Visualization: Using Vision To Think*, Chapter 1. Morgan Kaufmann, 1999.]

Declarative toolkits

- imperative tools/libraries
 - say exactly **how** to do it
 - familiar programming model
 - OpenGL, prefuse, ...
- declarative: other possibility
 - just say **what** to do
 - Protovis, D3

Protovis

- declarative infovis toolkit, in Javascript
 - also later Java version
- marks with inherited properties
- pros
 - runs in browser
 - matches mark/channel mental model
 - also much more: interaction, geospatial, trees,...
- cons
 - not all kinds of operations supported
- example app: NapkinVis (2009 course project)



Protovis Validation

- wide set of old/new app examples
 - expressiveness, effectiveness, scalability
 - accessibility
- analysis with cognitive dimensions of notation
 - closeness of mapping, hidden dependencies
 - role-expressiveness visibility, consistency
 - viscosity, diffuseness, abstraction
 - hard mental operations

[Cognitive dimensions of notations. Green (1989). In A. Sutcliffe and L. Macaulay (Eds.) People and Computers V. Cambridge, UK: Cambridge University Press, pp 443-460.]

D3

- declarative infovis toolkit, in Javascript
- Protovis meets Document Object Model
- pros
 - seamless interoperability with Web
 - explicit transforms of scene with dependency info
 - massive user community, many thirdparty apps/libraries on top of it, lots of docs
- cons
 - even more different from traditional programming model
- example apps: many


D3

- objectives
 - compatibility
 - debugging
 - performance
- related work typology
 - document transformers
 - graphics libraries
 - infovis systems
 - general note: all related work sections are a mini-taxonomy!

[D3: Data-Driven Documents. Bostock, Ogievetsky, Heer. IEEE Trans. Visualization & Comp. Graphics (Proc. InfoVis), 2011.]

D3 capabilities

- query-driven selection
 - selection: filtered set of elements queries from the current doc
 - also partitioning/grouping!
 - operators act on selections to modify content
 - instantaneous or via animated transitions with attribute/style interpolators
 - event handlers for interaction
- data binding to scenegraph elements
 - data joins bind input data to elements
 - enter, update, exit subselections
 - sticky: available for subsequent re-selection
 - sort, filter



[D3: Data-Driven Documents. Bostock, Ogievetsky, Heer. *IEEE Trans. Visualization & Comp. Graphics (Proc. InfoVis)*, 2011.]

D3 Features

- document transformation as atomic operation
 - scene changes vs representation of scenes themselves
- immediate property evaluation semantics
 - avoid confusing consequences of delayed evaluation
- validation
 - performance benchmarks
 - page loads, frame rate
 - accessibility
 - everybody has voted with their feet by now!

Next Time

- to read
 - VAD Ch. 7: Tables
 - Visualizing Sets and Set-typed Data: State-of-the-Art and Future Challenges, Bilal Alsallakh, Luana Micallef, Wolfgang Aigner, Helwig Hauser, Silvia Miksch, and Peter Rodgers. EuroVis State of The Art Report 2014.
 - paper type: survey

Now

- guest lectures on tools & resources
 - Matt Brehmer
 - <http://www.cs.ubc.ca/group/infovis/resources.shtml>