

Learning Objectives

At the end of the class you should be able to:

- state the assumptions of deterministic planning
- represent a problem using both STRIPs and the feature-based representation of actions.
- specify the search tree for a forward planner
- specify the search tree for a regression planner
- represent a planning problem as a CSP

Planning

- Planning is deciding what to do based on an agent's ability, its goals, and the state of the world.
- Initial assumptions:
 - ▶ The world is deterministic.
 - ▶ There are no exogenous events outside of the control of the robot that change the state of the world.
 - ▶ The agent knows what state it is in.
 - ▶ Time progresses discretely from one state to the next.
 - ▶ Goals are predicates of states that need to be achieved or maintained.
- Aim find a sequence of actions to solve a goal.

Classical Planning

- flat or modular or hierarchical
- explicit states or features or individuals and relations
- static or finite stage or indefinite stage or infinite stage
- fully observable or partially observable
- deterministic or stochastic dynamics
- goals or complex preferences
- single agent or multiple agents
- knowledge is given or knowledge is learned
- perfect rationality or bounded rationality

Outline

Representing Actions

- State-space Representation
- Feature-based Representation
- STRIPS Representation


Planning

- Forward Planning
- Regression Planning
- Planning as a CSP

Actions

- A deterministic **action** is a partial function from states to states.
- The **preconditions** of an action specify when the action can be carried out.
- The **effect** of an action specifies the resulting state.

Delivery Robot Example



Features:

RLoc – Rob's location
RHC – Rob has coffee
SWC – Sam wants coffee
MW – Mail is waiting
RHM – Rob has mail

Actions:

mc – move clockwise
mcc – move counterclockwise
puc – pickup coffee
dc – deliver coffee
pum – pickup mail
dm – deliver mail

Explicit State-space Representation

State	Action	Resulting State
$\langle lab, \overline{rhc}, swc, \overline{mw}, rhm \rangle$	<i>mc</i>	$\langle mr, \overline{rhc}, swc, \overline{mw}, rhm \rangle$
$\langle lab, \overline{rhc}, swc, \overline{mw}, rhm \rangle$	<i>mcc</i>	$\langle off, \overline{rhc}, swc, \overline{mw}, rhm \rangle$
$\langle off, \overline{rhc}, swc, \overline{mw}, rhm \rangle$	<i>dm</i>	$\langle off, \overline{rhc}, \overline{swc}, \overline{mw}, \overline{rhm} \rangle$
$\langle off, \overline{rhc}, swc, \overline{mw}, rhm \rangle$	<i>mcc</i>	$\langle cs, \overline{rhc}, swc, \overline{mw}, rhm \rangle$
$\langle off, \overline{rhc}, swc, \overline{mw}, rhm \rangle$	<i>mc</i>	$\langle lab, \overline{rhc}, swc, \overline{mw}, rhm \rangle$
...

Feature-based representation of actions

For each action:

- **precondition** is a proposition that specifies when the action can be carried out.

For each feature:

- **causal rules** that specify when the feature gets a new value and
- **frame rules** that specify when the feature keeps its value.

Example feature-based representation

Precondition of pick-up coffee (*puc*):

$$RLoc = cs \wedge \overline{rhc}$$

Rules for location is *cs*:

$$RLoc' = cs \leftarrow RLoc = off \wedge Act = mcc$$

$$RLoc' = cs \leftarrow RLoc = mr \wedge Act = mc$$

$$RLoc' = cs \leftarrow RLoc = cs \wedge Act \neq mcc \wedge Act \neq mc$$

Rules for “robot has coffee”

$$rhc' \leftarrow rhc \wedge Act \neq dc$$

$$rhc' \leftarrow Act = puc$$

STRIPS Representation

Divide the features into:

- primitive features
- derived features. There are rules specifying how derived can be derived from primitive features.

For each action:

- **precondition** that specifies when the action can be carried out.
- **effect** a set of assignments of values to primitive features that are made true by this action.

STRIPS assumption: every primitive feature not mentioned in the effects is unaffected by the action.

Example STRIPS representation

Pick-up coffee (*puc*):

- precondition: $[cs, \overline{rhc}]$
- effect: $[rhc]$

Deliver coffee (*dc*):

- precondition: $[off, rhc]$
- effect: $[\overline{rhc}, \overline{swc}]$

Outline

Representing Actions

- State-space Representation
- Feature-based Representation
- STRIPS Representation

Planning

- Forward Planning
- Regression Planning
- Planning as a CSP

Planning

Given:

- A description of the effects and preconditions of the actions
- A description of the initial state
- A goal to achieve

find a sequence of actions that is possible and will result in a state satisfying the goal.

Forward Planning

Idea: search in the state-space graph.

- The nodes represent the states
- The arcs correspond to the actions: The arcs from a state s represent all of the actions that are legal in state s .
- A plan is a path from the state representing the initial state to a state that satisfies the goal.

Example state-space graph

Actions

mc: move clockwise

mac: move anticlockwise

nm: no move


puc: pick up coffee

dc: deliver coffee

pum: pick up mail

dm: deliver mail

mc



Locations:

cs: coffee shop

off: office

lab: laboratory

mr: mail room

Feature values

rhc: robot has coffee

swc: Sam wants coffee

mw: mail waiting

rhm: robot has mail

What are the errors?

Actions

mc: move clockwise

mac: move anticlockwise


nm: no move

puc: pick up coffee

dc: deliver coffee

pum: pick up mail

dm: deliver mail



Forward planning representation

- The search graph can be constructed on demand: it only constructs reachable states.
- To do a cycle check or multiple path-pruning, the planner need to be able to find repeated states.
- There are a number of ways to represent states:

Forward planning representation

- The search graph can be constructed on demand: it only constructs reachable states.
- To do a cycle check or multiple path-pruning, the planner need to be able to find repeated states.
- There are a number of ways to represent states:
 - ▶ As a specification of the value of every feature
 - ▶ As a path from the start state

Improving Search Efficiency

Forward search can use domain-specific knowledge specified as:

- a heuristic function that estimates

Improving Search Efficiency

Forward search can use domain-specific knowledge specified as:

- a heuristic function that estimates the cost of achieving a goal
- domain-specific pruning of neighbors:
 - ▶ don't go to the coffee shop unless "Sam wants coffee" is part of the goal and Rob doesn't have coffee
 - ▶ don't pick-up coffee unless Sam wants coffee
 - ▶ unless the goal involves time constraints, don't do the "no move" action.

Regression/Backward Planning

Idea: search backwards from the goal description: nodes correspond to subgoals, and arcs to actions.

- Nodes are propositions: a formula made up of assignments of values to features
- Arcs correspond to actions that can achieve one of the goals
- Neighbors of a node N associated with arc A specify what must be true immediately before A so that N is true immediately after.
- The start node is the goal to be achieved.
- $goal(N)$ is true if N is a proposition that is true of the initial state.

Defining nodes and arcs

- A node N can be represented as a set of assignments of values to variables:

$$[X_1 = v_1, \dots, X_n = v_n]$$

This is a set of assignments you want to hold.

- The last action is one that achieves one of the $X_i = v_i$, and does not achieve $X_j = v'_j$ where v'_j is different to v_j .
- The neighbor of N along arc A must contain:
 - ▶ The prerequisites of action A
 - ▶ All of the elements of N that were not achieved by A N must be consistent.

Regression example

Actions


mc: move clockwise
mac: move anticlockwise
puc: pick up coffee
dc: deliver coffee
pum: pick up mail
dm: deliver mail

Locations:


cs: coffee shop
off: office
lab: laboratory
mr: mail room

Feature values

rhc: robot has coffee
swc: Sam wants coffee
mw: mail waiting
rhm: robot has mail



Find the errors



Locations:

cs: coffee shop
off: office
lab: laboratory
mr: mail room

Feature values

rhc: robot has coffee
swc: Sam wants coffee
mw: mail waiting
rhm: robot has mail

Actions

mc: move clockwise
mac: move anticlockwise
puc: pick up coffee
dc: deliver coffee
pum: pick up mail
dm: deliver mail

Formalizing arcs using STRIPS notation

$$\langle G, A, N \rangle$$

where G is $[X_1 = v_1, \dots, X_n = v_n]$ is an arc if

- $\exists i X_i = v_i$ is on the effects list of action A
- $\forall j X_j = v'_j$ is not on the effects list for A , where $v'_j \neq v_j$
- N is $\text{preconditions}(A) \cup \{X_k = v_k : X_k = v_k \notin \text{effects}(A)\}$ and N is consistent in that it does not assign different values to any variable.

Loop detection and multiple-path pruning

- Goal G_1 is simpler than goal G_2 if G_1 is a subset of G_2 .
 - ▶ It is easier to solve $[cs]$ than $[cs, rhc]$.
- If you have a path to node N have already found a path to a simpler goal, you can prune the path N .

Improving Efficiency

- A search can use a heuristic function that estimates

Improving Efficiency

- A search can use a heuristic function that estimates the cost of solving a goal from the initial state.
- You can use domain-specific knowledge to remove impossible goals.
 - ▶ E.g., it is often not obvious from an action description to conclude that an agent can only hold one item at any time.

Comparing forward and regression planners

- Which is more efficient depends on:
 - ▶ The branching factor
 - ▶ How good the heuristics are
- Forward planning is unconstrained by the goal (except as a source of heuristics).
- Regression planning is unconstrained by the initial state (except as a source of heuristics)

Planning as a CSP

- Search over planning horizons.
- For each planning horizon, create a CSP constraining possible actions and features
- Also factor actions into action features.

Action Features

- *PUC*: Boolean variable, the agent picks up coffee.
- *DelC*: Boolean variable, the agent delivers coffee.
- *PUM*: Boolean variable, the agent picks up mail.
- *DelM*: Boolean variable, the agent delivers mail.
- *Move*: variable with domain $\{mc, mac, nm\}$ specifies whether the agent moves clockwise, anti-clockwise or doesn't move

CSP Variables


Choose a planning horizon k .

- Create a variable for each state feature and each time from 0 to k .
- Create a variable for each action feature for each time in the range 0 to $k - 1$.

Constraints

- **state constraints** that are constraints between variables at the same time step.
- **precondition constraints** between state variables at time t and action variables at time t that specify constraints on what actions are available from a state.
- **effect constraints** between state variables at time t , action variables at time t and state variables at time $t + 1$.
- **action constraints** that specify which actions cannot co-occur. These are sometimes called mutual exclusion or mutex constraints.
- **initial state constraints** that are usually domain constraints on the initial state (at time 0).
- **goal constraints** that constrains the final state to be a state that satisfies the goals that are to be achieved.

CSP for Delivery Robot



$RLoc_i$ — Rob's location
 RHC_i — Rob has coffee
 SWC_i — Sam wants coffee
 MW_i — Mail is waiting
 RHM_i — Rob has mail

$Move_i$ — Rob's move action
 PUC_i — Rob picks up coffee
 $DelC$ — Rob delivers coffee
 PUM_i — Rob picks up mail
 $DelM_i$ — Rob delivers mail

Effect Constraint

RHC_i	DC_i	PUC_i	RHC_{i+1}
true	true	true	true
true	true	false	false
true	false	true	true
true	false	false	true
false	true	true	true
false	true	false	false
false	false	true	true
false	false	false	false