


416 Distributed Systems

September 24, 2018

Making the web fast:
SPDY/HTTP2.0, CDNs
Consistent hashing


Special thanks to Sophia Wang for some slides

Outline





- Problem with HTTP 1.1
- SPDY and HTTP2.0
- DNS Design (317)
- Content Distribution Networks
- Consistent hashing

Typical Workload (Web Pages)





- Multiple (typically small) objects per page
- File sizes are heavy-tailed
- Embedded references
- This plays havoc with performance. **Why?**
- Solutions?
 - New protocol! ([SPDY](#) -> HTTP 2.0)
 - Web caches (Assignment 2!)
 - CDNs

HTTP evolution





HTTP/1.1 problems





HTTP/1.1 problems




- Opens too many TCP connections



Client

HTTP/1.1 problems



- Opens too many TCP connections
- Initiates object transfers strictly by the client



HTTP/1.1 problems



- Opens too many TCP connections
- Initiates object transfers strictly by the client
- Compresses only HTTP payloads, not headers



HTTP/1.1 problems


HTTP/1.1 200 OK\r\n

SPDY is proposed to address these issues

- Opens too many TCP connections
- Initiates object transfers strictly by the client
- Compresses only HTTP payloads, not headers




SPDY



- ~~Opens too many TCP connections~~
- Multiplexes sliced frames into a single TCP connection




SPDY



- ~~Opens too many TCP connections~~
- Multiplexes sliced frames into a single TCP connection
- Prioritizes Web objects





SPDY




- ~~Initiates object transfers strictly by the client~~
- Allows servers to initiate Web object transfers

HTTP evolution: SPDY->HTTP 2.0 !




Outline




- Problem with HTTP 1.1
- SPDY and HTTP2.0
- DNS Design (317)
- **Content Distribution Networks**
- Consistent hashing

Typical Workload (Web Pages)




- Multiple (typically small) objects per page
- File sizes are heavy-tailed
- Embedded references
- This plays havoc with performance. **Why?**
- Solutions?
 - New transport (SPDY)
 - Web caches (Assignment 2!)
 - **CDNs**


Content Distribution Networks (CDNs)



- The content providers are the CDN customers.
- Content replication
- CDN company installs hundreds of CDN servers throughout Internet
 - Close to users
- CDN replicates its customers' content in CDN servers. When provider updates content, CDN updates servers




Content Distribution Networks & Server Selection




- Replicate content on many servers
- Challenges
 - How to replicate content
 - Where to replicate content
 - How to find replicated content
 - How to choose among known replicas
 - How to direct clients towards replica

Server Selection




- Which server?
 - Lowest load → to balance load on servers
 - Best performance → to improve client performance
 - Based on Geography? RTT? Throughput? Load?
 - Any alive node → to provide fault tolerance
- How to direct clients to a particular server?
 - As part of routing → anycast, cluster load balancing
 - Not covered ☹️
 - As part of application → HTTP redirect
 - As part of naming → DNS

Application Based




- HTTP supports simple way to indicate that Web page has moved (30X responses)
- Server receives GET request from client
 - Decides which server is best suited for particular **client** and **object**
 - Returns HTTP redirect (to the client) to that server
- **Can make informed application specific decision**
- May introduce additional overhead →
multiple connection setup, name lookups, etc.

Naming Based



- Client does name lookup for service
- Name server chooses appropriate server address
 - DNS A-record returned is “best” one for the client
- What information can name server base decision on?
 - Web server load/location → must be collected
 - Information in the name lookup request
 - Name service client → typically the local name server for client (not the client itself, which means not aware of the app making the DNS request)


How Akamai Works



- Akamai only replicates static content (*)
- Modified name contains original file name
- Akamai server is asked for content
 - First checks local cache
 - If not in cache, requests file from primary server and caches file


* (At least, the version we're talking about today. Akamai actually lets sites write code that can run on Akamai's servers, but that's a pretty different beast)

How Akamai Works





- Clients fetch html document from primary server
 - E.g. GET index.html from cnn.com
- URLs for replicated content are replaced in html
 - E.g. `` replaced with ``
- Client is forced to **DNS resolve** aXYZ.g.akamaitech.net hostname

How Akamai Works





- Root server gives NS record for akamai.net
- Akamai.net name server returns NS record for g.akamaitech.net
 - Returned name server chosen to be in region of client's name server
 - **DNS TTL is large**
- G.akamaitech.net nameserver chooses server in region
 - Should try to chose server that has file in cache - How to choose?
 - Uses object (aXYZ) name and hash
 - **DNS TTL is small → why?**


How Akamai Works – First time request



Akamai – Subsequent Requests




Outline




- Problem with HTTP 1.1
- SPDY and HTTP2.0
- DNS Design (317)
- Content Distribution Networks
- **Consistent hashing**

Simple Hashing




- Given document XYZ, we need to choose a server to use
- Suppose we use modulo
- Number servers from $1 \dots n$
 - Place document XYZ on server $(XYZ \bmod n)$
 - (i.e., Placement only based on server identities)
 - What happens when a servers fails? $n \rightarrow n-1$
 - Same if different people have different measures of n
 - **Why might this be bad?**

Consistent Hash



- “view” = subset of all hash buckets that are visible (a bucket is e.g., a server)
- Desired features
 - **Smoothness** – little impact on hash bucket contents when buckets are added/removed
 - **Spread** – small set of hash buckets that may hold an object regardless of views
 - **Load balance** – across all views, # of objects assigned to hash bucket is small


Consistent Hashing




- **Main idea:**

- map both **keys** and **nodes** to the same (metric) identifier space
- find a “rule” how to assign keys to nodes

Ring is one option.




Consistent Hashing



- The consistent hash function assigns each node and key an m -bit identifier using SHA-1 as a base hash function
- **Node identifier:** SHA-1 hash of IP address
- **Key identifier:** SHA-1 hash of key

Identifiers



- m bit identifier space for both keys and nodes
- **Key identifier:** SHA-1(key)


Key="LetItBe" $\xrightarrow{\text{SHA-1}}$ ID=60

- **Node identifier:** SHA-1(IP address)


IP="198.10.10.1" $\xrightarrow{\text{SHA-1}}$ ID=123

- How to map key IDs to node IDs?


Consistent Hashing Example



Rule: A key is stored at its **successor**: node with next higher or equal ID




Consistent Hashing Properties




- Smoothness → addition of node does not cause movement of objects between existing nodes
- Spread → small set of nodes that lie near object (with successor rule: object at exactly 1 node)
- Load balance → all nodes receive roughly the same number of keys. For N nodes and K keys, with high probability
 - each node holds at most $(1+\epsilon)K/N$ keys
 - (provided that K is large enough compared to N)

Consistent Hashing not just for CDN




- Finding a nearby server for an object in a CDN uses centralized knowledge.
- Consistent hashing can also be used in a distributed setting
- P2P systems like BitTorrent, need a way of finding files.
 - More broadly: distributed hash tables (DHTs) for decentralized lookups
- Consistent Hashing to the rescue
 - Need a way to route in a decentralized way between nodes; but easy to come up with a distance metric!

Issues with HTTP caching



- Caching (with a CDN) is nice but...
- Over 50% of all HTTP objects are uncacheable – why?
- Challenges:
 - Dynamic data → stock prices, scores, web cams
 - “CGI” scripts → results based on passed parameters
 - SSL → encrypted data is not cacheable
 - Cookies → results may be based on passed data
 - Hit metering → owner wants to measure # of hits for revenue, etc.

Summary



- Slow web with HTTP 1.1
- SPDY and HTTP 2.0 (change the protocol!)
- Content Delivery Networks move data closer to user, maintain consistency, balance load
 - Consistent hashing maps keys AND buckets into the same space
 - Consistent hashing can be fully distributed, useful in P2P systems using structured overlays