

Top-down Ground Proof Procedure

Idea: search backward from a query to determine if it is a logical consequence of KB .

An **answer clause** is of the form:

$$yes \leftarrow a_1 \wedge a_2 \wedge \dots \wedge a_m$$

The **SLD Resolution** of this answer clause on atom a_i with the clause:

$$a_i \leftarrow b_1 \wedge \dots \wedge b_p$$

is the answer clause

$$yes \leftarrow a_1 \wedge \dots \wedge a_{i-1} \wedge b_1 \wedge \dots \wedge b_p \wedge a_{i+1} \wedge \dots \wedge a_m.$$



Derivations

- An **answer** is an answer clause with $m = 0$. That is, it is the answer clause $yes \leftarrow$.
- A **derivation** of query “ $?q_1 \wedge \dots \wedge q_k$ ” from KB is a sequence of answer clauses $\gamma_0, \gamma_1, \dots, \gamma_n$ such that
 - γ_0 is the answer clause $yes \leftarrow q_1 \wedge \dots \wedge q_k$,
 - γ_i is obtained by resolving γ_{i-1} with a clause in KB , and
 - γ_n is an answer.



Top-down definite clause interpreter

To solve the query $?q_1 \wedge \dots \wedge q_k$:

$ac := \text{“yes} \leftarrow q_1 \wedge \dots \wedge q_k\text{”}$

repeat

select a conjunct a_i from the body of ac ;

choose clause C from KB with a_i as head;

replace a_i in the body of ac by the body of C

until ac is an answer.



Nondeterministic Choice

- **Don't-care nondeterminism** If one selection doesn't lead to a solution, there is no point trying other alternatives. **select**
- **Don't-know nondeterminism** If one choice doesn't lead to a solution, other choices may. **choose**

Example: successful derivation

$$a \leftarrow b \wedge c.$$

$$a \leftarrow e \wedge f.$$

$$b \leftarrow f \wedge k.$$

$$c \leftarrow e.$$

$$d \leftarrow k.$$

$$e.$$

$$f \leftarrow j \wedge e.$$

$$f \leftarrow c.$$

$$j \leftarrow c.$$

Query: ?*a*

$$\gamma_0 : \text{yes} \leftarrow a$$

$$\gamma_4 : \text{yes} \leftarrow e$$

$$\gamma_1 : \text{yes} \leftarrow e \wedge f$$

$$\gamma_5 : \text{yes} \leftarrow$$

$$\gamma_2 : \text{yes} \leftarrow f$$

$$\gamma_3 : \text{yes} \leftarrow c$$



Example: failing derivation

$$a \leftarrow b \wedge c.$$

$$a \leftarrow e \wedge f.$$

$$b \leftarrow f \wedge k.$$

$$c \leftarrow e.$$

$$d \leftarrow k.$$

$$e.$$

$$f \leftarrow j \wedge e.$$

$$f \leftarrow c.$$

$$j \leftarrow c.$$

Query: ?*a*

$$\gamma_0 : \text{yes} \leftarrow a$$

$$\gamma_4 : \text{yes} \leftarrow e \wedge k \wedge c$$

$$\gamma_1 : \text{yes} \leftarrow b \wedge c$$

$$\gamma_5 : \text{yes} \leftarrow k \wedge c$$

$$\gamma_2 : \text{yes} \leftarrow f \wedge k \wedge c$$

$$\gamma_3 : \text{yes} \leftarrow c \wedge k \wedge c$$

