

Chapter 19

Procedural Abstraction

In this class we talk about a mechanism that all of you have used already: *procedures*. We often call them *functions*, but I hope to use the other word more often to distinguish them from the mathematical functions that we are working with in this class. This mechanism gives us a lot of power over how we can cleanly organize our programs and break up their behavior in well-organized ways, avoid duplication, and give meaningful names. We call this *procedural abstraction*. In particular, we will take a programming languages approach to studying procedures, to see what they can do, and what many of the outstanding issues are about programming with them.

Suppose you work for a promising startup company that develops software. After a long night of hacking, you put together this phenomenally useful program:¹

```
(if (zero? (- (+ 3 2) 1))
    (+ 3 2)
    (- (+ 3 2) 1))
```

Several of your colleagues think it's a great piece of code, and they want to use it, but they need to change it a bit to suit their purpose. Sure you could just give them the code and they could modify it for their particular needs, but then any bug fixes or enhancements you make to your code will not immediately show up in theirs. On the other hand, if your language supports *procedural abstraction*, the ability to write and call procedures/functions, then you can re-structure your program to support their needs as well as your own.

Racket, our example language, definitely supports defining procedures:

```
(define (f x) <procedure body>)
```

as well as calling them

```
(f 0)
```

Then you can take advantage of this abstraction mechanism to generalize your program for all of your friends. However, there's a very key issue to keep in mind: the way that you generalize your program depends on the needs of your users. Let's run through a few different scenarios:

Scenario 1: Different numbers Suppose your colleagues want to do the same computation but with different values in place of 3+2. Well, piece of cake: replace every instance of 3+2 with a *variable reference* and make that *variable* the *formal parameter* to your procedure:

```
(define (when-one x)
  (if (zero? (- x 1))
      x
      (- x 1)))
```

Then you can get your previous results by calling it with the original expression as its *argument*:

¹This program may look familiar...have you written it before? Or do you just need more coffee?

```
(when-one (+ 3 2))
```

and your friends can use whatever other numeric expressions they want as their arguments to the procedure, e.g.

```
(when-one 0)
```

Scenario 2: Different operation Suppose, on the other hand, that your friends definitely want to use 3, but they want to do something different from adding two (i.e. `(+ ... 2)`) to it in every spot. *No Problem!* Following the same recipe as above, replace every instance of `(+ ... 2)` with a procedure call, where the variable `g` represents the procedure, i.e. `(g ...)` and make that variable a formal parameter again:

```
(define (when-g3-is-one g)
  (if (zero? (- (g 3) 1))
      (g 3)
      (- (g 3) 1)))
```

Now you can get your behavior back by defining a procedure for plus-two, and passing *that* procedure in.

```
(define (add-2 x) (+ x 2))
```

```
(when-g3-is-one add-2)
```

Well, this might look a little unusual to you. Here we’re *passing a procedure as an argument to another procedure and then using it*. Only some programming languages let you do that,² but as we see here, it can be mighty useful. Now, your friends can use your code by passing along their own operations as procedures, e.g.:

```
(define (times-2 x) (* x 2))
```

```
(when-g3-is-one times-2)
```

Scenario 3: Lots of double-calls Your friends are loving that they can pass in an operation to your innovative procedure `when-g3-is-one`, but perhaps they find that they must often repeat the same pattern over and over. For instance, maybe every procedure they pass in is an instance of repeating the same operation twice. For example, the expression `(+ x 2)` can be viewed as adding 1 twice (i.e. `(+ (+ x 1))`) and maybe someone else wants to multiply by four (i.e. `(* (* x 2)2)`) and yet some other poor fellow must frobnicate the argument twice (i.e. `(froblicate (froblicate x))`)! You could write *yet another* version of your function, of course called `when-gg3-is-one`, that applies its procedure argument twice, but that seems unsatisfying. Sure you could then pass into it the function `(define (g x)(+ x 1))` and `froblicate`, but now you can’t use `(define (g x)(* x 2))` with `when-gg3-is-one`, you need to use `when-g3-is-one`, which means that you need to keep two copies of the function around, and naturally whenever you fix a bug in one, you have to fix it in the other. Yuk! You’d be stuck maintaining two versions of your `f` procedure, and that’s exactly what you don’t want to do! Luckily there’s a way to have your code and run it too: instead of rewriting your amazing procedure from scratch yet again, you can write a helper procedure that just captures the idea of “doing something twice”:

```
(define (do-h-twice h)
  (define (r y) (h (h y))) ; define a procedure r that applies h twice
  r) ; and return that procedure
```

Here we define a procedure that:

1. takes a procedure (`h`)
2. in its body defines a *new* procedure `r` that uses `h`
3. returns the procedure `r` as its result.

²FORTRAN definitely doesn’t, but C does!

Now given that procedure, you can define `when-gg3-is-one` in terms of `when-g3-is-one!`:

```
(define (when-gg3-is-one f)
  (when-g3-is-one (do-h-twice f)))
```

and you can get your behavior by calling

```
(define (add-1 x) (+ x 1))
(when-gg3-is-one add-1)
```

while your friend gets her behavior by calling `(when-gg3-is-one frobnicate)`.

Consider what’s going on with `do-h-twice` though. Not only is it taking a procedure as an argument, but it’s *returning a procedure as its result*. Taking it even further, the procedure that it’s returning is defined in terms of the procedure that you passed in, using it along the way.³ You can see here how this capability can be useful. A language that lets you create procedures on the fly, pass them into functions, return them as values, pretty much anywhere, is said to support *first-class procedures*.

In this example, though, isn’t it annoying that you have to give a name to the procedure that adds one and *then* pass that name into the procedure? It’s not like I have to always write:

```
(define three 3)
(do-something-to three)
```

to call `do-something-to` with the value 3. The name `three` doesn’t add anything. Same for the body of the procedure `do-h-twice` which defines a procedure named `r` and returns it. It would be nice if we could simply write something that means “the procedure that takes a value and adds 1 to it”. Sounds like a great idea! We can use the keyword `λ` to define a procedure in place without giving it a name. We write `(λ (x) <procedure body>)` to define a procedure in-line without giving it a name. Then we can write `(when-gg3-is-one (λ(x)(+ x 1)))` to call `when-gg3-is-one` with the `add-1` procedure in-line, and we can go back and redefine the procedure `do-h-twice` as

```
(define (do-h-twice h) (λ (y) (h (h y))))
```

Languages that support features like `λ` are said to support *anonymous procedures*, since they don’t need to be given a name.

Our goal here is to support procedural abstraction in a way that is general enough to support all of the examples above. As it turns out, it doesn’t take a whole lot to do that.

19.1 Lambda Abstractions as Procedures

Now that we have a model for what it means to call procedures, we need to actually add procedures to our language! Based on the scenarios above, we want to be able to do a number of things, including passing procedures to procedures and producing procedures as the results of other procedures. Amazingly, getting this much power out of procedures, at least mathematically, takes very little additional machinery.

First, let’s introduce our notation for procedures.

$$t ::= \dots \mid \lambda x.t$$

The symbol `λ` is the Greek character “lambda”, and the notation `λx.t` is called a *lambda abstraction*, because it stands for *abstracting* the term `t` with respect to the *parameter* `x`. Referring back to tree form, this is the common notation used for what is really under the hood a TREE of the form `λ(x,t)`

Comparing this to our earlier notation, a procedure like `add-1` defined as

```
(define (add-1 x) (+ x 1))
```

which is the procedure that maps `x` to `x+1` corresponds to the lambda abstraction

$$\lambda x.x + 1.$$

³You definitely can’t do that easily in C!

Notice that we didn't even have to give this procedure a name. Now, our language already has a set of terms that immediately stand for performing some operation on a term, like $t = 0$. Now we are going to be able to write terms that produce new procedures and then we want to *apply* a computed procedure to an argument. We also add new notation for this.

$$t ::= \dots \mid t t$$

The notation $t_1 t_2$ ⁴

means to evaluate t_1 to produce some procedure $\lambda x.t_{11}$, evaluate t_2 to produce some argument v_2 , and then *apply* the procedure to the argument. Under the hood, the notation $t_1 t_2$ corresponds to a TREE like `apply(t1, t2)`: for some odd reason, standard convention is to use juxtaposition of TERMS to stand for procedure application.

Notational Conventions The “dot” in a lambda abstraction $\lambda x.t$ acts kind of like a parenthesis, in that it helps to determine what the body of a procedure is. One important aspect of dot is that it *eats everything to its right*. For example, the expression $\lambda x.y x$ corresponds to the TREE $\lambda(x, \text{apply}(y, x))$. Similarly, the expression $\lambda x.y \lambda z.x$ corresponds to the TREE $\lambda(x, \text{apply}(y, \lambda(z, x)))$. If you want to restrict the reach of a lambda abstraction's body, then you should place the entire expression in parentheses: for example, the expression $(\lambda x.y) \lambda z.x$ corresponds to the tree `apply(λ(x, y), λ(z, x))`

By convention, application associates to the *left*, so

$$t_1 t_2 t_3 \equiv (t_1 t_2) t_3 \equiv \text{apply}(\text{apply}(t_1, t_2), t_3).$$

If you want one of the arguments to an application to be itself an application, then you must explicitly parenthesize it, e.g., $t_1 (t_2 t_3)$.

It takes practice to get the notation for lambda abstractions and applications right. *Make sure that you can read and write these expressions by taking advantage of these conventions.*

One thing to keep in mind is the relationship between applying our new procedures compared to the old operators that we had in the language. If our language still had the term `zero?(t)`, then it would *not* be legal in our language to write: `zero? t` in the sense of `apply(zero?, t)`, because `zero?` by itself is not a TERM in the language, only expressions of the form `zero?(t)` are. *However*, the expression $\lambda x.\text{zero?}(x)$ is a perfectly fine TERM, so we can always write $(\lambda x.\text{zero?}(x)) 0$.

Let's write down the rest of the formal semantics of our new language. We call it TFL because it's a Tiny Functional programming Language. It is much like the Boolean and Arithmetic Language, but we replace unary arithmetic with proper integers, for greater convenience.⁵

$$\begin{aligned} n &\in \mathbb{Z}, \quad t \in \text{TERM}, \quad x \in \text{VAR} \\ t &::= n \mid t = t \mid t + t \mid t - t \mid t * t \\ &\quad \mid \text{true} \mid \text{false} \mid \text{if } t \text{ then } t \text{ else } t \\ &\quad \mid x \mid \lambda x.t \mid t t \end{aligned}$$

Our big-step relation for Boolean and Arithmetic Expressions is defined by the following rules:

$$\begin{array}{c} \text{(elam)} \frac{}{\lambda x.t \Downarrow \lambda x.t} \qquad \text{(eapp)} \frac{t_1 \Downarrow \lambda x.t_{11} \quad t_2 \Downarrow v_2 \quad [v_2/x]t_{11} \Downarrow v}{t_1 t_2 \Downarrow v} \qquad \text{(etrue)} \frac{}{\text{true} \Downarrow \text{true}} \\ \\ \text{(efalse)} \frac{}{\text{false} \Downarrow \text{false}} \qquad \text{(eif-t)} \frac{t_1 \Downarrow \text{true} \quad t_2 \Downarrow v_2}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \Downarrow v_2} \qquad \text{(eif-f)} \frac{t_1 \Downarrow \text{false} \quad t_3 \Downarrow v_3}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \Downarrow v_3} \\ \\ \text{(en)} \frac{}{n \Downarrow n} \qquad \text{(eqt)} \frac{t_1 \Downarrow n \quad t_2 \Downarrow n}{t_1 == t_2 \Downarrow \text{true}} \qquad \text{(eqf)} \frac{t_1 \Downarrow n_1 \quad t_2 \Downarrow n_2}{t_1 == t_2 \Downarrow \text{false}} \quad n_1 \neq n_2 \\ \\ \text{(plus)} \frac{t_1 \Downarrow n_1 \quad t_2 \Downarrow n_2}{t_1 + t_2 \Downarrow n_3} \quad n_3 = n_1 + n_2 \qquad \text{(minus)} \frac{t_1 \Downarrow n_1 \quad t_2 \Downarrow n_2}{t_1 - t_2 \Downarrow n_3} \quad n_3 = n_1 - n_2 \\ \\ \text{(times)} \frac{t_1 \Downarrow n_1 \quad t_2 \Downarrow n_2}{t_1 * t_2 \Downarrow n_3} \quad n_3 = n_1 \times n_2 \end{array}$$

⁴This is written in LaTeX as $\tau_1 \backslash \tau_2$ where the \backslash gets the spacing right.

⁵Note that we've seen a stripped down version of this language in class.

Notice that there is no rule for evaluating variables. We expect that their meaning is solely determined by substitution for procedure parameters. Nonetheless, some of the rules can be instantiated to have variables in them.

Substitution for this larger language needs to account for the new arithmetic operations as well as procedure abstraction and application.

$$\begin{aligned}
 [t/x] : \text{TERM} &\rightarrow \text{TERM} \\
 [t/x]\text{true} &= \text{true} \\
 [t/x]\text{false} &= \text{false} \\
 [t/x]x &= t \\
 [t/x]x_0 &= x_0 \text{ if } x_0 \neq x \\
 [t/x](\text{if } t_1 \text{ then } t_2 \text{ then } t_3) &= \text{if } ([t/x]t_1) \text{ then } ([t/x]t_2) \text{ else } ([t/x]t_3) \\
 [t/x]n &= ??? \\
 [t/x]t_1 == t_2 &= ??? \\
 [t/x]t_1 + t_2 &= ??? \\
 [t/x]t_1 - t_2 &= ??? \\
 [t/x]t_1 * t_2 &= ??? \\
 [t/x]t_1 t_2 &= ([t/x]t_1 \cup [t/x]t_2) \\
 [t/x]\lambda x_0.t_0 &= ???
 \end{aligned}$$

I leave the cases for arithmetic expressions as an exercise to the reader. We can see above that substitution for application is straightforward. Extending substitution to deal with lambda abstractions, however, is not so straightforward. We deal with that next.

19.2 Substitution and Lambda Abstractions

In this section, we discuss how substitution and lambda abstractions interact. You might think that it follows obviously based on what you've seen before, and you would be mostly right, but there is some subtlety to getting substitution "right," by which I mean behaving in a manner that actually matches your intuitions. Historically programming languages like LISP (and to this day Emacs Lisp) got this "wrong." In this section, we'll talk about some of the things that can go wrong with substitution into procedures, then give a general-purpose definition of substitution.

Substitution for applications is quite easy, similar to the case for `if`:

$$[t/x]t_1 t_2 = ([t/x]t_1) ([t/x]t_2). \quad (\star)$$

The case for lambda abstractions is a bit more subtle though! You might be tempted to do the "obvious" thing, proceed by recursion on the structure of TERMS.

$$[t/x]\lambda x_0.t_0 = \lambda x_0.[t/x]t_0$$

But this equation implies results that we do not desire. To make this concrete consider the following two examples:

$$\begin{aligned}
 [0/x]\lambda y.x &= ??? \\
 [0/x]\lambda x.x &= ???
 \end{aligned}$$

The first case seems pretty straightforward: the `x` becomes the value `0` as a result of substituting for `x`:

$$[0/x]\lambda y.x = \lambda y.[0/x]x = \lambda y.0.$$

The second case is a little more odd. Substitution is applied to the identity procedure, `λx.x`, which takes an argument and immediately yields that argument as its result. That means that the reference to `x` is

referring specifically to the x bound by the lambda abstraction. We do not want substitution to “break” this procedure: after substitution, the same variable should refer to the same binding site, so something like

$$[0/x]\lambda x.x = \lambda x.0.$$

Would be painfully broken! Looking at it from yet another angle, consider the following example:

$$[y/x]\lambda y.y\ x = ???$$

The procedure body has a variable reference x that ostensibly points to outside of the procedure somewhere, but if we use equation (\star):

$$[y/x]\lambda y.y\ x = \lambda y.y\ y$$

Then that variable reference to x , which pointed outside the procedure is now *captured* by the procedure’s parameter. What’s worse is that if we keep this behavior but change the name of the variable, then the behavior of the procedure changes!

$$[y/x]\lambda w.w\ x = \lambda w.w\ y$$

Now the variable reference y that is substituted in is no longer captured. Intuitively, *the meaning of the program should not depend on which function parameter names you choose inside a procedure*: that kind of dependency breaks the abstraction barrier that we are trying to create (hence the name “procedural abstraction”). This was exactly something that the LISP programming language got wrong in its early days (and that Emacs LISP still has wrong).

The lesson to be learned here is that we must use care when defining substitution for lambda abstractions. To do so, we must first introduce a few new concepts.

19.2.1 Free Variables

First, we must consider the status of variables in programs. Variables in this language stand for references to procedure parameters that will eventually be replaced with values when the corresponding procedure is applied. For this reason, we had better make sure that each variable is associated with a procedure parameter. Consider the expression $x + +1$. By itself, this expression does not associate x with any procedure parameter. We say that the variable x *occurs free* in the term $x + +1$. On the other hand, in the expression $\lambda x.x + +1$, the argument to $x + +1$ is *bound* by the surrounding lambda abstraction. That is to say, there are no free variables in the term $\lambda x.x + +1$. We say that this term is *closed*. We formalize this concept by defining a function that gives the *free variables* of any TERM.⁶

$$\begin{aligned} FV : \text{TERM} &\rightarrow \mathcal{P}(\text{VAR}) \\ FV(\text{true}) &= \emptyset \\ FV(\text{false}) &= \emptyset \\ FV(x) &= \{x\} \\ FV(\text{if } t_1 \text{ then } t_2 \text{ then } t_3) &= FV(t_1) \cup FV(t_2) \cup FV(t_3) \\ FV(n) &= ??? \\ FV(t_1 = t_2) &= ??? \\ FV(t_1 + t_2) &= ??? \\ FV(t_1 - t_2) &= ??? \\ FV(t_1 * t_2) &= ??? \\ FV(t_1\ t_2) &= FV(t_1) \cup FV(t_2) \\ FV(\lambda x.t) &= FV(t) \setminus \{x\} \end{aligned}$$

⁶Once again, I leave it as an exercise for you to extended it to handle arithmetic expressions.

Analogously, the following function formalizes the notion of *bound variables*:

$$\begin{aligned}
BV: \text{TERM} &\rightarrow \mathcal{P}(\text{VAR}) \\
BV(\text{true}) &= \emptyset \\
BV(\text{false}) &= \emptyset \\
BV(x) &= \emptyset \\
BV(\text{if } t_1 \text{ then } t_2 \text{ then } t_3) &= BV(t_1) \cup BV(t_2) \cup BV(t_3) \\
BV(n) &= ??? \\
BV(t_1 = t_2) &= ??? \\
BV(t_1 + t_2) &= ??? \\
BV(t_1 - t_2) &= ??? \\
BV(t_1 * t_2) &= ??? \\
BV(t_1 t_2) &= BV(t_1) \cup BV(t_2) \\
BV(\lambda x.t) &= BV(t) \cup \{x\}
\end{aligned}$$

Note that just as a variable may appear free multiple times in a single expression, a variable may be bound more than once in an expression (e.g., $\lambda x.\lambda x.x$). Furthermore, a variable may appear both free and bound in the same expression (e.g. $(\lambda x.0) x$).

19.3 Alpha-Equivalence For Procedures

One of the common threads in the discussion so far is that the parameter names in procedures shouldn't matter: for instance, the procedure $\lambda(x, x)$ should be the same as $\lambda(y, y)$. Only the internals of the procedure should care about which parameter name is used: the rest of the program should not depend on it. The alternative is a programming language where you have to worry all the time about what local variable names are used within each function. That makes it hard to build correct modules independently.

To address this issue, we use the same solution as we did for let-bound variables: introduce the appropriate notion of alpha equivalence:

Definition 10 (Alpha Equivalence). *Let $\sim_a: \text{TERM} \times \text{TERM}$ be defined by the following rules:*

$$\begin{array}{c}
\frac{}{x \sim_a x} \qquad \frac{t_{11} \sim_a t_{21} \quad t_{12} \sim_a t_{22}}{t_{11} t_{12} \sim_a t_{21} t_{22}} \qquad \frac{t_1 \sim_a t_2}{\lambda(x, t_1) \sim_a \lambda(x, t_2)} \\
\frac{\lambda(x_3, [x_3/x_1]t_1) \sim_a \lambda(x_3, [x_3/x_2]t_2)}{\lambda(x_1, t_1) \sim_a \lambda(x_2, t_2)} \quad \begin{array}{l} x_1 \neq x_2, \\ x_3 \notin FV(t_1) \cup FV(t_2) \end{array}
\end{array}$$

As for the BL language, most of the cases that define this relation look exactly like equality. In fact, if we throw out the last rule, then the definition is just an inductive definition of equality. This makes it quite direct to show that that identical terms are alpha-convertible. The last rule, then, is the interesting one. Essentially it says that two lambda abstractions are alpha-convertible if *renaming their parameters* to a common parameter results in alpha-convertible terms.

Given this relationship between TERMS, we can formalize the sense in which parameter names don't matter:

Proposition 76. *If $t_1 \sim_a t_2$ and $t_3 \sim_a t_4$ then $[t_3/x]t_1 \sim_a [t_4/x]t_2$.*

Proof. By induction over $t_1 \sim_a t_2$.⁷ □

Proposition 77. *If $t_1 \sim_a t_2$ and $t_1 \Downarrow v_1$ then $t_2 \Downarrow v_2$ and $v_1 \sim_a v_2$.*

Proof. An exercise. □

⁷I recommend working through this.

In essence, these propositions say that if two programs differ only in their choice of bound variables, then their results also only differ in their bound variable names.

We call \sim_a “alpha-equivalence” because it forms an equivalence relation.

Proposition 78 (\sim_a is an equivalence relation). *Given $t_1, t_2, t_3 \in \text{TERM}$, the following are true:*

1. $t_1 \sim_a t_1$;
2. If $t_1 \sim_a t_2$ then $t_2 \sim_a t_1$;
3. If $t_1 \sim_a t_2$ and $t_2 \sim_a t_3$ then $t_1 \sim_a t_3$.

19.4 Defining an Evaluator

We’re not done yet! Our language isn’t fully defined until we have produced an evaluator for it. We have a few considerations to take into account in defining our language.

19.5 Legal Programs

What will count as programs in this language? Well, recall that variable references are given meaning by substitution, and our semantics only performs substitution for bound procedure variables when the procedure is called. It naturally follows, then, that our programs should be such that all variables are bound, i.e., that there are no free variables.

Formally, we define two sets, the set of *closed terms* and the set of *closed values*:

$$\begin{aligned}\text{TERM}^0 &= \{t \in \text{TERM} \mid FV(t) = \emptyset\}. \\ \text{VALUE}^0 &= \{v \in \text{VALUE} \mid FV(v) = \emptyset\}.\end{aligned}$$

These will be our legal programs and our expected values.

19.5.1 Procedure results

We now have to consider what to do if a program results in a procedure. We *could* produce the procedure as the result itself, but that’s a bit strange, and we don’t want to depend on the internals of the procedure that we get back (if only because the language implementation may play some tricks with procedures that you don’t want the user to see). So for this reason, we will simply report if a program results in a procedure, without reporting *which* procedure. To do that, we introduce the new atom **procedure** as an observable result of the evaluator.

19.5.2 The evaluator

Tying these concepts together, we get the evaluator for our language:

$$\begin{aligned}\text{PGM} &= \text{TERM}^0 \\ k \in \text{CONST} &= \text{BOOL} \cup \mathbb{Z} \\ \text{OBS} &= \text{CONST} \cup \{\text{procedure}\} \\ \text{eval} : \text{PGM} &\rightarrow \text{OBS} \\ \text{eval}(t) &= k \text{ if } t \Downarrow k \\ \text{eval}(t) &= \text{procedure} \text{ if } t \Downarrow \lambda x_0.t_0 \\ \text{eval}(t) &\text{ undefined otherwise}\end{aligned}$$

First we distinguish the set of observable constants **CONST**, and define evaluation to yield those constants, but evaluation yields the atom **procedure** if the result is some procedure $\lambda x.t$.

This evaluator, defined as a *partial* function, reflects only the successful evaluation of programs, and leaves undefined any program that would signal an error or diverge. Our view is that it is always better to be explicit about those phenomena. Without those additions, a safety theorem lacks the assurances that lend confidence to such a semantics.

[RG: Integrate the following all into the beginning of this chapter (and maybe the previous chapter)]

19.6 Working With Procedures

In our last class, we introduced the idea of procedural abstraction using the $\lambda(x, t)$ expression and procedure applications `apply(t, t)`. This allowed us to capture common program patterns, introduce *parameters* to represent the uncommon part, and then produce particular instances by applying the procedure to a particular *argument*. We motivated these features with some example programs that we'd like to write, but we haven't quite written those programs. In fact, it seems that we need more features to be able to write them. In this lecture, we introduce some new features that correspond to what it looks like we're missing, and then we show how technically we don't need them: procedures suffice.

19.7 Variable Binding

In our earliest example last class, we assumed that we could define a function with a name, and then call it, as in the following repeated example:

```
f(x) = if zero?(pred(x))
      then x
      else succ(x)
```

```
f(succ(succ(z)))
```

Right now we have no way to give a function a name and use it later, we can just create lambda abstractions. To do this, we'll steal a feature from the Racket language: *let binding*. The syntax for let binding follows:

$$t := \dots \mid \text{let } x = t \text{ in } t$$

(talk about free variables)

$$FV(\text{let } x == t_1 \text{ in } t_2) = FV(t_1) \cup (FV(t_2) / \{x\})$$

(talk about substitution)

$$\begin{aligned} [v/x](\text{let } x == t_1 \text{ in } t_2) &= \text{let } x == [v/x]t_1 \text{ in } t_2 \\ [v/x_1](\text{let } x_2 == t_1 \text{ in } t_2) &= \text{let } x_2 == [v/x_1]t_1 \text{ in } [v/x_1]t_2 \text{ if } x_1 \neq x_2 \end{aligned}$$

$$\text{elet} \frac{t_1 \Downarrow v_1 \quad [v_1/x]t_2 \Downarrow v}{\text{let } x = t_1 \text{ in } t_2 \Downarrow v}$$

Now with let, we can write the example program from class:

```
let f == λx.if zero?(pred(x))
        then x
        else succ(x)
in f succ(succ(z))
```

Its derivation follows:

$$\frac{\lambda x. \dots \Downarrow \lambda x. \dots \quad \text{succ(succ(z))} \Downarrow \text{succ(succ(z))}}{\text{let } f == \lambda x. \text{if zero?}(\text{pred}(x)) \text{ then } x \text{ else succ}(x) \text{ in } f \text{ succ(succ}(z))} \quad \frac{\text{zero?}(\text{pred}(\text{succ}(\text{succ}(z)))) \Downarrow \text{false} \quad \text{succ(succ(succ}(z))) \Downarrow \text{succ(succ(succ}(z)))}}{\text{if zero?}(\text{pred}(\text{succ}(\text{succ}(z)))) \text{ then succ(succ}(z)) \text{ else succ(succ(succ}(z)))} \Downarrow \text{succ(succ(succ}(z)))}$$

19.7.1 Technically, you don't need let

(talk about the translation)

(show the proof tree for left-left-lambda and compare)

$$\frac{\overline{(\lambda x.t_2) \Downarrow (\lambda x.t_2)} \quad t_1 \Downarrow v_1 \quad [v_1/x]t_2 \Downarrow v}{(\lambda x.t_2) t_1 \Downarrow v}$$

If we ignore the first premise, which is a closed derivation of $\overline{(\lambda x.t_2) \Downarrow (\lambda x.t_2)}$, then we end up with *exactly* the same premises as for let. That means that the resulting v is *exactly* the same value result.

What this tells us is that lambda abstraction can express the same computation as the let can. Mind you, we may still want let in our language, because it more clearly expresses what you are intending to do, but we now know that we can replace let with lambda and any immediate lambda application with a let⁸

19.8 Multi-parameter functions

Now that we can name functions, it would also be great if we could define functions that take more than one parameter, like

```
app(f, x) = f(x)
```

```
app(times2, 6)
```

In this contrived example, the `app` function takes two arguments, a function and an argument to that function, and applies the function to the argument.

Our language only defines functions that have one parameter, so you might think that we need to somehow extend our language with support for multi-parameter functions so we can write:

```
let app = λ(f, x).f x
in app(times2, 6)
```

It turns out that we don't need to.⁹

We can already write such a program as follows:

```
let app = λf.λx.f x
in app times2 6
```

What have we done? We've replaced a function of two arguments, with a function of one argument *that returns another function of one argument*, and we can give it two arguments by applying them to the function separately. This technique for factoring function arguments is called *currying*.¹⁰

Here is a succinct example of currying in action:

$$\frac{\overline{(\lambda x \dots) \Downarrow (\lambda x \dots)} \quad \overline{z \Downarrow z} \quad \overline{\lambda y. \text{if true then } z \text{ else } y \Downarrow \lambda y. \text{if true then } z \text{ else } y}}{\overline{(\lambda x. \lambda y. \text{if true then } x \text{ else } y) z \Downarrow \lambda y. \text{if true then } z \text{ else } y}} \quad \frac{\overline{\text{true} \Downarrow \text{true}}}{\overline{\text{if true then } z \text{ else } \text{false} \Downarrow z}} \quad \overline{\text{false} \Downarrow \text{false}}}{\overline{(\lambda x. \lambda y. \text{if true then } x \text{ else } y) z \text{ false} \Downarrow z}}$$

19.9 Recursion

When we implemented our interpreters for IMP and the Boolean Language, we had to write some recursive procedures, which called themselves. Rather than consider a whole interpreter, let's consider a simpler program, though it may not do anything interesting:

```
let f = λx.λy.f x y
in f z z
```

⁸In fact, the Chez Scheme optimizing compiler uses this correspondence to simplify compilation and generalize optimization.

⁹However, we might *want* to, and have good reasons for it!

¹⁰Currying is named after the American logician Haskell Curry; his first and last name has been used as the name for two separate programming languages with lambdas like we've studied here. Incidentally, currying was invented not by Curry, but by the Russian logician Moses Schönfinkel.

Based on our earlier understanding of `let`, we can translate this to the following program.

$$(\lambda f. f \ z \ z) (\lambda x. \lambda y. f \ x \ y)$$

Now we should pretty easily see a problem with this program. The `f` in the first abstraction is bound, but the *second* `f` is free! It doesn't refer to any binding of `f`. We might have hoped that this `f` would refer to the function that we were defining, but that's not the case. We'll have to find another way to define a recursive function.

To do this, we introduce a more general but independent language feature that allows us to define *any* kind of object that refers to itself, not just recursive functions. The feature is the `rec` construct, and its syntax is as follows:

$$t := \dots \mid \text{rec } x.t$$

The variable `x` is bound by the `rec` form, so we extend the free-variable function as follows:

$$FV(\text{rec } x.t) = FV(t) / \{x\}$$

Furthermore, we extend substitution so that it doesn't interfere with the variable bound by `rec`:

$$\begin{aligned} [v/x] \text{rec } x.t &= \text{rec } x.t \\ [v/x_1] \text{rec } x_2.t &= \text{rec } x_2.[v/x_1]t \text{ if } x_1 \neq x_2 \end{aligned}$$

The idea behind `rec` is that any reference to the bound variable within its body *really* refers to the entire expression, including the `rec`. This behavior is captured by the following big-step rule.

$$(\text{erec}) \frac{t[\text{rec } x.t/x] \Downarrow v}{\text{rec } x.t \Downarrow v}$$

The `rec` form is evaluated by *substituting itself into itself!*. If you stop and think about it, this can easily lead to never-ending self-substitution. For example, the term `rec x.x` cannot build a derivation because it keeps repeating since $x[(\text{rec } x.x)/x] = \text{rec } x.x$:

$$\begin{array}{c} \vdots \\ \text{rec } x.x \Downarrow \\ \text{rec } x.x \Downarrow \\ \text{rec } x.x \Downarrow \end{array}$$

On the other hand, if we never refer to the bound variable in the body, nothing interesting happens:

$$\frac{z \Downarrow z}{\text{rec } x.z \Downarrow z}$$

Things actually get interesting when we use the bound variable, but still produce something that computes. Let's look back at our earlier example with its free variable. If we bind it using `rec`, then we'll ultimately get a lambda abstraction that refers to itself, and that term itself evaluates to a value.

$$\frac{\lambda x. \lambda y. (\text{rec } f. \lambda x. \lambda y. f \ x \ y) \ x \ y \Downarrow \lambda x. \lambda y. (\text{rec } f. \lambda x. \lambda y. f \ x \ y) \ x \ y}{\text{rec } f. \lambda x. \lambda y. f \ x \ y \Downarrow \lambda x. \lambda y. (\text{rec } f. \lambda x. \lambda y. f \ x \ y) \ x \ y}$$

Notice how the `rec` self-substitutes *only once*, but the body of the lambda prevents further substitution until the function is called. Typically it takes something like a lambda abstraction to suspend evaluation and keep this from running forever.

Now with this in hand, we can finally render our addition program.

```
let add = rec me. λx. λy.
  if zero?(x)
  then y
  else succ(me (pred(x)) y)
in add succ(z) z
```

We needed to use `rec` to make the function self-referential (which is why we give the recursive variable binding the tongue-in-cheek name `me`). We could have given that variable the name `add` as well, if we wished.

19.9.1 You don't need rec either!

Now let's consider our silly recursive program again:

$$\text{rec } f.\lambda x.\lambda y.f \times y$$

Well, wouldn't you know it: we can do this without `rec` too!

Here's the trick: We want f to somehow refer to itself, but how do we do that? Step one is to make a subtle change: make it so that instead of actually *being* itself, f is instead a function that takes itself and then acts like the body of the function itself.¹¹ We can write this as follows:

$$\lambda f.\lambda x.\lambda y.(f \ f) \times y$$

The only textual changes here are that the `rec` is replaced with a λ , and the reference to f is replaced with $(f \ f)$ which feeds f to itself. Now if we assume that f represents a function that takes itself and then acts like the body of the function, then $(f \ f)$ should act like the body of the function. The challenge now then is to find something to pass in for f . The answer is f itself!

$$\text{let fn} = \lambda f.\lambda x.\lambda y.(f \ f) \times y \text{ in fn fn}$$

or more explicitly:

$$(\lambda f.\lambda x.\lambda y.(f \ f) \times y) \lambda f.\lambda x.\lambda y.(f \ f) \times y$$

The result of evaluating this expression (its derivation is an exercise for the reader) is:

$$\lambda x.\lambda y.((\lambda f.\lambda x.\lambda y.(f \ f) \times y) \lambda f.\lambda x.\lambda y.(f \ f) \times y) \times y$$

or more succinctly:

$$\lambda x.\lambda y.(FN \ FN) \times y$$

where `FN` stands for the *entire* original function.

19.9.2 All you *really* need is procedures!

In this class, we've shown that a few features like multi-parameter functions, name binding, and recursion, would be useful but technically aren't needed to write programs that we would like to. Of course, for reasons of clarity, we want those features in the language we program in, but we can understand them in simpler terms.

It turns out, that we can take these simplifications much further, to an extreme! In fact, using lambda, you can encode boolean expressions like `true`, `false`, and `if`, and you can encode numbers and arithmetic. The language of $\lambda x.t$, x , and $t \ t$ is all you need to express *any computation whatsoever*. This is at the core of the *Turing-Church thesis*, which asserts that all of computation can be expressed using either Turing machines or *lambda calculus*, a variant of the little language of procedures that we are using. But few people have much interest in programming with Turing machines all day, and the same goes with the lambda calculus.

¹¹yeah, this giving me a headache too.

Bibliography

- P. Aczel. An introduction to inductive definitions. In J. Barwise, editor, *Handbook of Mathematical Logic*, volume 90 of *Studies in Logic and the Foundations of Mathematics*, chapter C.7, pages 739–782. North-Holland, 1977.
- J. Avigad. Reliability of mathematical inference. *Synthese*, 2020. doi: 10.1007/s11229-019-02524-y. <https://doi.org/10.1007/s11229-019-02524-y>.
- F. Baader and T. Nipkow. *Term Rewriting and All That*. Cambridge University Press, New York, NY, USA, 1998. ISBN 0-521-45520-0.
- J. Bagaria. Set theory. In E. N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. The Metaphysics Research Lab, winter 2014 edition, 2014. URL <http://plato.stanford.edu/archives/win2014/entries/set-theory/>.
- R. Baldoni, E. Coppa, D. C. D’elia, C. Demetrescu, and I. Finocchi. A survey of symbolic execution techniques. *ACM Comput. Surv.*, 51(3):50:1–50:39, May 2018. ISSN 0360-0300. doi: 10.1145/3182657. URL <http://doi.acm.org/10.1145/3182657>.
- H. P. Barendregt. *The lambda calculus - its syntax and semantics*, volume 103 of *Studies in logic and the foundations of mathematics*. North-Holland, 1985. ISBN 978-0-444-86748-3.
- A. Bauer. Proof of negation and proof by contradiction. Mathematics and Computation Blog, March 2010. <http://math.andrej.com/2010/03/29/proof-of-negation-and-proof-by-contradiction/>.
- L. Crosilla. Set Theory: Constructive and Intuitionistic ZF. In E. N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, Summer 2020 edition, 2020.
- M. Felleisen and D. P. Friedman. A syntactic theory of sequential state. *Theoretical Computer Science*, 69(3):243–287, 1989. ISSN 0304-3975. doi: [https://doi.org/10.1016/0304-3975\(89\)90069-8](https://doi.org/10.1016/0304-3975(89)90069-8). URL <http://www.sciencedirect.com/science/article/pii/0304397589900698>.
- M. Felleisen, R. B. Findler, and M. Flatt. *Semantics Engineering with PLT Redex*. MIT Press, 1st edition, 2009.
- J. Ferreirós. The early development of set theory. In E. N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, summer 2019 edition, 2019. URL <https://plato.stanford.edu/archives/sum2019/entries/settheory-early/>.
- D. Grossman, G. Morrisett, T. Jim, M. Hicks, Y. Wang, and J. Cheney. Region-based memory management in cyclone. In *Proceedings of the ACM SIGPLAN 2002 Conference on Programming Language Design and Implementation*, PLDI ’02, pages 282–293, New York, NY, USA, 2002. ACM. ISBN 1-58113-463-0. doi: 10.1145/512529.512563. URL <http://doi.acm.org/10.1145/512529.512563>.
- P. R. Halmos. *Naive Set Theory*. Springer-Verlag, first edition, Jan. 1960. ISBN 0387900926. A classic introductory textbook on set theory.
- P. R. Harper. *Practical Foundations for Programming Languages*. Cambridge University Press, New York, NY, USA, 2012. URL <http://www.cs.cmu.edu/~7Erwh/plbook/1sted-revised.pdf>.

- D. J. Howe. Proving congruence of bisimulation in functional programming languages. *Inf. Comput.*, 124(2):103–112, Feb. 1996. ISSN 0890-5401.
- G. Kahn. Natural semantics. In *4th Annual Symposium on Theoretical Aspects of Computer Sciences on STACS 87*, pages 22–39, London, UK, UK, 1987. Springer-Verlag.
- R. Krebbers. *The C standard formalized in Coq*. PhD thesis, Radboud University Nijmegen, December 2015. URL <https://robertkrebbers.nl/thesis.html>.
- C. Kuratowski. Sur la notion de l'ordre dans la théorie des ensembles. *Fundamenta Mathematicae*, 2(1):161–171, 1921. doi: 10.4064/fm-2-1-161-171. <https://web.archive.org/web/20190429103938/http://matwbn.icm.edu.pl/ksiazki/fm/fm2/fm2122.pdf>.
- P. J. Landin. The mechanical evaluation of expressions. *Comput. J.*, 6(4):308–320, 1964. doi: 10.1093/comjnl/6.4.308. URL <https://doi.org/10.1093/comjnl/6.4.308>.
- X. Leroy and H. Grall. Coinductive big-step operational semantics. *Inf. Comput.*, 207(2):284–304, Feb. 2009. ISSN 0890-5401.
- P. Maddy. Believing the axioms. I. *The Journal of Symbolic Logic*, 53(02):481–511, 1988. An interesting (though complicated) analysis of why set theorists believe in their axioms.
- J. McCarthy. Recursive functions of symbolic expressions and their computation by machine, part I. *Commun. ACM*, 3(4):184–195, 1960.
- J. H. J. Morris. *Lambda-Calculus Models of Programming Languages*. PhD thesis, Massachusetts Institute of Technology, Feb. 1969. URL <http://hdl.handle.net/1721.1/64850>.
- A. M. Pitts. *Nominal sets: Names and symmetry in computer science*. Cambridge University Press, 2013.
- G. D. Plotkin. The origins of structural operational semantics. *J. Log. Algebr. Program.*, 60-61:3–15, 2004a. doi: 10.1016/j.jlap.2004.03.009. URL <http://dx.doi.org/10.1016/j.jlap.2004.03.009>.
- G. D. Plotkin. A structural approach to operational semantics. *J. Log. Algebr. Program.*, 60-61:17–139, 2004b.
- B. Popik. "pull yourself up by your bootstraps". Weblog entry, September 2012. https://www.barrypopik.com/index.php/new_york_city/entry/pull_yourself_up_by_your_bootstraps/.
- E. Reck and G. Schiemer. Structuralism in the Philosophy of Mathematics. In E. N. Zalta, editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, Spring 2020 edition, 2020.
- D. Sangiorgi. On the origins of bisimulation and coinduction. *ACM Trans. Program. Lang. Syst.*, 31(4):15:1–15:41, May 2009. ISSN 0164-0925.
- W. Sieg and D. Schlimm. Dedekind's analysis of number: Systems and axioms. *Synthese*, 147(1):121–170, Oct 2005.
- J. Spolsky. The law of leaky abstractions. Joel on Software Blog, November 2002. <https://www.joelonsoftware.com/2002/11/11/the-law-of-leaky-abstractions/>.
- G. L. Steele. Debunking the "expensive procedure call" myth or, procedure call implementations considered harmful or, lambda: The ultimate goto. Technical report, Massachusetts Institute of Technology, Cambridge, MA, USA, 1977. URL <http://dspace.mit.edu/handle/1721.1/5753>.
- S. Stenlund. Descriptions in intuitionistic logic. In S. Kanger, editor, *Proceedings of the Third Scandinavian Logic Symposium*, volume 82 of *Studies in Logic and the Foundations of Mathematics*, pages 197 – 212. Elsevier, 1975. URL <http://www.sciencedirect.com/science/article/pii/S0049237X08707328>.

- M. Tiles. Book Review: Stephen Pollard. Philosophical Introduction to Set Theory. *Notre Dame Journal of Formal Logic*, 32(1):161–166, 1990.
A brief introduction to the philosophical issues underlying set theory as a foundation for mathematics.
- C. Urban and M. Norrish. A formal treatment of the Barendregt variable convention in rule inductions. In *Proceedings of the 3rd ACM SIGPLAN Workshop on Mechanized Reasoning about Languages with Variable Binding*, MERLIN '05, page 25–32, New York, NY, USA, 2005. Association for Computing Machinery. ISBN 1595930728. doi: 10.1145/1088454.1088458. URL <https://doi.org/10.1145/1088454.1088458>.
- C. Urban, S. Berghofer, and M. Norrish. Barendregt’s variable convention in rule inductions. In *Proceedings of the 21st International Conference on Automated Deduction: Automated Deduction, CADE-21*, page 35–50, Berlin, Heidelberg, 2007. Springer-Verlag. ISBN 9783540735946. doi: 10.1007/978-3-540-73595-3_4. URL https://doi.org/10.1007/978-3-540-73595-3_4.
- D. van Dalen. *Logic and structure (3. ed.)*. Universitext. Springer, 1994. ISBN 978-3-540-57839-0.
- A. K. Wright and M. Felleisen. A syntactic approach to type soundness. *Inf. Comput.*, 115(1):38–94, Nov. 1994.
- B. Zimmer. figurative ”bootstraps”. email to linguistlist mailing list, August 2005. <http://listserv.linguistlist.org/pipermail/ads-1/2005-August/052756.html>.