



Tamara Munzner

Visualization

Week 11, Fri Mar 30

<http://www.ugrad.cs.ubc.ca/~cs314/Vjan2007>


News

- extra TA office hours in lab for hw/project Q&A
 - next week: Thu 4-6, Fri 10-2
 - last week of classes:
 - Mon 2-5, Tue 4-6, Wed 2-4, Thu 4-6, Fri 9-6
- final review Q&A session
 - Mon Apr 16 10-12
- reminder: no lecture/labs Fri 4/6, Mon 4/9

2


Review: Collision Proxy Tradeoffs

- collision proxy (bounding volume) is piece of geometry used to represent complex object for purposes of finding collision
- proxies exploit facts about human perception
 - we are bad at determining collision correctness
 - especially many things happening quickly



3

Review: Spatial Data Structures



4


Review: Aliasing

- incorrect appearance of high frequencies as low frequencies
- to avoid: antialiasing
 - supersample
 - sample at higher frequency
 - low pass filtering
 - remove high frequency function parts
 - aka prefiltering, band-limiting

5

Review: Supersample and Average


- supersample: create image at higher resolution
 - e.g. 768x768 instead of 256x256
 - shade pixels wrt area covered by thick line/rectangle
- average across many pixels
 - e.g. 3x3 small pixel block to find value for 1 big pixel
 - rough approximation divides each pixel into a finer grid of pixels



6

Review: Image As Signal


- 1D slice of raster image
- discrete sampling of 1D spatial signal
- theorem
 - any signal can be represented as an (infinite) sum of sine waves at different frequencies



7


Review: Sampling Theorem and Nyquist Rate

- Shannon Sampling Theorem
 - continuous signal can be completely recovered from its samples iff sampling rate greater than twice maximum frequency present in signal
- sample past Nyquist Rate to avoid aliasing
 - twice the highest frequency component in the image's spectrum



8

Review: Low-Pass Filtering



10

Scientific Visualization


Reading

- FCG Chapter 23

11

Surface Graphics

- objects explicitly defined by surface or boundary representation
 - mesh of polygons



12


Surface Graphics

- pros
 - fast rendering algorithms available
 - hardware acceleration cheap
 - OpenGL API for programming
 - use texture mapping for added realism
- cons
 - discards interior of object, maintaining only the shell
 - operations such cutting, slicing & dissection not possible
 - no artificial viewing modes such as semi-transparencies, X-ray
 - surface-less phenomena such as clouds, fog & gas are hard to model and represent

13

Volume Graphics

- for some data, difficult to create polygonal mesh
- voxels: discrete representation of 3D object
 - volume rendering: create 2D image from 3D object
- translate raw densities into colors and transparencies
 - different aspects of the dataset can be emphasized via changes in transfer functions



14

Volume Graphics



- pros
 - formidable technique for data exploration
- cons
 - rendering algorithm has high complexity!
 - special purpose hardware costly (~\$3K-\$10K)



15


Isosurfaces

- 2D scalar fields: isolines
 - contour plots, level sets
 - topographic maps
- 3D scalar fields: isosurfaces




16

Volume Graphics: Examples




Isosurface Extraction

- array of discrete point samples at grid points
 - 3D array: voxels
- find contours
 - closed, continuous
 - determined by iso-value
- several methods
 - marching cubes is most common




MC 1: Create a Cube

- consider a cube defined by eight data values




MC 2: Classify Each Voxel

- classify each voxel according to whether lies
 - outside the surface (value > iso-surface value)
 - inside the surface (value <= iso-surface value)




MC 3: Build An Index

- binary labeling of each voxel to create index




MC 4: Lookup Edge List

- use index to access array storing list of edges
 - all 256 cases can be derived from 15 base cases




MC 4: Example

- index = 00000001
- triangle 1 = a, b, c



MC 5: Interpolate Triangle Vertex

- for each triangle edge
 - find vertex location along edge using linear interpolation of voxel values




MC 6: Compute Normals

- calculate the normal at each cube vertex
 - use linear interpolation to compute the polygon vertex normal


$$G_x = v_{i+1,j,k} - v_{i-1,j,k}$$

$$G_y = v_{i,j+1,k} - v_{i,j-1,k}$$

$$G_z = v_{i,j,k+1} - v_{i,j,k-1}$$




MC 7: Render!




Direct Volume Rendering

- do not compute surface




Rendering Pipeline




Classification

- data set has application-specific values
 - temperature, velocity, proton density, etc.
- assign these to color/opacity values to make sense of data
- achieved through transfer functions




Transfer Functions

- map data value to color and opacity




Transfer Functions




Setting Transfer Functions

- can be difficult, unintuitive, and slow




Rendering Pipeline



33


Light Effects

- usually only consider reflected part




34

Rendering Pipeline




35

Interpolation



36


Rendering Pipeline



37


Volume Rendering Algorithms

- ray casting
 - image order, forward viewing
- splatting
 - object order, backward viewing
- texture mapping
 - object order
 - back-to-front compositing



38


Ray Traversal Schemes



39

Ray Traversal - First


- first: extracts iso-surfaces (again!)



40

Ray Traversal - Average


- average: looks like X-ray



41

Ray Traversal - MIP


- max: Maximum Intensity Projection
 - used for Magnetic Resonance Angiogram



42

Ray Traversal - Accumulate


- accumulate: make transparent layers visible



43

Splatting


- each voxel represented as fuzzy ball
 - 3D gaussian function
 - RGBA value depends on transfer function
- fuzzy balls projected on screen, leaving footprint called **splat**
 - composite front to back, in object order



44


Texture Mapping

- 2D: axis aligned 2D textures
 - back to front compositing
 - commodity hardware support
 - must calculate texture coordinates, warp to image plane
- 3D: image aligned 3D texture
 - simple to generate texture coordinates



InfoVis Example: TreeJuxtaposer

- side by side comparison of evolutionary trees
 - stretch and squish navigation
 - guaranteed visibility
 - progressive rendering
- demo - downloadable from <http://olduvai.sf.net/tj>



46