


CPSC 314, Written Homework 1: Transformations

Out: Mon 18 Jan 2010
Due: Fri 29 Jan 2010 5pm
Value: 4% of final grade
Total Points: 100

1. (15 pts) The point coordinate P can be expressed as $P = 6\mathbf{i} + 1\mathbf{j}$, where \mathbf{i} and \mathbf{j} are basis vectors of unit length along the x and y axes, respectively, with an origin at the lower left of the grid. Describe the point P in terms of the 3 other coordinate systems given below.




2. (3 pts) Write down the 4x4 matrix for translating an object by 4 in y , 1 in x , and 2 in z .
3. (8 pts) Give the OpenGL commands required to encode M . You may assume the matrix stack has been initialized with `glLoadIdentity()`.

$$\begin{bmatrix} 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 1 \\ -1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

4. (4 pts) Homogenize the point (12,3,6,3).
5. (16 pts) Give the 4x4 OpenGL modelview matrix at the four lines A, B, C, and D below.


```
glLoadIdentity();  
glRotate(90, 0, 1, 0);  
A  
glTranslate(2, 3, 0);  
B  
glPushMatrix();  
glScale(2, 1, 1);  
glTranslate(0, 1, 0);  
C  
glPopMatrix();  
glTranslate(1, 0, 0);  
D
```

6. (60 pts) For each equation below, sketch the new location L' of the L shape on the grid and provide the OpenGL sequence needed to carry out those operations. Use the function `drawL()`, which draws an L shape with the lower left corner at the current origin as shown below. You may assume the matrix mode is `GL_MODELVIEW` and that the stack has been initialized with `glLoadIdentity()`. For reference, the OpenGL command syntax is `glRotatef(angle, x, y, z)`, `glTranslatef(x, y, z)`, `glScalef(x, y, z)`.




$$A = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, B = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & -2 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, C = \begin{bmatrix} 2 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, D = \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$


a) $L' = AB L$




d) $L' = CBA L$




b) $L' = ACD L$



e) $L' = DBCA L$



c) $L' = CDA L$



f) $L' = CADAD L$

