

Perception

CS533C Presentation
by Alex Gukov




Papers Covered

- [Current approaches to change blindness](#) Daniel J. Simons. Visual Cognition 7, 1/2/3 (2000)
- [Internal vs. External Information in Visual Perception](#) Ronald A. Rensink. Proc. 2nd Int. Symposium on Smart Graphics, pp 63-70, 2002
- [Visualizing Data with Motion](#) Daniel E. Huber and Christopher G. Healey. Proc. IEEE Visualization 2005, pp. 527-534.
- [Stevens Dot Patterns for 2D Flow Visualization](#). Laura G. Tateosian, Brent M. Dennis, and Christopher G. Healey. Proc. Applied Perception in Graphics and Visualization (APGV) 2006



Change Blindness

- Failure to detect scene changes



Change Blindness


- Large and small scene changes
 - Peripheral objects
 - Low interest objects
- Attentional blink
 - Head or eye movement – saccade
 - Image flicker
 - Obstruction
 - Movie cut
- Inattention blindness
 - Object fade in / fade out



Mental Scene Representation


How do we store scene details ?

- Visual buffer
 - Store the entire image
 - Limited space
 - Refresh process unclear
- Virtual model + external lookup
 - Store semantic representation
 - Access scene for details
 - Details may change
- Both models support change blindness




Overwriting

- Single visual buffer
- Continuously updated
- Comparisons limited to semantic information
- Widely accepted




First Impression

- Create initial model of the scene
- No need to update until gist changes
- Evidence
 - Test subjects often describe the initial scene. Actor substitution experiment.




Nothing is stored(just-in-time)

- Scene indexed for later access
- Maintain only high level information (gist)
- Use vision to re-acquire details
- Evidence
 - Most tasks operate on a single object. Attention constantly switched.




Nothing is compared

- Store all details
- Multiple views of the same scene possible
- Need a 'reminder' to check for contradictions
- Evidence
 - Subjects recalled change details after being notified of the change. Basketball experiment.




Feature combination

- Continuously update visual representation
- Both views contribute to details
- Evidence
 - Eyewitness adds details after being informed of them.




Coherence Theory

- Extends 'just-in-time' model
- Balances external and internal scene representations
- Targets parallelism, low storage



Pre-processing

- Process image data
 - Edges, directions, shapes
- Generate proto-objects
 - Fast parallel processing
 - Detailed entities
 - Link to visual position
 - No temporal reference
 - Constantly updating



Upper-level Subsystems


- Setting (pre-attentive)
 - Non-volatile scene layout, gist
 - Assists coordination
 - Directs attention
- Coherent objects (attentional)
 - Create a persistent representation when focused on an object
 - Link to multiple proto-objects
 - Maintain task-specific details
 - Small number reduces cognitive load



Subsystem Interaction

Need to construct coherent objects on demand

- Use non-volatile layout to direct attention



Coherence Theory and Change Blindness

- Changes in current coherent objects
 - Detectable without rebuilding
- Attentional blink
 - Representation is lost and rebuilt
- Gradual change
 - Initial representation never existed



Implications for Interfaces

- Object representations limited to current task
 - Focused activity
- Increased LOD at points of attention
 - Predict or influence attention target
 - Flicker
 - Pointers, highlights...
 - Predict required LOD
 - Expected mental model
- Visual transitions
 - Avoid sharp transitions due to rebuild costs
 - Mindsight (pre-attentive change detection)



Critique

- Extremely important phenomenon
 - Will help understand fundamental perception mechanisms
- Theories lack convincing evidence
 - Experiments do not address a specific goal
 - Experiment results can be interpreted in favour of a specific theory (Basketball case)



Visualizing Data with Motion

- Multidimensional data sets more common
- Common visualization cues
 - Color
 - Texture
 - Position
 - Shape
- Cues available from motion
 - Flicker
 - Direction
 - Speed




Previous Work

- Detection
 - 2-5% frequency difference from background
 - 1°/s speed difference from the background
 - 20° direction difference from the background
 - Peripheral objects need greater separation
- Grouping
 - Oscillation pattern – must be in phase
- Notification
 - Motion encoding superior to color, shape change



Flicker Experiment

- Test detection against background flicker
- Coherency
 - In phase / out of phase with the background
- Cycle difference
- Cycle length




Flicker Experiment - Results

- Coherency
 - Out of phase trials detection error ~50%
 - Exception for short cycles - 120ms
 - Appeared in phase
- Cycle difference, cycle length (coherent trials)
 - High detection results for all values




Direction Experiment

- Test detection against background motion
- Absolute direction
- Direction difference




Direction Experiment - Results

- Absolute direction
 - Does not affect detection
- Direction difference
 - 15° minimum for low error rate and detection time
 - Further difference has little effect




Speed Experiment

- Test detection against background motion
- Absolute speed
- Speed difference



Speed Experiment - Results

- Absolute speed
 - Does not affect detection
- Speed difference
 - 0.42°/s minimum for low error rate and detection time
 - Further difference has little effect




Applications

- Can be used to visualize flow fields
 - Original data 2D slices of 3D particle positions over time (x,y,t)
 - Animate keyframes



Applications




Critique

- Study
 - Grid density may affect results
 - Multiple target directions
- Technique
 - Temporal change increases cognitive load
 - Color may be hard to track over time
 - Difficult to focus on details



Stevens Model for 2D Flow Visualization




Idea

- Initial Setup
 - Start with a regular dot pattern
 - Apply global transformation
 - Superimpose two patterns
- Glass
 - Resulting pattern identifies the global transform
- Stevens
 - Individual dot pairs create perception of local direction
 - Multiple transforms can be detected




Stevens Model

- Predict perceived direction for a neighbourhood of dots
 - Enumerate line segments in a small neighbourhood
 - Calculate segment directions
 - Penalize long segments
 - Select the most common direction
 - Repeat for all neighbourhoods



Stevens Model

$$\text{Segment weight } w = \begin{cases} 1, & \text{if } l \leq \frac{1}{2}r \\ \frac{1}{2}, & \text{if } \frac{1}{2}r < l \leq \frac{3}{4}r \\ \frac{1}{4}, & \text{if } \frac{3}{4}r < l \leq r \end{cases}$$



Stevens Model

- Ideal neighbourhood – empirical results
 - 6-7 dots per neighbourhood
 - Density 0.0085 dots / pixel
- Neighbourhood radius
 - 16.19 pixels
- Implications for visualization algorithm
 - Multiple zoom levels required



2D Flow Visualization

- Stevens model estimates perceived direction
- How can we use it to visualize flow fields ?
 - Construct a dot neighbourhoods such that the desired direction matches what is perceived




Algorithm

- Data
 - 2D slices of 3D particle positions over a period of time
- Algorithm
 - Start with a regular grid
 - Calculate direction error around a single point
 - Desired direction: keyframe data
 - Perceived direction: Stevens model
 - Move one of the neighbourhood points to decrease error
 - Repeat for all neighbourhoods



Results



Critique

- Model
 - Shouldn't we penalize segments which are too short ?
- Algorithm
 - Encodes time dimension without involving cognitive processing
 - Unexplained data clustering as a visual artifact
 - More severe if starting with a random field

