

EgoNetCloud: Event-based Egocentric Dynamic Network Visualization


Qingsong Liu, Yifan Hu, Lei Shi, Xinzhu Mu, Yutao Zhang, Jie Tang
IEEE VIS 2015

Presented by: Dylan

Context

Event-based Egocentric Dynamic Network


- time-varying graph



Context

Event-based Egocentric Dynamic Network


- in event-based network, discrete time point (continuous time period) of the edge is associated with an event
- every dynamic network can be seen as event-based
 - establishing a friendship tie in online social networks
 - sending a mobile short message



Context


Event-based **Egocentric** Dynamic Network

- subgraph of the full-scale graph
- node: ego node vs. alter node
- edge: ego \rightarrow alter; alter \rightarrow alter
- help understand the role of the ego in full-scale network



Problems

- visual clutter
- edge crossing




Goals

- reveal egocentric network structure
- reveal the temporal dynamics of the ego/ alter nodes
- requirements on performance, visual metaphor, layout constraint
- redesign interaction

Contributions

- **Data-driven empirical algorithms:** prune, compress and filter networks into smaller but more informative abstractions
- **EgoNetCloud visual metaphor and interactions:** display and explore both the egocentric network structure and their temporal dynamics
- **Fast and constrained layout computation:** fulfill requirement of the new visual metaphor and maintain fine readability
- **Comprehensive evaluations:** demonstrate the effectiveness of the EgoNetCloud design through a user study and a real-world case study

Levels of Design



Framework

System	EgoNetCloud
What: Data	Event-based egocentric dynamic network data
Why: Tasks	Identify clusters, values, trends
How: Encode	Nodes linked with connections; size; category colors;
How: Reduce	Edge pruning; node compression; graph filtering
How: Manipulate	Select
How: Facet	NetCloud; EgoCloud; Static Ego Network

How

Edge Pruning

- remove low-weight edges

prune as many edges as possible

retain important edges

preserve the connectivity

smallest
connected
maximum
weighted
spanning
graph

- authors not listed in alphabetical order
 - sparse matrix
 - cosine similarity as weight
 - recency based scaling: inverse of paper's age
 - author ordering based scaling
- authors listed in alphabetical order
 - credit allocation algorithm
 [Shen, H. W., & Barabási, A. L. (2014). Collective credit allocation in science. Proceedings of the National Academy of Sciences, 111(34), 12325-12330.]

$$M = \begin{pmatrix} 1/3 & 1/3 & 0 & 1/3 & 0 \\ 1/3 & 1/3 & 0 & 0 & 1/3 \\ 1/4 & 1/4 & 1/4 & 0 & 1/4 \end{pmatrix}$$

Node Compression

- group nodes with the same or similar connection pattern

- graph adjacency matrix



- merge nodes with exactly the same connectivity

0		
	0	
		0

- merge nodes with the same connectivity and linked to each other

1		
	1	
		1

- fuzzy compression



Graph Filtering


- reduce nodes and related edges by **rule-based policy**
 - importance degree
 - time period
 - # citations
 - # collaborations
 - # publications





Layout Algorithm


- initial layout
 - alter's interaction time & frequency with ego
- constrained stress majorization approach
 - deal with position constraints

EgoNetCloud














Case Study




User Study

- temporal information related
- the egocentric network related
- a combination of the two





(a) Accuracy



(b) Completion Time

Critique

- suspicious about result of weighted graphs
 - nodes compression algorithm for unweighted graphs
- “no edge in the complement of the simplified subgraph has weight greater than any of the edges in this subgraph”
 - efficiency should be 1
 - can’t see the particular benefit apply to other networks



Questions