



University of British Columbia  
 CPSC 111, Intro to Computation  
 Jan-Apr 2006  
 Tamara Munzner

### Graphical User Interfaces

Lecture 24, Tue Apr 4 2006

based on slides by Kurt Eiselt

<http://www.cs.ubc.ca/~tmm/courses/cpsc111-06-spr>


### News

- Midterm solutions going out at end of week
- Final batch of Assignment 2s ready to hand back after class
- Assignment 3 due Friday Apr 7, 5pm
- Remember Wed 11am office hours, CSLC
  
- Final exam: Mon Apr 24, 3:30pm, HEBB TH

### Review Session

- Grad TA Karen Parker will run review session before exam
  - time not set yet, post your exam times on the bboard thread and she'll minimize conflicts
  - check bboard later for announcement on time/place

### Recap: Inheritance Class Hierarchy



### Recap: Abstract Classes

- **Abstract class**: not completely implemented
  - serve as place holders in class hierarchy
  - partial description inherited by all descendants
- Usually contains one or more **abstract methods**
  - has no definition: specifies method that should be implemented by subclasses
  - just has header, does not provide actual implementation for that method
- Abstract class uses abstract methods to specify what interface to descendant classes must look like
  - without providing implementation details for methods that make up interface
  - descendent classes supply additional information so that instantiation is meaningful

### Recap: Interfaces vs. Abstract Classes

- Use abstract class with inheritance to initiate a hierarchy of more specialized classes
- Use interface to say, "I need to be able to call methods with these signatures in your class."
- Use an interface for some semblance of multiple inheritance

from Just Java 2 by Peter van der Linden

## Objectives

- Taste of what's under the hood with graphical programming
  - note: taste, not mastery!

7

## Reading

- This week:
  - Chapter 5.1, 5.2, 11.5, 12.1, 12.2, 12.3

8

## Simple Graphics

This week is all about very simple graphics in Java. What we'll talk about aren't necessarily fundamental computing concepts like loops, arrays, inheritance, and polymorphism, which surface in all sorts of different computing contexts.

This stuff will be Java-specific and may not translate well to other programming languages.

9

## Simple Graphics

The good news is that you might find graphics more fascinating than Coke Machines.

The bad news is that Java graphics can become tedious very quickly.

10

## Simple Graphics

To begin with, we need a "canvas" or a "blank sheet of paper" on which to draw. In Java, this is called a frame window or just a frame. You don't put your graphics just anywhere you want...you draw them inside the frame.

It should come as no surprise that a specific frame that we draw in will be an object of some class that serves as a template for frames. Remember, nothing much happens in Java until we create objects.

11

## Making a frame window

Step 1: Construct an object of the JFrame class.

12

## Making a frame window

```
import javax.swing.JFrame; //Swing is a user interface toolkit

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

    }
}
```

13

## Making a frame window

Step 1: Construct an object of the JFrame class.

Step 2: Set the size of the frame.

14

## Making a frame window

```
import javax.swing.JFrame;

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

        final int F_WIDTH = 300; // 300 pixels wide
        final int F_HEIGHT = 400; // 400 pixels high

        myframe.setSize(F_WIDTH, F_HEIGHT);

    }
}
```

15

## Making a frame window

Step 1: Construct an object of the JFrame class.

Step 2: Set the size of the frame.

Step 3: Set the title of the frame to appear in the title bar (title bar will be blank if no title is set).

16

## Making a frame window

```
import javax.swing.JFrame;

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

        final int F_WIDTH = 300; // 300 pixels wide
        final int F_HEIGHT = 400; // 400 pixels high

        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("My Frame"); // this is optional

    }
}
```

17

## Making a frame window

Step 1: Construct an object of the JFrame class.

Step 2: Set the size of the frame.

Step 3: Set the title of the frame to appear in the title bar (title bar will be blank if no title is set).

Step 4: Set the default close operation. When the user clicks the close button, the program stops running.

18

## Making a frame window

```
import javax.swing.JFrame;

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

        final int F_WIDTH = 300;      // 300 pixels wide
        final int F_HEIGHT = 400;     // 400 pixels high

        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("My Frame"); // this is optional
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    }
}
```

19

## Making a frame window

- Step 1: Construct an object of the JFrame class.
- Step 2: Set the size of the frame.
- Step 3: Set the title of the frame to appear in the title bar (title bar will be blank if no title is set).
- Step 4: Set the default close operation. When the user clicks the close button, the program stops running.
- Step 5: Make the frame visible.

20

## Making a frame window

```
import javax.swing.JFrame;

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

        final int F_WIDTH = 300;      // 300 pixels wide
        final int F_HEIGHT = 400;     // 400 pixels high

        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("My Frame"); // this is optional
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        myframe.setVisible(true);

    }
}
```

21

## Making a frame window

```
import javax.swing.JFrame;

public class FrameViewer
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame(); // make a new JFrame object

        final int F_WIDTH = 300;      // 300 pixels wide
        final int F_HEIGHT = 400;     // 400 pixels high

        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("My Frame"); // this is optional
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        // when it's time to draw something in the frame,
        // we'll do it here


        myframe.setVisible(true);

    }
}
```

22

## Making a frame window

```
> java FrameViewer
```



23

## Now let's draw something

Wait, hold on. We don't draw anything. We create component objects (of course) and add them to the frame we've created.

We make our own component in the Swing user interface toolkit by extending the blank component called JComponent to make a RectangleComponent.

The paintComponent() method is inherited from JComponent, then we override the method with our own definition that makes a couple of rectangles.

24

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {

    }
}
```

25

## Now let's draw something

The `paintComponent()` method of an object is called automatically when the frame that contains it is displayed for the first time, resized, or redisplayed after being hidden.

26

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {

    }
}
```

27

## Now let's draw something

The `paintComponent()` method is passed an object of type `Graphics2D`, which extends the `Graphics` type, that contains useful information about colour and font to be used, among other things. `Graphics2D` provides more sophisticated methods for drawing too. But the `paintComponent()` method expects a parameter of the older `Graphics` type, so we use a cast to convert the object to `Graphics2D` type to recover the methods that come with the `Graphics2D` class.

28

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {
        Graphics2D g2 = (Graphics2D) g;

    }
}
```

29

## Now let's draw something

Now we draw a box. We give the X- and Y-coordinates of the upper left hand corner of the box, along with its width and height in pixels (i.e. picture elements).

30

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {
        Graphics2D g2 = (Graphics2D) g;

        Rectangle box = new Rectangle(5, 10, 50, 75);
        g2.draw(box);

    }
}
```

31

## Now let's draw something

The translate() method allows the programmer to start the drawing of the next box at different X- and Y-coordinates.

32

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {
        Graphics2D g2 = (Graphics2D) g;

        Rectangle box = new Rectangle(5, 10, 50, 75);
        g2.draw(box);

        box.translate(80,100);

    }
}
```

33

## Now let's draw something

Now we can draw the second and final box.

34

## Now let's draw something

```
import java.awt.Graphics; // AWT is the Abstract Windowing Toolkit,
import java.awt.Graphics2D; // an older graphical user interface
import java.awt.Rectangle; // toolkit
import javax.swing.JPanel;
import javax.swing.JComponent;

public class RectangleComponent extends JComponent
{
    public void paintComponent(Graphics g)
    {
        Graphics2D g2 = (Graphics2D) g;

        Rectangle box = new Rectangle(5, 10, 50, 75);
        g2.draw(box);

        box.translate(80,100);

        g2.draw(box);

    }
}
```

35

## Now let's draw something

One more thing: we have to add the rectangle component to our frame object.

36



## Event handling

Here comes an example, straight from your book. This example is a simple program that prints a message when a button is clicked.

An event listener that responds to button clicks must belong to a class that implements the ActionListener interface. That interface, supplied by the Abstract Windowing Toolkit (AWT), looks like this:

```
public interface ActionListener
{
    void actionPerformed(ActionEvent event);
}
```

Java uses the event parameter to pass details about the event. We don't need to worry about it.

43

## Event handling

Here's what our example class that implements the ActionListener interface looks like:

```
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

public class ClickListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        System.out.println("I was clicked.");
    }
}
```

The actionPerformed() method contains the instructions we want to be executed when our button is clicked.

44

## Event handling

Next we'll see a program that tests our ClickListener class. It looks very much like the program we wrote earlier.

First we create a frame window object so we have a place to put the button that we want to click.

45

## Event handling

```
import javax.swing.JFrame;
import javax.swing.JButton;
import java.awt.event.ActionListener;

public class ButtonTester
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame();
        final int F_WIDTH = 100;
        final int F_HEIGHT = 60;
        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("Button Tester");
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        myframe.setVisible(true);
    }
}
```

46

## Event handling

Next we'll see a program that tests our ClickListener class. It looks very much like the program we wrote earlier.

First we create a frame window object so we have a place to put the button that we want to click.

Then we create a button object and add it to the frame, just like the rectangles before.

47

## Event handling

```
import javax.swing.JFrame;
import javax.swing.JButton;
import java.awt.event.ActionListener;

public class ButtonTester
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame();
        final int F_WIDTH = 100;
        final int F_HEIGHT = 60;
        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("Button Tester");
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        JButton button = new JButton("Click me!");
        myframe.add(button);

        myframe.setVisible(true);
    }
}
```

48



## Event handling

Next we'll see a program that tests our `ClickListener` class. It looks very much like the program we wrote earlier.

First we create a frame window object so we have a place to put the button that we want to click.

Then we create a button object and add it to the frame, just like the rectangles before.

Finally we create an event listener object called `ClickListener` and attach it to the button we just made.

49

## Event handling

```
import javax.swing.JFrame;
import javax.swing.JButton;
import java.awt.event.ActionListener;

public class ButtonTester
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame();
        final int F_WIDTH = 100;
        final int F_HEIGHT = 60;
        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("Button Tester");
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);


        JButton button = new JButton("Click me!");
        myframe.add(button);
        ActionListener listener = new ClickListener();
        button.addActionListener(listener);

        myframe.setVisible(true);
    }
}
```

50

## Event handling

```
> java ButtonTester
```



51

## Event handling

A button listener class like `ClickListener` is likely to be specific to a particular button, so we don't really need it to be widely accessible. We can put the class definition inside the method or class that needs it. So we can put this class:

```
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

public class ClickListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        System.out.println("I was clicked.");
    }
}
```

inside the main method of the `ButtonTester` class as an **inner class**.

52

## Event handling

```
import javax.swing.JFrame;
import javax.swing.JButton;
import java.awt.event.ActionListener;
import java.awt.event.ActionEvent; // note this addition

public class ButtonTester2
{
    public static void main(String[] args)
    {
        JFrame myframe = new JFrame();
        final int F_WIDTH = 100;
        final int F_HEIGHT = 60;
        myframe.setSize(F_WIDTH, F_HEIGHT);
        myframe.setTitle("Button Tester");
        myframe.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        JButton button = new JButton("Click me!");
        myframe.add(button);
    }
}
```

53

## Event handling

```
class ClickListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        System.out.println("I was clicked.");
    }
}

ActionListener listener = new ClickListener();
button.addActionListener(listener);

myframe.setVisible(true);
}
```

54

## Making buttons do more

This next example is from the book too, but I've changed the BankAccount class to the BunnyFamily class. Why? Because everybody likes bunnies.

Let's say we want to compute the growth in the number of bunnies in my bunny family through successive clicks of a button. (OK, it's a stretch, but it's still better than the boring bank account example.)

We'd start with a BunnyFamily class, of course. It has a method for retrieving the number of bunnies in the family, and another method for increasing the number of bunnies according to the Fibonacci numbers.

55

## Fibonacci numbers

Leonardo Pisano (1170 - 1250), also known as Fibonacci, came up with a model of growth in an idealised bunny (really) population.

Assuming that  
in the first month there is just one newly-born pair  
new-born pairs become fertile from their second month  
each month every fertile pair spawns a new pair, and  
the bunnies never die

Then if we have A pairs of fertile and newly-born bunnies in month N and we have B pairs in month N+1, then in month N+2 we'll have A+B pairs.

56

## Fibonacci numbers

The numbers for our purposes are 2, 3, 5, 8, 13, 21, 34 and so on.

Fibonacci was wrong about the growth of bunny populations, but his numbers live on in mathematical history.

57

## Making buttons do more

```
public class BunnyFamily
{
    private int totalBunniesNow;
    private int totalBunniesLastTime;

    public BunnyFamily()
    {
        totalBunniesNow = 2; // first two numbers in the
        totalBunniesLastTime = 1; // Fibonacci sequence
    }

    public int getBunnies()
    {
        return totalBunniesNow;
    }

    public void updateBunnies()
    {
        totalBunniesNow = totalBunniesNow + totalBunniesLastTime;
        totalBunniesLastTime = totalBunniesNow - totalBunniesLastTime;
    }
}
```

58

## Making buttons do more

We start by importing everything but the proverbial kitchen sink. Then we create our frame window.

59

## Making buttons do more

```
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JPanel;
import javax.swing.JTextField;

public class BunnyGrowthViewer
{
    public static void main (String[] args)
    {
        JFrame frame = new JFrame();
        frame.setSize(400, 100);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        JButton button = new JButton("Add Bunnies");

        final BunnyFamily mybunnies = new BunnyFamily();
    }
}
```

60

## Making buttons do more

We start by importing everything but the proverbial kitchen sink. Then we create our frame window.

Next we create the button object.

61

## Making buttons do more

```
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JPanel;
import javax.swing.JTextField;

public class BunnyGrowthViewer
{
    public static void main (String[] args)
    {
        JFrame frame = new JFrame();
        frame.setSize(400, 100);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        JButton button = new JButton("Add Bunnies");

        final BunnyFamily mybunnies = new BunnyFamily();
    }
}
```

62

## Making buttons do more

We start by importing everything but the proverbial kitchen sink. Then we create our frame window.

Next we create the button object.

Now we instantiate a `BunnyFamily` and call the object `mybunnies`. Why is it final? Because inner classes can access local variables from the surrounding scope only if the variables are final, and we're going to want to access some local variables from the surrounding scope inside the inner class. (Note that final doesn't keep the internal state of the `mybunnies` object from changing...it only means that once `mybunnies` holds a reference to a particular `BunnyFamily` object, `mybunnies` cannot then be assigned a different reference.)

63

## Making buttons do more

```
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JPanel;
import javax.swing.JTextField;

public class BunnyGrowthViewer
{
    public static void main (String[] args)
    {
        JFrame frame = new JFrame();
        frame.setSize(400, 100);
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        JButton button = new JButton("Add Bunnies");

        final BunnyFamily mybunnies = new BunnyFamily();
    }
}
```

64

## Making buttons do more

We need a user interface component that displays a message containing the current number of bunnies. Such a component is called a `label`. Here's how it's created...

65

## Making buttons do more

```
final JLabel label = new JLabel("bunnies = " +
                                mybunnies.getBunnies());

JPanel panel = new JPanel();
panel.add(button);
panel.add(label);
frame.add(panel);

class AddBunniesListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        mybunnies.updateBunnies();
        label.setText("bunnies = " + mybunnies.getBunnies());
    }
}

ActionListener listener = new AddBunniesListener();
button.addActionListener(listener);
frame.setVisible(true);
}
```

66

## Making buttons do more

We need a user interface component that displays a message containing the current number of bunnies. Such a component is called a label. Here's how it's created...

We now want to put the button and label components in the frame, but Java will place one on top of the other. Instead, we create a panel object -- a panel is a container for other user interface components -- and then add the panel to the frame.

67

## Making buttons do more

```
final JLabel label = new JLabel("bunnies = " +
                                mybunnies.getBunnies());

JPanel panel = new JPanel();
panel.add(button);
panel.add(label);
frame.add(panel);

class AddBunniesListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        mybunnies.updateBunnies();
        label.setText("bunnies = " + mybunnies.getBunnies());
    }
}

ActionListener listener = new AddBunniesListener();
button.addActionListener(listener);
frame.setVisible(true);
}
```

68

## Making buttons do more

We need a user interface component that displays a message containing the current number of bunnies. Such a component is called a label. Here's how it's created...

We now want to put the button and label components in the frame, but Java will place one on top of the other. Instead, we create a panel object -- a panel is a container for other user interface components -- and then add the panel to the frame.

Next we define our specific event listener class.

69

## Making buttons do more

```
final JLabel label = new JLabel("bunnies = " +
                                mybunnies.getBunnies());

JPanel panel = new JPanel();
panel.add(button);
panel.add(label);
frame.add(panel);

class AddBunniesListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        mybunnies.updateBunnies();
        label.setText("bunnies = " + mybunnies.getBunnies());
    }
}

ActionListener listener = new AddBunniesListener();
button.addActionListener(listener);
frame.setVisible(true);
}
```

70

## Making buttons do more

We need a user interface component that displays a message containing the current number of bunnies. Such a component is called a label. Here's how it's created...

We now want to put the button and label components in the frame, but Java will place one on top of the other. Instead, we create a panel object -- a panel is a container for other user interface components -- and then add the panel to the frame.

Next we define our specific event listener class.

Then we create an event listener object and associate it with the button. Finally, we make sure that everything is visible.

71

## Making buttons do more

```
final JLabel label = new JLabel("bunnies = " +
                                mybunnies.getBunnies());

JPanel panel = new JPanel();
panel.add(button);
panel.add(label);
frame.add(panel);

class AddBunniesListener implements ActionListener
{
    public void actionPerformed(ActionEvent event)
    {
        mybunnies.updateBunnies();
        label.setText("bunnies = " + mybunnies.getBunnies());
    }
}

ActionListener listener = new AddBunniesListener();
button.addActionListener(listener);
frame.setVisible(true);
}
```

72