



University of British Columbia  
CPSC 111, Intro to Computation  
Jan-Apr 2006  
Tamara Munzner

### Mathematical Operations, Static Methods

#### Lecture 9, Thu Feb 2 2006

based on slides by Kurt Eiselt

<http://www.cs.ubc.ca/~tmm/courses/cpsc111-06-spr>

## Reading

- Re-read Chapter 4.3-4.5 (today)
- Next week: Chapter 6 all (6.1-6.4)

## News

- Weekly Questions due today
- Midterm reminder: Tue Feb 7, 18:30 - 20:00
  - Geography 100 & 200
- Discovery Forum – here, right after class
  - Computer Science And Medicine: Where Technology Meets Biology
  - you can see demos of what I do when I'm not teaching!

## Recap: Commenting Code

- Conventions
  - explain what classes and methods do
  - plus anywhere that you've done something nonobvious
    - often better to say why than what
      - not useful  
`int wishes = 3; // set wishes to 3`
      - useful  
`int wishes = 3; // follow fairy tale convention`

## Recap: javadoc Comments

- Specific format for method and class header comments
  - running javadoc program will automatically generate HTML documentation
- Rules
  - `/**` to start, first sentence used for method summary
  - `@param` tag for parameter name and explanation
  - `@return` tag for return value explanation
  - other tags: `@author`, `@version`
  - `*/` to end
- Running

```
% javadoc Die.java
% javadoc *.java
```

## Recap: Cleanup Pass

- Would we hand in our code as it stands?
  - good use of whitespace?
  - well commented?
    - every class, method, parameter, return value
  - clear, descriptive variable naming conventions?
  - constants vs. variables or magic numbers?
  - fields initialized?
  - good structure?
- ideal: do as you go
  - commenting first is a great idea!
- acceptable: clean up before declaring victory

## Finishing Point and PointTest

## Formal vs. Actual Parameters

- **formal** parameter: in declaration of class
- **actual** parameter: passed in when method is called
  - variable names may or may not match
- if parameter is primitive type
  - **call by value**: value of actual parameter copied into formal parameter when method is called
  - changes made to formal parameter inside method body will not be reflected in actual parameter value outside of method
- if parameter is object: covered later

## Scope

- Fields of class are have **class scope**: accessible to any class member
  - in `Die` and `Point` class implementation, fields accessed by all class methods
- Parameters of method and any variables declared within body of method have **local scope**: accessible only to that method
  - not to any other part of your code
- In general, scope of a variable is block of code within which it is declared
  - **block** of code is defined by braces { }

## Objectives

- Understand how to use mathematical shorthand operators
- Understand when values will be implicitly converted
- Understand how to use static variables and methods

## Increment and Decrement

- Often want to increment or decrement by 1
  - obvious way to increment
    - `count = count + 1;`
  - assignment statement breakdown
    - retrieve value stored with variable `count`
    - add 1 to that value
    - store new sum back into same variable `count`
  - obvious way to decrement
    - `count = count - 1;`

## Shorthand Operators

- Java shorthand
  - `count++;` // same as `count = count + 1;`
  - `count--;` // same as `count = count - 1;`
  - note no whitespace between variable name and operator
- Similar shorthand for assignment
  - `tigers += 5;` // like `tigers=tigers+5;`
  - `lions -= 3;` // like `lions=lions-3;`
  - `bunnies *= 2;` // like `bunnies=bunnies*2;`
  - `dinos /= 100;` // like `dinos=dinos/100;`

## Shorthand Assignment Operators

- what value ends up assigned to `total`?  

```
int total = 5;  
int current = 4;  
total *= current + 3;
```
- remember that Java evaluates right before left of =
  - first right side is evaluated: result is 7
  - `total *= 7;`
  - `total = total * 7;`
  - `total = 5 * 7;`
  - `total = 35;`

## Data Conversion

- Math in your head
  - $1/3$  same as `.3333333333333333....`
- Math in Java: it depends!

```
int a = 1 / 3;  
  
double b = 1 / 3;  
  
int c = 1.0 / 3.0;  
  
double d = 1.0 / 3.0;
```

## Data Conversion

- Math in your head
  - $1/3$  same as `.3333333333333333....`
- Math in Java: it depends!

```
int a = 1 / 3;           // a is 0  
  
double b = 1 / 3;       // b is 0.0  
  
int c = 1.0 / 3.0;      // Java's not happy  
  
double d = 1.0 / 3.0;   // d is 0.333333333
```

## Data Conversion

- Consider each case  

```
int a = 1 / 3;           // a is 0
```
- **Literals** 1 and 3 are integers
- Arithmetic with integers results in integer
  - fractional part truncated (discarded)
- So 0 is value assigned to `a`

## Data Conversion

- Consider each case  

```
double b = 1 / 3;       // b is 0.0
```
- **Literals** 1 and 3 are integers
- Arithmetic with integers results in integer
  - fractional part truncated (discarded)
- So 0 is result on right side
- Left side expects double
  - integer 0 is converted to floating point 0.0
- So 0.0 is value assigned to `b`

## Data Conversion

- Consider each case  

```
int c = 1.0 / 3.0;      // Java's not happy
```
- **Literals** 1.0 and 3.0 are doubles
- Arithmetic with doubles results in double
  - results is 0.333333....
- Left side expects int not double
  - fractional part would have to be truncated
  - Java wants to make sure you know you'd lose fractional information
  - could be explicit with cast

```
int c = (int) (1.0 / 3.0); //cast placates Java
```

## Data Conversion

- Consider each case

```
double d = 1.0 / 3.0; // d is 0.33333333
```

- Literals 1.0 and 3.0 are doubles
- Arithmetic with doubles results in double
  - results is 0.333333....
- Right side double can hold value
  - well... just approximation of repeating value!
    - finite number of bits to hold infinite sequence
  - **roundoff errors** can be major problem
    - CPSC 302, 303 cover in more detail

## Data Conversion

- **Casting**: explicit data conversion
- **Widening**: conversion from one data type to another type with equal or greater amount of space to store value
  - widening conversions safer because don't lose information (except for roundoff)
- **Narrowing**: conversion from one type to another type with less space to store value
  - important information may be lost
  - avoid narrowing conversions!

## Data Conversion

- Which of these is
  - not a conversion?
  - widening conversion?
  - narrowing conversion?

```
int a = 1 / 3; // a is 0
double b = 1 / 3; // b is 0.0
int c = 1.0 / 3.0; // Java's not happy
double d = 1.0 / 3.0; // d is 0.3333333333333333
```

## Assignment Conversion

- **Assignment conversion**: value of one type assigned to variable of other type, so must be converted to new type
  - implicit, happens automatically
  - Java allows widening but not narrowing through assignment

## Promotion

- Second kind of data conversion
  - happens when expression contains mixed data types
  - example:

```
int hours_worked = 40;
double pay_rate = 5.25;
double total_pay = hours_worked * pay_rate;
```

- To perform multiplication, Java **promotes** value assigned to `hours_worked` to floating point value
  - produces floating point result
  - implicit, widening

## Data Conversion

- No such thing as automatic demoting
  - would be narrowing!

```
int hours_worked = 40;
double pay_rate = 5.25;
int total_pay = hours_worked * pay_rate; // error
```

- can use casting to explicitly narrow

```
int total_pay = hours_worked * (int) pay_rate;
```

## Modulus Operator

- computes remainder when second operand divided into first
  - sign of result is sign of numerator
  - if both operands integer, returns integer
  - if both operands floating point, returns floating point
- operator is %

```
int num1 = 8, num2 = 13;
double num3 = 3.7;
System.out.println( num1 % 3 );
System.out.println( num2 % -13 );
System.out.println( num3 % 3.2 );
System.out.println( -num3 % 3 );
```

## Questions?

## Static Variables

```
public class Giraffe {
    private double neckLength;
    public Giraffe(double neckLength) {
        this.necklength = necklength;
    }
    public void sayHowTall() {
        System.out.println("Neck is " + neckLength);
    }
}
```

## Static Variables

```
public class Giraffe {
    private double neckLength;
    public Giraffe(double neckLength) {
        this.necklength = necklength;
    }
    public void sayHowTall() {
        System.out.println("Neck is " + neckLength);
    }
}
```

- how would we keep track of how many giraffes we've made?
  - need a way to declare variable that "belongs" to class definition itself
  - as opposed to variable included with every instance (object) of the class

## Static Variables

```
public class Giraffe {
    private static int numGiraffes;
    private double neckLength;
    public Giraffe(double neckLength) {
        this.necklength = necklength;
    }
    public void sayHowTall() {
        System.out.println("Neck is " + neckLength);
    }
}
```

- **static variable**: variable shared among all instances of class
  - aka **class variable**
  - use "static" as modifier in variable declaration

## Static Variables

```
public class Giraffe {
    private static int numGiraffes;
    private double neckLength;
    public Giraffe(double neckLength) {
        this.necklength = necklength;
        numGiraffes++;
    }
    public void sayHowTall() {
        System.out.println("Neck is " + neckLength);
    }
}
```

- updating static variable is straightforward
  - increment in constructor

## Static Variables

- Static variable shared among all instances of class
  - Only one copy of static variable for all objects of class
  - Thus changing value of static variable in one object changes it for all others objects too!
- Memory space for a static variable established first time containing class is referenced in program

## Static Methods

- **Static method** "belongs" to the class itself
  - not to objects that are instances of class
  - aka **class method**
- Do not have to instantiate object of class in order to invoke static method of that class
  - Can use class name instead of object name to invoke static method

## Static Methods

```
public class Giraffe {
    private static int numGiraffes;
    private double neckLength;
    public Giraffe(double neckLength) {
        this.necklength = necklength;
        numGiraffes++;
    }
    public void sayHowTall() {
        System.out.println("Neck is " + neckLength);
    }
    public static int getGiraffeCount() {
        return numGiraffes;
    }
}
```

- static method example

## Calling Static Method Example

```
public class UseGiraffes
{
    public static void main (String[] args)
    {
        System.out.println("Total Giraffes: " +
            Giraffe.getGiraffeCount());
        Giraffe fred = new Giraffe(200);
        Giraffe bobby = new Giraffe(220);
        Giraffe ethel = new Giraffe(190);
        Giraffe hortense = new Giraffe(250);
        System.out.println("Total Giraffes: " +
            Giraffe.getGiraffeCount());
    }
}
```

- Note that Giraffe is class name, not object name!
  - at first line haven't created any Giraffe objects yet

## Static Methods

- Static methods do not operate in context of particular object
  - cannot reference instance variables because they exist only in an instance of a class
  - compiler will give error if static method attempts to use nonstatic variable
- Static method *can* reference static variables
  - because static variables exist independent of specific objects
- Therefore, the main method can access only static or local variables.

## Static Methods

```
public class UseGiraffes
{
    public static void main (String[] args)
    {
        System.out.println("Total Giraffes: " +
            Giraffe.getGiraffeCount());
        Giraffe fred = new Giraffe(200);
        Giraffe bobby = new Giraffe(220);
        Giraffe ethel = new Giraffe(190);
        Giraffe hortense = new Giraffe(250);
        System.out.println("Total Giraffes: " +
            Giraffe.getGiraffeCount());
    }
}
```

- Now you know what all these words mean
  - main method can access only static or local variables

## Static Methods in java .Math

- Java provides you with many pre-existing static methods
- Package `java.lang.Math` is part of basic Java environment
  - you can use static methods provided by Math class
  - examples:

```
> Math.sqrt(36)           > Math.random()
6.0                      0.7843919693319797
> Math.sin(90)           > Math.random()
0.8939966636005579      0.4253202368928023
> Math.sin(Math.toRadians(90)) > Math.pow(2,3)
1.0                      8.0
> Math.max(54,70)        > Math.pow(3,2)
70                       9.0
> Math.round(3.14159)    > Math.log(1000)
3                        6.907755278982137
                        > Math.log10(1000)
                        3.0
```