# Perception

Lecture 7 CPSC 533C, Fall 2005

3 Oct 2005

Tamara Munzner

# Readings

Ware, Chapter 5: Visual Attention and Information That Pops Out

Ware, Chapter 6: Static and Moving Patterns

The Psychophysics of Sensory Function, S. S. Stevens, Sensory Communication, MIT Press, 1961, pp 1–33.

Graphical Perception: Theory, Experimentation and the Application to the Development of Graphical Models William S. Cleveland, Robert McGill, J. Am. Stat. Assoc. 79:387, pp. 531-554, 1984.

### **Human Perception**

#### sensors/transducers

psychophysics: determine characteristics

relative judgements: strong absolute judgements: weak

continuing theme

#### different optimizations than most machines

- eyes are not cameras
- · perceptual dimensions not nD array
- · (brains are not hard disks)

#### **Foveal Vision**

### thumbnail at arm's length small high resolution area on retina









# **Equal Legibility**

# if fixated on center point






[psy.ucsd.edu/~sanstis/SABlur.html]

### **Foveal Touch**

#### star-nosed mole






[www.nature.com/nsu/010329/010329-6.html brain.nips.ac.jp/event/work131030/Catania\_and\_Kaas,\_1997.pdf]

### Eyes

#### saccades [video]

- fovea: high-resolution samples
- brain makes collage
- · vision perceived as entire simultaneous field
- fixation points: dwell 200–600ms
- moving: 20–100ms



[vision.arc.nasa.gov/personnel/jbm/home/projects/osa98/osa98.html/

#### **Ears**

#### perceived as temporal stream

- but also samples over time
- hard to filter out when not important visual vs auditory attention

#### implications

- harder to create overview?
- · hard to use as separable dimension?

### 'sonification' still very niche area

· alternative: supporting sound enhances immersion

#### Other Modalities

barrier: lack of record/display technology

#### haptics maturing

· "haptic visualization" very new

#### smell, taste

- out–there SIGGRAPH ETech demos
- characterization possible after technology barriers fall

# Psychophysical Measurement

JND: just noticeable difference

increment where human detects change


average to create "subjective" scale

low-level perception more uniform than high-level cognition across subjects

# Nonlinear perception of magnitudes


sensory modalities not equally discriminable

Stevens' Power Law:  $I = S^p$ 




# Dimensional dynamic range

linewidth: limited discriminability




# Dimensional ranking



# Dimensional ranking varies by data type

spatial position best for all types



# Cleveland vs. Mackinlay

Mackinlay Cleveland

Position position along common scale

Length

Angle

Slope positions along nonaligned scales

Area

Volume

Density length, direction, angle

Saturation

Hue

**Texture** 

Connection

Containment

Shape

area

volume, curvature

shading, color saturation


#### Weber's Law

ratio of increment threshold to background intensity is constant

· relative judgements within modality

$$\frac{\Delta I}{I} = K$$

Cleveland example: frame increases accuracy



# Cleveland suggestions

dot chart over pie or bars


direct differences over superimposed curves

framed rectangles over shading on maps

### Preattentive visual dimensions

#### color (hue) alone: preattentive

- attentional system not invoked
- · search speed independent of distractor count




[Chris Healey, Preattentive Processing, www.csc.ncsu.edu/faculty/healey/PP/PP.html]

### Preattentive visual dimensions

many preattentive dimensions of visual modality


- · hue
- · shape
- texture
- · length
- · width
- · size
- orientation
- curvature
- intersection
- intensity
- · flicker
- direction of motion
- stereoscopic depth
- lighting direction



# Non-preattentive: parallelism

many preattentive dimensions of visual modality


- · hue
- · shape
- texture
- · length
- · width
- · size
- orientation
- curvature
- · intersection
- intensity
- · flicker
- direction of motion
- stereoscopic depth
- lighting direction




#### Preattentive visual dimensions

color alone: preattentive

shape alone: preattentive




combined hue and shape: multimodal



- requires attention
- · search speed linear with distractor count

# Integral vs. separable dimensions



red-green x-size yellow-blue y-size orientation shape

size

color


color motion


color location

[Colin Ware, Information Visualization: Perception for Design. Morgan Kaufmann 1999.]


# **Glyphs: InfoBug**

#### software management





# **Glyphs: InfoBug**



# Small multiples

show array of similar items


side by side comparison

better than temporal comparison

# **Glyphs: Bray**

#### Web sites circa 1996

- # pages: base diameter
- · # outlinks: globe diameter
- · # inlinks: height
- · domain: hue



# **Glyphs**

integral vs. separable issues

when do they help?

big-scale individual glyphs vs. small-scale texture fields

grouping into large-scale patterns

#### **Gestalt Laws**

### principles of pattern perception

- · "gestalt": German for "pattern"
- original proposed mechanisms wrong
- rules themselves still useful

#### Pragnatz

simplest possibility wins

#### subsequent examples from

- Information Visualization: Perception for Design
- Colin Ware
- · Morgan Kaufmann, 2000


# **Gestalt Principles**

proximity, similarity, continuity/connectedness/good continuation closure, symmetry common fate (things moving together)


[psychlab1.hanover.edu/classes/Sensation/sld013.htm]

figure/ground, relative sizes

# **Proximity**




# Similarity




# Continuity

smooth not abrupt change overrules proximity




#### Connectedness

can overrule size, shape




# Closure

# overrules proximity




# Symmetry

emphasizes relationships




### **Common Fate**



### **Relative Size**

smaller components perceived as objects



# Figure/Ground

determined by combination of previous laws



# **Graph Drawing Tension**

#### node placement


#### close

proximity

#### far

 visual popout of long edge either

connectedness



[www.research.att.com/sw/tools/graphviz]

#### tradeoffs abound in infovis!

#### grammars

- node-link graphs
- maps


#### Motion

works for preattentive/grouping

#### less studied than static dimensions

- Michotte on causality
- more recent infovis/motion work by Lyn Bartram

### biological motion



[www.psy.vanderbilt.edu/faculty/blake/biowalker.gif]

# **More Perception**

#### Rensink grad course next term

- · last time taught through CS
- · this time taught through Psych

#### old course URL

http://www.cs.ubc.ca/~rensink/courses/cpsc532E/

# **Presentation Topic Choices**