

A visualization tool for geographic information of NTP servers

Jonatan Schroeder

University of British Columbia

Nov 14, 2007

Outline

1 Domain Description

2 The Solution

3 Software Demo

4 Conclusion

Domain Description

- NTP - Network Time Protocol
- Self-organized network
- Frequent exchange of messages

NTP Survey


- NTP survey in 2005
- Data query, collection and analysis
- <http://www.ntpsurvey.arauc.br>
- 1,290,819 unique addresses found
- 147,251 complete responses

Tasks

- Overall visualization of the geographic topology
- Deficient NTP servers identification
- Geographic topology and deficient NTP servers identification in a specific geographic region


Main Window

- Map of the region in focus
- Rectangle for each subregion
 - Colour: delay
 - Size: # servers
- Bottom: Histogram
 - Colour and X-axis: delay
 - Y-axis: # servers



Main Window

- Map of the region in focus
- Rectangle for each subregion
 - Colour: delay
 - Size: # servers
- Bottom: Histogram
 - Colour and X-axis: delay
 - Y-axis: # servers




Implementation Approach

- Java2D, Swing
- Maps using GIS boundary information
- Location using GeoLiteCity data
 - Location information previously obtained for each server


Software Demo

- Demo
- Scenario of Use


Screenshots




Screenshots




Screenshots



Screenshots



Screenshots



Conclusion

- Visualization tool for geographic visualization of NTP servers
- Search for good or deficient servers in a region

Future Work

- Performance improvement (reduce latency and usage of CPU)
- Multiple filtering
- Detailed view of servers
- Filter by IP address

A visualization tool for geographic information of NTP servers

Jonatan Schroeder

University of British Columbia

Nov 14, 2007