# **Drinking Behaviour Patterns in Dairy Cattle**





Negar Sadrzadeh | negar.sadr@ubc.ca

Arash Kamyabi | arash.kamyabi@ubc.alumni.ca

CPSC 547 Final Presentation - Fall 2021


#### Individual level cattle behaviour

- Farms are incentivised to re-evaluate their best management practices
- Water deprivation can adversely affect their health, behavior, and performance
- Significant behavior differences amongst individual cows
- Critical in making optimal decisions for housing and water access




# InsenTec System







#### Peek-a-Moo





# What? — The Data (cont.)

Name	Туре	Description	Scale	Range
Cow	Categorical	A unique 4 digit number assigned to each cow		n=53
Start	Ordinal	The date and time when the visit starts		Range = 15/7/2020 - 3/5/2021
Duration	Quantitative	The time spent in the water bin	seconds	0-250
Intake Amount	Quantitative	The amount of water consumed	Kg	0-30
Bin	Categorical	The number of water bin		101,102,103, 104,105



# What? — <u>The Data</u> (cont.)

### Derived:

Name	Туре	Description	Scale
Daily Duration	Quantitative	Sum of all durations of visits during the day	seconds
Daily Intake	Quantitative	Sum of all water intake amount of visits during the day	Kg
Average Daily Duration	Quantitative	Average of daily water intake for all days	seconds
Average Daily Intake	Quantitative	Average of daily water intake for all days	Kg



### Why? — <u>Task Abstraction</u>

- <u>T1:</u> Intake-Duration Correlation
  - Explore the correlation between the Daily Duration and Daily Intake
    - Discover the similarities and patterns in herd-level
      - Groups of cows that are similar
      - Pattern for each individual
    - Compare the behaviour of all cows



## Why? — Task Abstraction

- T2: Seasonality
  - Explore the correlation between time and visits
    - Discover
      - Seasonality of the data
      - Distribution of visits in time
      - Similarities between herd and each individual
- <u>T3</u>: Individuals
  - Present the consistent drinking behaviours in individuals




# How?


# The Solution



# **How?** — The Solution (Intake Duration Correlation)

#### Intake Duration Correlation








#### 

#### Seasonality






#### Time of Drinking





# **How?** — The Solution (Individuals)





### **Limitations and Future Work**

- Time
- The dataset contains data from different time intervals for different cows
  - o limits the comparisons
    - time filter
    - compare
- Visit-Level Analysis
  - high density of short visits
  - important
    - time
    - sequence
    - frequency





# Limitations and Future Work (cont.)

- Aggregation
  - Different time scales
- Clustering
- Evaluation and interactive refinements







UBC Dairy Education and Research Centre, Agassiz, BC, Canada

# **Backup Slides**



# **Dataset**

- A dynamic group of 48 cows being watched for 10 months
- All visits to the water bins during 10 months of monitoring



Cow ID	Bin Number	Time	Duration	Intake
Categorical	Categorical	Ordinal	Quantitative	Quantitative

### What? — The Data

all the information for 10 months of all visits to the water bins

UBC

- The monitored cows were not the same during these 10 months and were being replaced
  - target group: 53 cows which were monitored more than 4 months


# What is the question?



- Consistent individual differences in drinking behavior of cows
- Relationship between frequency and duration of visits and feed/water intake









# **Task Abstraction**

