Memoplex (Browser)++: A Semantic Document Browser

Clarence Chan CPSC 533 Nov. 12, 2006

The problem

- . Directed search: find docs easily if
 - we have the document title
 - we know exactly what keywords are involved
 - We know what we're looking for
- . What if we don't exactly know?
 - look through a list of titles
 - "feel around", browse

Navigation, browsing

- When we don't know what we want ...
 - we start off with an inexact query
 - we look around the vicinity
 - We browse
- . Useful for learning about an area
 - orient yourself w.r.t. to a local landmark
 - browsing: relative navigation
 - contrast with searching (absolute)

Navigation, browsing

- Analogy:
 - Directed search: Look up exact item in library call number system
 - Browsing: Go to a shelf and look around at various books
- What if we combine these?
 - Go to a bookshelf in a general call number range
 - Browse around various titles and books that are related

Memoplex Browser, v.1

- . Originally a 533 project from a previous year
 - Built on top of Mike Huggett's Memoplex server
 - Backend: Semantic network of documents
 - Frontend: node-link graph of network
 - Nodes are individual documents



Memoplex Browser, v.1: Existing issues

- Doesn't visualize the actual documents
- . Too many nodes at once
- Meaning of edges is unclear (what concept links two documents?)
- Isn't a Google search easier and more effective?

Memoplex (Browser)++: Proposed solution

- Visualize just a few nodes at a time
 - Important to see document text in browsing!
- Cluster documents along diff. dimensions
- Colour + spatial re-alignment of connected nodes
- Arguably, Google search is better ...
 - Run a study!

Memoplex++: Proposed solution

- . Show only elements one hop away
- fade adjacent nodes in and out as necessary when focus changes



Memoplex++: Current progress

- Document corpus acquired, basics of old Memoplex browser understood
 - Throwing out much of GUI, starting from scratch
- Basic node filtering, labeling with document text accomplished
 - Not very elegant: recalculates every time, have to figure out Prefuse expression syntax
- Working on smart way of rotating edges into appropriate position based on existing clusters

Memoplex++: Current progress

- Figuring out what to do with documents I want to hide
 - Show edges, but not node text?
 - Smaller nodes
 - Again, must learn filtering language
 - Or just hard-code?
- "Clustering" documents according to keywords
 - Writing naïve algo to parse keywords
 - What to do when no keywords are present?