

# Black-Box Optimization Benchmarking Template for Noiseless Function Testbed

Draft version \*

Forename Name

## ABSTRACT

### Categories and Subject Descriptors

G.1.6 [Numerical Analysis]: Optimization—*global optimization, unconstrained optimization*; F.2.1 [Analysis of Algorithms and Problem Complexity]: Numerical Algorithms and Problems

### General Terms

Algorithms

### Keywords

Benchmarking, Black-box optimization

## 1. RESULTS

Results of SMBO0 from experiments according to [?] on the benchmark functions given in [?, ?] are presented in Figures 1, 2 and 4 and in Tables 1 and 3.

## 2. REFERENCES


- [1] S. Finck, N. Hansen, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Presentation of the noiseless functions. Technical Report 2009/20, Research Center PPE, 2009. Updated February 2010.
- [2] N. Hansen, A. Auger, S. Finck, and R. Ros. Real-parameter black-box optimization benchmarking 2012: Experimental setup. Technical report, INRIA, 2012.
- [3] N. Hansen, S. Finck, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Noiseless functions definitions. Technical Report RR-6829, INRIA, 2009. Updated February 2010.

\*Submission deadline: March 28th.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

GECCO'13, July 6-10, 2013, Amsterdam, The Netherlands.

Copyright 2013 ACM TBA ...\$15.00.



<i>f1-f24 in 5-D, maxFE/D=100</i>						
#FEs/D	best	10%	25%	med	75%	90%
2	0.75	1.0	1.4	2.2	3.2	3.6
10	1.0	1.6	3.0	3.4	5.0	6.9
100	1.5	4.8	11	18	26	95
1e3	9.7	15	37	85	1.8e2	9.5e2
RL <sub>US</sub> /D	30	1e2	1e2	1e2	1e2	1e2

<i>f1-f24 in 20-D, maxFE/D=100</i>						
#FEs/D	best	10%	25%	med	75%	90%
2	0.81	1.00	1.2	11	40	40
10	1.0	1.9	5.0	13	1.2e2	2.0e2
100	1.0	8.9	24	55	1.4e2	2.0e3
1e3	1.0	60	1.4e2	3.4e2	5.4e2	2.0e4
RL <sub>US</sub> /D	1e2	1e2	1e2	1e2	1e2	1e2

**Figure 3:** ERT loss ratio versus the budget (both in number of  $f$ -evaluations divided by dimension). The target value  $f_t$  for a given budget FEvals is the best target  $f$ -value reached within the budget by the given algorithm. Shown is the ERT of the given algorithm divided by best ERT seen in GECCO-BBOB-2009 for the target  $f_t$ , or, if the best algorithm reached a better target within the budget, the budget divided by the best ERT. Line: geometric mean. Box-Whisker error bar: 25-75%-ile with median (box), 10-90%-ile (caps), and minimum and maximum ERT loss ratio (points). The vertical line gives the maximal number of function evaluations in a single trial in this function subset. See also Figure 4 for results on each function subgroup.





Figure 1: Expected number of  $f$ -evaluations (ERT, lines) to reach  $f_{\text{opt}} + \Delta f$ ; median number of  $f$ -evaluations (+) to reach the most difficult target that was reached not always but at least once; maximum number of  $f$ -evaluations in any trial ( $\times$ ); interquartile range with median (notched boxes) of simulated runlengths to reach  $f_{\text{opt}} + \Delta f$ ; all values are divided by dimension and plotted as  $\log_{10}$  values versus dimension. Shown is the ERT for targets just not reached by the GECCO-BBOB-2009 best algorithm within the given budget  $k\text{DIM}$ , where  $k$  is shown in the legend. Numbers above ERT-symbols indicate the number of trials reaching the respective target. Slanted grid lines indicate a scaling with  $\mathcal{O}(\text{DIM})$  compared to  $\mathcal{O}(1)$  when using the respective 2009 best algorithm.



**Figure 2:** Empirical cumulative distribution functions (ECDF), plotting the fraction of trials with an outcome not larger than the respective value on the  $x$ -axis. Left subplots: ECDF of number of function evaluations (FEvals) divided by search space dimension  $D$ , to fall below  $f_{\text{opt}} + \Delta f$  where  $\Delta f$  is the target just not reached by the GECCO-BBOB-2009 best algorithm within a budget of  $k \times \text{DIM}$  evaluations, where  $k$  is the first value in the legend. Legends indicate for each target the number of functions that were solved in at least one trial within the displayed budget. Right subplots: ECDF of the best achieved  $\Delta f$  for running times of  $0.5D, 1.2D, 3D, 10D, 100D, 1000D, \dots$  function evaluations (from right to left cycling cyan-magenta-black...) and final  $\Delta f$ -value (red), where  $\Delta f$  and  $Df$  denote the difference to the optimal function value.

5-D							20-D						
#FEs/D	0.5	1.2	3.0	10	50	#succ	#FEs/D	0.5	1.2	3.0	10	50	#succ
<b>f<sub>1</sub></b>	<i>2.5e+1:4.8</i> 1.6(2)	<i>1.6e+1:7.6</i> 4.2(6)	<i>1.0e-8:12</i> $\infty$	<i>1.0e-8:12</i> $\infty$	<i>1.0e-8:12</i> $\infty$ 500	15/15 0/15	<b>f<sub>1</sub></b>	<i>6.3e+1:24</i> 177(206)	<i>4.0e+1:42</i> 678(742)	<i>1.0e-8:43</i> $\infty$	<i>1.0e-8:43</i> $\infty$	<i>1.0e-8:43</i> $\infty$ 2000	15/15 0/15
<b>f<sub>2</sub></b>	<i>1.6e+6:2.9</i> 2.2(3)	<i>4.0e+5:11</i> 1.7(2)	<i>4.0e+4:15</i> 10(14)	<i>6.3e+2:58</i> $\infty$	<i>1.0e-8:95</i> $\infty$ 500	15/15 0/15	<b>f<sub>2</sub></b>	<i>4.0e+6:29</i> 1.4(1)	<i>2.5e+6:42</i> 3.7(5)	<i>1.0e+5:65</i> $\infty$	<i>1.0e+4:207</i> $\infty$	<i>1.0e-8:412</i> $\infty$ 2000	15/15 0/15
<b>f<sub>3</sub></b>	<i>1.6e+2:4.1</i> 2.1(3)	<i>1.0e+2:15</i> 1.7(1)	<i>6.3e+1:23</i> 4.1(4)	<i>2.5e+1:73</i> 32(34)	<i>1.0e+1:716</i> $\infty$ 500	15/15 0/15	<b>f<sub>3</sub></b>	<i>6.3e+2:33</i> 4.0(4)	<i>4.0e+2:44</i> 26(28)	<i>1.6e+2:109</i> $\infty$	<i>1.0e+2:255</i> $\infty$	<i>2.5e+1:3277</i> $\infty$ 2000	15/15 0/15
<b>f<sub>4</sub></b>	<i>2.5e+2:2.6</i> 1.7(3)	<i>1.6e+2:10</i> 2.9(4)	<i>1.0e+2:19</i> 5.0(5)	<i>4.0e+1:65</i> 35(40)	<i>1.6e+1:434</i> $\infty$ 500	15/15 0/15	<b>f<sub>4</sub></b>	<i>6.3e+2:22</i> 59(81)	<i>4.0e+2:91</i> $\infty$	<i>2.5e+2:250</i> $\infty$	<i>1.6e+2:332</i> $\infty$	<i>6.3e+1:1927</i> $\infty$ 2000	15/15 0/15
<b>f<sub>5</sub></b>	<i>6.3e+1:4.0</i> 1.6(1)	<i>4.0e+1:10</i> 0.75(0.6)	<i>1.0e-8:10</i> $\infty$	<i>1.0e-8:10</i> $\infty$	<i>1.0e-8:10</i> $\infty$ 500	15/15 0/15	<b>f<sub>5</sub></b>	<i>2.5e+2:19</i> 0.91(0.6)	<i>1.6e+2:34</i> 0.79(0.3)	<i>1.0e-8:41</i> $\infty$	<i>1.0e-8:41</i> $\infty$	<i>1.0e-8:41</i> $\infty$ 2000	15/15 0/15
<b>f<sub>6</sub></b>	<i>1.0e+5:3.0</i> 1.6(2)	<i>2.5e+4:8.4</i> 1.5(2)	<i>1.0e+2:16</i> 14(16)	<i>2.5e+1:54</i> 32(34)	<i>2.5e-1:254</i> $\infty$ 500	15/15 0/15	<b>f<sub>6</sub></b>	<i>2.5e+5:16</i> 3.1(3)	<i>6.3e+4:43</i> 4.4(5)	<i>1.6e+4:62</i> 5.6(6)	<i>1.6e+2:353</i> $\infty$	<i>1.6e+1:1078</i> $\infty$ 2000	15/15 0/15
<b>f<sub>7</sub></b>	<i>1.6e+2:4.2</i> 1.5(2)	<i>1.0e+2:6.2</i> 2.0(2)	<i>2.5e+1:20</i> 1.6(1)	<i>4.0e+0:54</i> 1.6(0.7)	<i>1.0e+0:324</i> 1.4(2)	15/15 6/15	<b>f<sub>7</sub></b>	<i>1.0e+3:11</i> 1.5(3)	<i>4.0e+2:39</i> 4.2(1)	<i>2.5e+2:74</i> 2.9(0.4)	<i>6.3e+1:319</i> <b>0.85(0.1)</b> <sup>↓3</sup>	<i>1.0e+1:1351</i> 3.8(4)	15/15 5/15
<b>f<sub>8</sub></b>	<i>1.0e+4:4.6</i> 1.1(0.9)	<i>6.3e+3:6.8</i> 0.88(1)	<i>1.0e+3:18</i> 13(15)	<i>6.3e+1:54</i> 132(151)	<i>1.6e+0:258</i> $\infty$ 500	15/15 0/15	<b>f<sub>8</sub></b>	<i>4.0e+4:19</i> 13(15)	<i>2.5e+4:35</i> 28(15)	<i>4.0e+3:67</i> 439(446)	<i>2.5e+2:231</i> $\infty$	<i>1.6e+1:1470</i> $\infty$ 2000	15/15 0/15
<b>f<sub>9</sub></b>	<i>2.5e+1:20</i> $\infty$	<i>1.6e+1:26</i> $\infty$	<i>1.0e+1:35</i> $\infty$	<i>4.0e+0:62</i> $\infty$	<i>1.6e-2:256</i> $\infty$ 500	15/15 0/15	<b>f<sub>9</sub></b>	<i>1.0e+2:357</i> $\infty$	<i>6.3e+1:560</i> $\infty$	<i>4.0e+1:684</i> $\infty$	<i>2.5e+1:756</i> $\infty$	<i>1.0e+1:1716</i> $\infty$ 2000	15/15 0/15
<b>f<sub>10</sub></b>	<i>2.5e+6:2.9</i> 2.3(2)	<i>6.3e+5:7.0</i> 1.8(2)	<i>2.5e+5:17</i> 1.8(3)	<i>6.3e+3:54</i> 68(74)	<i>2.5e+1:297</i> $\infty$ 500	15/15 0/15	<b>f<sub>10</sub></b>	<i>1.6e+6:15</i> 47(57)	<i>1.0e+6:27</i> 81(56)	<i>4.0e+5:70</i> 208(228)	<i>6.3e+4:231</i> $\infty$	<i>4.0e+3:1015</i> $\infty$ 2000	15/15 0/15
<b>f<sub>11</sub></b>	<i>1.0e+6:3.0</i> 3.3(2)	<i>6.3e+4:6.2</i> 4.5(3)	<i>6.3e+2:16</i> 11(14)	<i>6.3e+1:74</i> 15(17)	<i>6.3e-1:298</i> $\infty$ 500	15/15 0/15	<b>f<sub>11</sub></b>	<i>4.0e+4:11</i> 2.1(2)	<i>2.5e+3:27</i> 2.5(2)	<i>1.6e+2:313</i> 92(102)	<i>1.0e+2:481</i> $\infty$	<i>1.0e+1:1002</i> $\infty$ 2000	15/15 0/15
<b>f<sub>12</sub></b>	<i>4.0e+7:3.6</i> 0.65(0.7)	<i>1.6e+7:7.6</i> 1.1(1)	<i>4.0e+6:19</i> 16(18)	<i>1.6e+4:52</i> $\infty$	<i>1.0e+0:268</i> $\infty$ 500	15/15 0/15	<b>f<sub>12</sub></b>	<i>1.0e+8:23</i> 63(75)	<i>6.3e+7:39</i> 248(229)	<i>2.5e+7:76</i> $\infty$	<i>4.0e+6:209</i> $\infty$	<i>1.0e+1:1042</i> $\infty$ 2000	15/15 0/15
<b>f<sub>13</sub></b>	<i>1.0e+3:2.8</i> 1.3(0.9)	<i>6.3e+2:8.4</i> 1.7(2)	<i>6.3e+2:17</i> 1.6(0.7)	<i>6.3e+1:52</i> 66(72)	<i>6.3e-2:264</i> $\infty$ 500	15/15 0/15	<b>f<sub>13</sub></b>	<i>1.6e+3:28</i> 3.0(2)	<i>1.0e+3:64</i> 3.3(1)	<i>6.3e+2:79</i> 8.8(10)	<i>4.0e+1:211</i> $\infty$	<i>2.5e+0:1724</i> $\infty$ 2000	15/15 0/15
<b>f<sub>14</sub></b>	<i>1.6e+1:3.0</i> 1.7(2)	<i>1.0e+1:10</i> 1.5(2)	<i>6.3e+0:15</i> 1.7(2)	<i>2.5e-1:53</i> $\infty$	<i>1.0e-5:251</i> $\infty$ 500	15/15 0/15	<b>f<sub>14</sub></b>	<i>2.5e+1:15</i> 39(34)	<i>1.6e+1:42</i> 315(354)	<i>1.0e+1:75</i> $\infty$	<i>1.6e+0:219</i> $\infty$	<i>6.3e-4:1106</i> $\infty$ 2000	15/15 0/15
<b>f<sub>15</sub></b>	<i>1.6e+2:3.0</i> 1.2(2)	<i>1.0e+2:13</i> 1.4(2)	<i>6.3e+1:24</i> 2.0(2)	<i>4.0e+1:55</i> 2.2(1.0)	<i>1.6e+1:289</i> 12(13)	5/5 2/15	<b>f<sub>15</sub></b>	<i>6.3e+2:15</i> 23(35)	<i>4.0e+2:67</i> 42(52)	<i>2.5e+2:292</i> 48(55)	<i>1.6e+2:846</i> $\infty$	<i>1.0e+2:1671</i> $\infty$ 2000	15/15 0/15
<b>f<sub>16</sub></b>	<i>4.0e+1:4.8</i> 1.5(1)	<i>2.5e+1:16</i> 1.3(0.6)	<i>1.6e+1:46</i> 2.3(3)	<i>1.0e+1:120</i> 2.9(3)	<i>4.0e+0:334</i> 11(13)	15/15 2/15	<b>f<sub>16</sub></b>	<i>4.0e+1:26</i> 5.0(7)	<i>2.5e+1:127</i> 54(53)	<i>1.6e+1:540</i> $\infty$	<i>1.6e+1:540</i> $\infty$	<i>1.0e+1:1384</i> $\infty$ 2000	15/15 0/15
<b>f<sub>17</sub></b>	<i>1.0e+1:5.2</i> 3.0(3)	<i>6.3e+0:26</i> 3.6(4)	<i>4.0e+0:57</i> 9.4(10)	<i>2.5e+0:110</i> 15(17)	<i>6.3e-1:412</i> $\infty$ 500	15/15 0/15	<b>f<sub>17</sub></b>	<i>1.6e+1:11</i> 0.81(1)	<i>1.0e+1:63</i> 58(77)	<i>6.3e+0:305</i> $\infty$	<i>4.0e+0:468</i> $\infty$	<i>1.0e+0:1030</i> $\infty$ 2000	15/15 0/15
<b>f<sub>18</sub></b>	<i>6.3e+1:3.4</i> 1.5(2)	<i>4.0e+1:7.2</i> 1.3(1)	<i>2.5e+1:20</i> 1.6(2)	<i>1.6e+1:58</i> 3.2(4)	<i>1.6e+0:318</i> $\infty$ 500	15/15 0/15	<b>f<sub>18</sub></b>	<i>4.0e+1:116</i> 11(13)	<i>2.5e+1:252</i> $\infty$	<i>1.6e+1:430</i> $\infty$	<i>1.0e+1:621</i> $\infty$	<i>4.0e+0:1090</i> $\infty$ 2000	15/15 0/15
<b>f<sub>19</sub></b>	<i>1.6e-1:172</i> $\infty$	<i>1.0e-1:242</i> $\infty$	<i>6.3e-2:675</i> $\infty$	<i>4.0e-2:3078</i> $\infty$	<i>2.5e-2:4946</i> $\infty$ 500	15/15 0/15	<b>f<sub>19</sub></b>	<i>1.6e-1:2.5e5</i> $\infty$	<i>1.0e-1:3.4e5</i> $\infty$	<i>6.3e-2:3.4e5</i> $\infty$	<i>4.0e-2:3.4e5</i> $\infty$	<i>2.5e-2:3.4e5</i> $\infty$ 2000	3/15 0/15
<b>f<sub>20</sub></b>	<i>6.3e+3:5.1</i> 1.4(0.7)	<i>4.0e+3:8.4</i> 1.2(2)	<i>4.0e+1:15</i> 5.8(4)	<i>2.5e+0:69</i> 16(15)	<i>1.0e+0:851</i> $\infty$ 500	15/15 0/15	<b>f<sub>20</sub></b>	<i>1.6e+4:38</i> 40(52)	<i>1.0e+4:42</i> 142(166)	<i>2.5e+2:62</i> $\infty$	<i>2.5e+0:250</i> $\infty$	<i>1.6e+0:2536</i> $\infty$ 2000	15/15 0/15
<b>f<sub>21</sub></b>	<i>4.0e+1:3.9</i> 2.0(2)	<i>2.5e+1:11</i> 2.6(2)	<i>1.6e+1:31</i> 1.6(2)	<i>6.3e+0:73</i> 7.7(8)	<i>1.6e+0:347</i> $\infty$ 500	5/5 0/15	<b>f<sub>21</sub></b>	<i>6.3e+1:36</i> 833(880)	<i>4.0e+1:77</i> $\infty$	<i>4.0e+1:77</i> $\infty$	<i>1.6e+1:456</i> $\infty$	<i>4.0e+0:1094</i> $\infty$ 2000	15/15 0/15
<b>f<sub>22</sub></b>	<i>6.3e+1:3.6</i> 2.3(3)	<i>4.0e+1:15</i> 1.8(2)	<i>2.5e+1:32</i> 2.8(3)	<i>1.0e+1:71</i> 6.4(7)	<i>1.6e+0:341</i> 21(23)	5/5 1/15	<b>f<sub>22</sub></b>	<i>6.3e+1:45</i> 650(733)	<i>4.0e+1:68</i> $\infty$	<i>4.0e+1:68</i> $\infty$	<i>1.6e+1:231</i> $\infty$	<i>6.3e+0:1219</i> $\infty$ 2000	15/15 0/15
<b>f<sub>23</sub></b>	<i>1.0e+1:3.0</i> 1.4(2)	<i>6.3e+0:9.0</i> 2.7(4)	<i>4.0e+0:33</i> 3.7(5)	<i>2.5e+0:84</i> 5.0(6)	<i>1.0e+0:518</i> 4.2(5)	15/15 3/15	<b>f<sub>23</sub></b>	<i>6.3e+0:29</i> 1.5(2)	<i>4.0e+0:118</i> 10(11)	<i>2.5e+0:306</i> 46(49)	<i>2.5e+0:306</i> 46(49)	<i>1.0e+0:1614</i> $\infty$ 2000	15/15 0/15
<b>f<sub>24</sub></b>	<i>6.3e+1:15</i> 2.5(3)	<i>4.0e+1:37</i> 10(8)	<i>4.0e+1:37</i> 10(8)	<i>2.5e+1:118</i> 62(64)	<i>1.6e+1:692</i> $\infty$ 500	15/15 0/15	<b>f<sub>24</sub></b>	<i>2.5e+2:208</i> 3.1(2)	<i>1.6e+2:918</i> $\infty$	<i>1.0e+2:6628</i> $\infty$	<i>6.3e+1:9885</i> $\infty$	<i>4.0e+1:31629</i> $\infty$ 2000	15/15 0/15

Table 1: Expected running time (ERT in number of function evaluations) divided by the best ERT measured during BBOB-2009. The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear in the second row of each cell, the best ERT (preceded by the target  $\Delta f$ -value in *italics*) in the first. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Bold entries are statistically significantly better (according to the rank-sum test) compared to the best algorithm in BBOB-2009, with  $p = 0.05$  or  $p = 10^{-k}$  when the number  $k > 1$  is following the  $\downarrow$  symbol, with Bonferroni correction by the number of functions.




Figure 4: ERT loss ratios (see Figure 3 for details). Each cross (+) represents a single function, the line is the geometric mean.